For KCC Use:

Eff	e	ct	iv	е	Date:
— ·					

District	#	

SGA?	Yes	No

Forn

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

1049169

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	(<u>a/a/a/a)</u> Sec Twp S. R E W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other If OWWO: old well information as follows: Operator: Well Name:	Nearest Lease or unit boundary line (in footage):
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Bottom Hole Location:	Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT. I II
Approved by:	
This authorization expires:	tarted within 12 months of approval date.)
Spud date: Ag	gent:

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

ш

Mail to: KCC - Conservation Division	,
130 S. Market - Room 2078, Wichita, Kansas	67202



For KCC Use ONLY

API # 15 - ____

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.

LEGEND	•						•	
O Well Location Tank Battery Location				•••••				
Pipeline Location		:	:	•••••	:	:	:	
Lease Road Location		: : 						•••••
EXAMPLE	- - - - - - -	•	•			· · · ·	•	
		•	:		:	•	:	
		•		•••••		•		
	· · · · · · · · · · · · · · · · · · ·	:	:	•••••	:		:	
		•						
<i>SEWARD CO.</i> 3390' FEL		•			•	•		
		:	:		:	:	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 Form must be Typed

May 2010

APPLICATION FOR SURFACE PIT

Submit in Duplicate **Operator Name:** License Number: **Operator Address:** Contact Person: Phone Number: Lease Name & Well No .: Pit Location (QQQQ): Type of Pit: _ - ____ - ____ - ____ Pit is: **Emergency Pit** Burn Pit Proposed Existing Sec.____Twp.____R.___ East West Settling Pit **Drilling Pit** If Existing, date constructed: Feet from North / South Line of Section Haul-Off Pit Workover Pit ____Feet from ___ East / ___ West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) County _(bbls) Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Yes Yes No No ____Length (feet) ___ _____Width (feet) Pit dimensions (all but working pits): N/A: Steel Pits Depth from ground level to deepest point: __ __ (feet) No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Depth to shallowest fresh water ____ Distance to nearest water well within one-mile of pit: feet. Source of information: KDWR measured well owner electric log _feet Depth of water well ____ __ feet Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: _ Type of material utilized in drilling/workover: Number of producing wells on lease: _____ Number of working pits to be utilized: ____ Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Steel Pit Liner RFAC RFAS Permit Number: No Date Received: Permit Date: Lease Inspection: Yes

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: Zip: Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Phone: () Fax: () Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

[

I

										 	 		1
												•	
					•	- Citi							
			-,										
						*	•						
				 à		U							
							3	0					
F	As						10						
Lu	AS	#1										·	
							•					-	
				 		·							
		1											
				 					•	 			

;

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4 December 2003 Type or Print on this Form Form must be Signed All blanks must be Filled

.ease Operator: Marmi	k Oli Company		·····		API Number: 1	<u>5 - 015-23675-0000</u>	
Address: 200 N. Jeffer	son #500				Lease Name: Lu		
ohone: (870)862-8	3546 Opera	ator License #	6875		Well Number:		
D 0 1					Spot Location (Q	QQQ): irr	-
(Oil, Gas D&A, SWD, ENHR,	Water Supply Well, Cath	hodic, Other)	cket #: (If SV	VD or ENHR)		om North / 🗹 South Section	
he plugging proposal wa	s approved on: 11-2	1-05		(Date)		om 🗌 East / 🗹 West Sectio	
_{y:} Mr. Clothier			_ (KCC Distric	t Agent's Name)		.27S. R. 8 Vest Secur East	
s ACO-1 filed? 🖌 Yes		s well log attach			County: Butler	5. R [*] Easi	
roducing Formation(s): Lis	Interferenced	_	ليتغير	hyperatural	County:	ated: 11-22-05	
	Depth to Top: _	Botto	m:	T.D	Date Well Comple	nced: 11-22-05	
	Depth to Top:	Botto	m:	T.D	Plugging Commer	11 22 05	
	Depth to Top: _	Botto	m:	T.D	Plugging Complet	ted: 11-22-05	
how depth and thickness	of all water, oil and g	jas formations.					
מערידה היותריונים אינה היה היה אינו אינו אינו אינו אינו אינו אינו אינו	Vater Records			Casing Record (S	Surface Conductor & P	roduction)	
Formation	Content	From	То	Size	Put In	Pulled Out	
		0	201	8 5/8 23#	201	0	
ple. If cement or other pl	ugs were used, state	the character of	f same depth p	placed from (botto	placed and the methonom), to (top) for each	od or methods used in introducing i n plug set.	t into the
ole. If cement or other pl	ugs were used, state	the character of	f same depth p	placed from (botto	placed and the methonom), to (top) for each	od or methods used in introducing i n plug set.	t into the
ole. If cement or other pl	ugs were used, state	the character of	f same depth p	placed from (botto	placed and the metho pm), to (top) for each	od or methods used in introducing i n plug set. RECEIVED	t into the
ole. If cement or other pl 35 sx @ 3250', 35 sx	lugs were used, state (@250', 25 sx @(the character of	f same depth p e, 15sx in ra	placed from (botto	om), to (top) for each	RECEIVED 2854 JAN 1 1 2006	
escribe in detail the mann ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th	lugs were used, state (@250', 25 sx @4 (the character of	f same depth p e, 15sx in ra	blaced from (botto	om), to (top) for each	RECEIVED 2854 JAN 1 1 2006	
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th	ugs were used, state (@250', 25 sx @6 tor: Gulick Drilling , Eureka, KS 6	the character of 60' to surface 7045	f same depth p e, 15sx in ra	blaced from (botto	om), to (top) for each	RECEIVED	
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th ame of Party Responsible	ugs were used, state (@250', 25 sx @4 tor: Gulick Drilling , Eureka, KS 6 a for Plugging Fees: N	the character of 60' to surface 7045 Marmik Oil	f same depth p	blaced from (botto	om), to (top) for each	RECEIVED 2854 JAN 1 1 2006	
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract	ugs were used, state (@250', 25 sx @4 tor: Gulick Drilling , Eureka, KS 6 a for Plugging Fees: N	the character of 60' to surface 7045 Marmik Oil	f same depth p	placed from (botto	om), to (top) for each	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA	
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of	ugs were used, state (@250', 25 sx @4 tor: Gulick Drilling , Eureka, KS 6 e for Plugging Fees: N County,	the character of 60' to surface 7045 Marmik Oil	f same depth p	placed from (botto thole	om), to (top) for each	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA	first duly
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of	lugs were used, state (@250', 25 sx @4 tor: Gulick Drilling , Eureka, KS 6 a for Plugging Fees: N County,	the character of 60' to surface 7045 Marmik Oil	f same depth p e, 15sx in ra	placed from (botto thole , ss. (Employee of ars herein contain	Operator) or (Operative of the log of the lo	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA	first duly
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of vorn on oath, says: That I ame are true and correct,	ugs were used, state (@250', 25 sx @(tor: Gulick Drilling , Eureka, KS 6' e for Plugging Fees: M County, I have knowledge of th so help me God.	the character of 60' to surface 7045 Marmik Oil ne facts stateme (Signature)_	ents, and matte	, ss. (Employee of ars herein contain M M	Operator) or (Operatived, and the log of the Mound Mou	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA	first duly and the
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of vorn on oath, says: That I ame are true and correct,	ugs were used, state (@250', 25 sx @(tor: Gulick Drilling , Eureka, KS 6' e for Plugging Fees: M County, I have knowledge of th so help me God.	the character of 60' to surface 7045 Marmik Oil ne facts stateme (Signature)_	ents, and matte	, ss. (Employee of ars herein contain M M	Operator) or (Operatived, and the log of the Mound Mou	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA	first duly and the
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of vorn on oath, says: That I ame are true and correct,	ugs were used, state (@250', 25 sx @(tor: Gulick Drilling , Eureka, KS 6' e for Plugging Fees: M County, I have knowledge of th so help me God.	the character of 60' to surface 7045 Marmik Oil ne facts stateme (Signature)_	ents, and matte	, ss. (Employee of ars herein contain M M	Operator) or (Operatived, and the log of the Mound Mou	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA	first duly and the
ole. If cement or other pl 35 sx @ 3250', 35 sx ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of vorn on oath, says: That I ame are true and correct,	ugs were used, state (@250', 25 sx @(tor: Gulick Drilling , Eureka, KS 6' e for Plugging Fees: M County, I have knowledge of th so help me God.	the character of 60' to surface 7045 Marmik Oil ne facts stateme (Signature)_	ents, and matte	, ss. (Employee of ars herein contain M M	Operator) or (Operatived, and the log of the Mound Mou	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA	first duly and the
ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of	Iugs were used, state (@250', 25 sx @4 tor: Gulick Drilling , Eureka, KS 6 a for Plugging Fees: County, I have knowledge of the so help me God.	the character of 60' to surface 7045 Marmik Oil ne facts stateme (Signature)_	ents, and matte	, ss. (Employee of ars herein contain M M	Operator) or (Operatived, and the log of the Mound Mou	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA	first duly and the
ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of	Iugs were used, state (@250', 25 sx @4 tor: Gulick Drilling , Eureka, KS 6 a for Plugging Fees: County, I have knowledge of the so help me God.	the character of 60' to surface 7045 Marmik Oil ne facts stateme (Signature) (Address)2 I SWORN TO bu Cat Notary Pu	ents, and matter	, ss. (Employee of srs herein contain (FFFERS) 9 day of (My	om), to (top) for each $\frac{1}{2}$ License $\#: 3$ Operator) or (Operative determined, and the log of	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA for) on above-described well, being the above-described well is as filed, MDD AR , 20 	first duly and the
ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of	Iugs were used, state (@250', 25 sx @4 tor: Gulick Drilling , Eureka, KS 6 a for Plugging Fees: County, I have knowledge of the so help me God.	the character of 60' to surface 7045 Marmik Oil ne facts stateme (Signature) (Address)2 I SWORN TO bu Cat Notary Pu	ents, and matter	, ss. (Employee of srs herein contain (FFFERS) 9 day of (My	Operator) or (Operatived, and the log of the Mound Mou	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA for) on above-described well, being the above-described well is as filed, MDD AR , 20 	first duly and the
ame of Plugging Contract ddress: 2031 140th ame of Party Responsible tate of	Iugs were used, state (@250', 25 sx @4 tor: Gulick Drilling , Eureka, KS 6 a for Plugging Fees: County, I have knowledge of the so help me God.	the character of 60' to surface 7045 Marmik Oil ne facts stateme (Signature) (Address)2 I SWORN TO bu Cat Notary Pu	ents, and matter	placed from (botto thole , ss. (Employee of prs herein contain the fffffson ffffffson gday ofMy	om), to (top) for each $\frac{1}{2}$ License $\#: 3$ Operator) or (Operative determined, and the log of	RECEIVED 2854 JAN 1 1 2005 KCC WICHITA for) on above-described well, being the above-described well is as filed, MDD AR , 20 	first duly and the