





**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

Berexco, LLC

**Advent #1**

Po Box 20380  
Wichita Ks 67208

**13-11s-23w**

Job Ticket: 38524

**DST#: 3**

ATTN: Bruce Meyer

Test Start: 2010.09.18 @ 20:07:50

### Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

40 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

85000 ppm

Viscosity: 60.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 8.79 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 4000.00 ppm

Filter Cake: inches

### Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
180.00	MW w hit a scum of oil 15%M85%W	0.885
120.00	OCWM 10%O1%W80%M	0.590
40.00	OCM20%O80%M	0.197
27.00	Free Oil	0.162
0.00	105 GIP	0.000

Total Length: 367.00 ft

Total Volume: 1.834 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

### Pressure vs. Time

