



BASICSM
ENERGY SERVICES
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.
P.O. Box 129
Liberal, Kansas 67905
Phone 620-624-2277


FIELD SERVICE TICKET
1717 01134 A

DATE _____ TICKET NO. _____

DATE OF JOB 10-11-10 DISTRICT 1717		NEW WELL <input checked="" type="checkbox"/> OLD WELL <input type="checkbox"/> PROD <input type="checkbox"/> INJ <input type="checkbox"/> WDW <input type="checkbox"/> CUSTOMER ORDER NO.:							
CUSTOMER Oky USA		LEASE ZIM FARMS		WELL NO. 4					
ADDRESS		COUNTY Haskell		STATE Ks					
CITY		STATE		SERVICE CREW Cochran/Gibson/Camddy					
AUTHORIZED BY		JOB TYPE: Z 42 5 1/2 L.S.							
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE	AM	TIME
21755	10.7						10-10	18:00	
27808	10.7					ARRIVED AT JOB	10-10	21:00	
19553	10.7					START OPERATION	10-11	05:30	
19827	10.7					FINISH OPERATION	10-11	06:40	
19566	10.7					RELEASED	10-11	07:40	
						MILES FROM STATION TO WELL	37		

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: 
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
CL101	'A-con' Blend	SK	195		3627 00
CL104	50/50 Poz	SK	125		1375 00
CC113	Gypsum	lb	525		393 75
CC111	Salt	lb	693		346 50
CC124	FLA-115	lb	63		945 00
CC107	C-42P	lb	27		216 00
CC201	Gilsonite	lb	625		418 75
CC180	C-51	lb	37		925 00
CC102	Celloflake	lb	49		181 30
CC109	Calcium Chloride	lb	552		579 60
CF1451	Insert	ea	1		215 00
CF1651	Turbolizer	ea	20		2200 00
CF103	Top Plug	ea	1		105 00
CF251	Guide shoe	ea	1		250 00
CF501	Stop Ring	ea	1		40 00
		gal	500		765 00
CC155	Super Flush II				

SUB TOTAL **12064 62**

CHEMICAL / ACID DATA:			

SERVICE & EQUIPMENT	%TAX ON \$	
MATERIALS	%TAX ON \$	
TOTAL		

SERVICE REPRESENTATIVE Mickey Cochran	THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: 
FIELD SERVICE ORDER NO.	(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

Customer <i>Oxy USA</i>	Lease No.	Date <i>10-10-10</i>
Lease <i>ZM Farms</i>	Well # <i>4</i>	
Field Order # <i>171701134</i>	Station <i>Liberal</i>	Casing <i>5 1/2</i>
Type Job <i>Z42 5 1/2 L.S.</i>	Formation	Depth <i>5717</i>
		County <i>Haskell</i>
		State <i>Ks</i>
		Legal Description <i>11-30-32</i>

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME	
Casing Size	Tubing Size	Shots/Ft	Acid	Blend	CC-14	PRESS	ISIP
		<i>195 sk</i>	<i>'A-con'</i>	<i>Blend - 3%</i>	<i>CC-14</i>	<i>Polylake - 2%</i>	<i>WCA-1</i>
Depth	Depth	From	Pre Pad		Max		5 Min.
		<i>2.95</i>	<i>18.10 gal/sk @</i>		<i>11.4 #/gal</i>		
Volume	Volume	From	Pad		Min		10 Min.
		<i>125 sk</i>	<i>50/50 Poz - 5%</i>		<i>W-20 - 10% salt - .6%</i>		<i>0-15</i>
Max Press	Max Press	From	Frac		Avg		15 Min.
		<i>14 #</i>	<i>Defoamer - 5 #</i>		<i>Gilsonite</i>		
Well Connection	Annulus Vol.	From			HHP Used		Annulus Pressure
		<i>1.5</i>	<i>6.65 gal/sk @</i>		<i>13.8 #/gal</i>		
Plug Depth	Packer Depth	From	Flush		Gas Volume		Total Load

Customer Representative <i>Nes</i>	Station Manager <i>J. Bennett</i>	Treater <i>M. Cochran</i>
Service Units <i>21755 27808 19553 19827 19876</i>		
Driver Names <i>Cochran T. Gibson O. Camaday</i>		

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
<i>20:45</i>					<i>on loc. / Held Safety Meeting</i>
<i>22:50</i>					<i>Start Csg.</i>
<i>02:45</i>					<i>Csg. on Bottom Cir. w/ Rig Pump</i>
<i>05:32</i>	<i>2500</i>				<i>Test Pump + Lines</i>
<i>05:34</i>	<i>600</i>		<i>5</i>	<i>5</i>	<i>Start fresh H₂O</i>
<i>05:35</i>	<i>600</i>		<i>12</i>	<i>5</i>	<i>Start Super Flush II</i>
<i>05:37</i>	<i>600</i>		<i>5</i>	<i>5</i>	<i>Start fresh H₂O</i>
<i>05:38</i>					<i>Shutdown + Knock Loose</i>
<i>05:41</i>	<i>100</i>		<i>8</i>	<i>3</i>	<i>Plug Rat Hole w/ 25 sk @ 12.5 #</i>
<i>05:44</i>	<i>100</i>		<i>8</i>	<i>3</i>	<i>Plug Mouse Hole w/ 25 sk @ 12.5 #</i>
<i>05:47</i>					<i>Shutdown + Knock Loose</i>
<i>05:48</i>	<i>700</i>		<i>76</i>	<i>6</i>	<i>Start Lead cmt + 145 sk @ 11.4 #</i>
<i>06:02</i>			<i>34</i>	<i>6</i>	<i>Start Tail cmt + 125 sk @ 13.8 #</i>
<i>06:09</i>					<i>Shutdown + Wash up</i>
<i>06:13</i>	<i>500</i>		<i>0</i>	<i>7</i>	<i>Start Disp. w/ fresh H₂O</i>
<i>06:32</i>	<i>1000</i>		<i>122</i>	<i>2</i>	<i>Slow Rate</i>
<i>06:34</i>	<i>1600</i>		<i>132</i>	<i>2</i>	<i>Bump Plug</i>
<i>06:35</i>	<i>6</i>		<i>132</i>		<i>Release / Float Held</i>
<i>06:40</i>					<i>End Job</i>
	<i>1100</i>				<i>Pressure Before Plug landed</i>