

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

month day year	Spot Description:
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ity:	County:
ontact Person:hone:	Lease Name: Well #:
1016.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
U OVVVO. Old Well Information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No f Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWK Pellill #.
KCC DKT #:	(Note: Apply for 1 crimic with BWA
	- Will Cores be taken? Yes N
	ii 165, proposed 20116
AF	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	
3. The minimum amount of surface pipe as specified below shall be se	
through all unconsolidated materials plus a minimum of 20 feet into the	, ,
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distance of the control of th	strict office on plug length and placement is necessary prior to plugging;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	strict office on plug length and placement is necessary prior to plugging;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disc. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disc. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	strict office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuous formula to the discontinuous formula to the first term of the well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY	strict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuous forms of the discontinuous forms of the specific terms of the sp	strict office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. gray spid spid spid spid spid spid spid spid
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the displant of the specific plus of th	strict office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. g133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disense in the appropriate district office will be notified before well is either plugions. The appropriate district office will be notified before well is either plugions. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudidate or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	strict office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. g133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the displant of the specific plus of th	strict office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. g133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

\_ Agent: .

Side Two



For KCC Use ONLY	
API # 15	

Operator: \_\_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_\_

Lease:									feet from N / S Line of Section
Well Numb	er:								feet from E / W Line of Section
Field:							_ S	ec	_ Twp S. R
Number of QTR/QTR/							-	Section:	Regular or Irregular
								ection corner	rregular, locate well from nearest corner boundary.  used: NE NW SE SW
					_	the neare			ary line. Show the predicted locations of
	lease roa	ds, tank ba	atteries, pi	pelines an				-	as Surface Owner Notice Act (House Bill 2032).
			1647 f	t.	You m	ay attach a	a separat	e plat if desire	ed.
		:		:		<del>.</del>	<u>:</u>	:	
				:		• • •			LEGEND
							:		O Well Location
						:			Tank Battery Location
	•••••		•••••		•••••				Pipeline Location
1303 ft			9	:		:	:		Electric Line Location  Lease Road Location
			:	:		:	:	:	
				:		: : :	:		
				<u>:</u>		:	<u>:</u>	:	EXAMPLE
				6		• • •	<b>:</b> :		· · · · · · · · · · · · · · · · · · ·
				:		:	:	:	
				:		• •	: :	:	
				:		: : :		:	ii
				:		:	:	:	1980' FSL
				:		•	:	:	
	•••••			:	•••••		:	:	
				:		•	:		

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1050596

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l			
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):  Depth fro	Length (fee					
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date.				
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



#### Kansas Corporation Commission Oil & Gas Conservation Division

1050596

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
	County:
Address 1:	Lease Name: Well #:
Address 2:  City: State: Zip: +	
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 1:	owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.  Cacknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	
	_




q010711-y

#### Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499



Landmark Resources, Inc.

Logan County, KS

COUNTY

OPERATOR

6 15s 32w
Sec. Twp. Rng.

Fairleigh # 1-6

LEASE NAME

1647' FNL – 1303' FWL

LOCATION SPOT

SCALE: 1" =1000"

DATE STAKED: Jan. 6<sup>th</sup>, 2011

MEASURED BY: Luke R.

DRAWN BY: Luke R.

AUTHORIZED BY: Jeff W., Becky P. & Rick S.


This drawing does not constitute a monumented survey or a land survey plat This drawing is for construction purposes only

GR. ELEVATION: 2766.9°

Directions: From the Sou

**Directions:** From the South side of Oakley, Ks at the intersection of Hwy 40 & Hwy 83 South - Now go 23.1 miles South on Hwy 83 - Now go 2.6 miles West on Gold Rd to the NE corner of section 6-15s-32w - Now go 0.5 mile West on Gold Rd to ingress stake S-SW into at gate - Now go approx. 1700' S-SW through pasture into staked location.

Final ingress must be verified with land owner or Operator






q010711-y

#### Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499



Landmark Resources, Inc.

OPERATOR

6 15s 32w Sec. Twp. Rng. Fairleigh # 1-6

LEASE NAME

1647' FNL – 1303' FWL

LOCATION SPOT

COUNTY

SCALE: 1" =1000'

Logan County, KS

DATE STAKED: Jan. 6<sup>th</sup>, 2011

MEASURED BY: Luke R.

DRAWN BY: Luke R.


AUTHORIZED BY: Jeff W., Becky P. & Rick S.

This drawing does not constitute a monumented survey or a land survey plat This drawing is for construction purposes only

GR. ELEVATION: 2766.9°

**Directions:** From the South side of Oakley, Ks at the intersection of Hwy 40 & Hwy 83 South - Now go 23.1 miles South on Hwy 83 - Now go 2.6 miles West on Gold Rd to the NE corner of section 6-15s-32w - Now go 0.5 mile West on Gold Rd to ingress stake S-SW into at gate - Now go approx. 1700' S-SW through pasture into staked location.

Final ingress must be verified with land owner or Operator



For KCC Use ONLY		
API # 15		<u> </u>

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Landmark Resources, Inc.	Location of Well: County: Logan				
Lease: Fairleigh	1,647	feet from X N /	S Line of Section		
Well Number: 1-6	1,303	feet from E /	W Line of Section		
Field:	Sec 6 Twp. 1	15 S. R. <sup>32</sup>	■ E 🛛 W		
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NE - NE - SW - NW	Is Section: Regu		ornor boundary		
		; locate well from nearest c	SW		
Show location of the well. Show footage to the nearest		Show the predicted locations	of		
lease roads, tank batteries, pipelines and electrical lines, as re					
You may attach a s	separate plat if desired.				
1647 ft.					
Ther a		LEGEND			
		O Well Location Tank Battery	Location		
1303 ft.		Pipeline Loca Electric Line Lease Road	Location		
		EXAMPLE :			
6					
		<b>Р</b>	1980' FSL		
			·		
		SEWARD CO. 3390' FEL			
NOTE: In all cases locate the spot of the proposed drilling	locaton.				
NO TANK BATTERY- NO.	Pipeline				
In plotting the proposed location of the well, you must show:					
1. The manner in which you are using the depicted plat by identifying sect	ion lines, i.e. 1 section, 1 sec	ction with 8 surrounding secti	ons,		

- 4 sections, etc. 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.