

For KCC	Use:	
Effective Date:		
District #	·	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	e (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
	(Q/Q/Q/Q) feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1:Address 2:	
City: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County
Phone:	Lease Name: Well #:
CONTRACTOR II	Field Name:
CONTRACTOR: License#	is the a related repair in a.
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OWWO. old well information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Depth:	
D: (: D : (Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWK FeITIII #.
KCC DKT #:	(Note: Apply for Permit with DWR)
	vviii Cores de takeit?
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well:	
2. A copy of the approved notice of intent to drill shall be posted on each	h drilling rig;
3. The minimum amount of surface pipe as specified below shall be se	
through all unconsolidated materials plus a minimum of 20 feet into the	
, , ,	strict office on plug length and placement is necessary <i>prior to plugging</i> ;
 The appropriate district office will be notified before well is either plug If an ALTERNATE IL COMPLETION, production pipe shall be cement 	ged or production casing is certificatin, ed from below any usable water to surface within 120 DAYS of spud date.
	133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall b	e plugged. In all cases, NOTIFY district office prior to any cementing.
Submitted Electronically	
	Remember to:
For KCC Use ONLY	- File Certification of Compliance with the Kansas Surface Owner Notification
API # 15	Act (KSONA-1) with Intent to Drill;
Conductor pipe requiredfeet	- File Drill Pit Application (form CDP-1) with Intent to Drill;
	- File Completion Form ACO-1 within 120 days of spud date;
Minimum surface pipe requiredfeet per ALTIII	- File acreage attribution plat according to field proration orders;
Approved by:	Notify appropriate district office 48 hours prior to workover or re-entry; Submit all prior separat (CR 4) after all prior to workover or re-entry;
This authorization expires:	 Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
(This authorization void if drilling not started within 12 months of approval date.)	If well will not be drilled or permit has expired (See: authorized expiration date)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



SEWARD CO. 3390' FEL

1980' FSL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Lease: Well Number: Field: Number of Acres attributable to well:	Location of Well: County:
QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
PL. Show location of the well. Show footage to the nearest lea lease roads, tank batteries, pipelines and electrical lines, as requ You may attach a sep	ase or unit boundary line. Show the predicted locations of ired by the Kansas Surface Owner Notice Act (House Bill 2032).
, ,	,
	LEGEND
	O Well Location Tank Battery Location
	Pipeline Location Electric Line Location Lease Road Location
4	EXAMPLE

NOTE: In all cases locate the spot of the proposed drilling locaton.

1650 ft.

1320 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1050793

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Pit is:			
Emergency Pit Burn Pit			SecTwpR
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?
			NAC data (force)
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining
material, thickness and installation procedure.			cluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill nite must h	e closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY			
	11.00	513 2 332 0 1	Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

1050793

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:			
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	- owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address. 1) cknowledge that, because I have not provided this information, the		
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

L.D. DRILLING, INC. JANE LEASE SW. 1/4. SECTION 4. T235. R17W

Directions:

From the intersection of Highway 19 (south) and Highway 19 (aast). (0.6 miles south of Larned. Kansas) go 6.4 miles South on Highway 19 to a 4-way intersection, then go 5.0 miles West on a county road to the SE. corner of Section 4. then go 0.34 miles West on a county road. then go 0.34 miles west on a county road. then go 0.29 miles Northwast on a county road. Then go 0.25 miles wast on a county road to a flagged fence on the north r/w line of road, then go 0.06 miles North to location. PAWNEE COUNTY, KANSAS NO ROAD



Controlling data is bosed upon the best most and photographs available to us and upon a regular section of land containing 640 occus.

lovations derived from National Geodetic Vertical Datum.

February 11. 2011

Approximate Section lines were desermined using the normal standard of core of diffield durveyors proceeding in the State of Koreas. The section corners, which establish the progles section lines, word not necessarily logisted, and the swort location of the drift list the section is a word not necessarily logisted, and the swort location of the drift list the progles section lines, not goronteed. Therefore, the operator section into service and occasion on the section is partial relationship of the section of the drift list list of the drift list may logist for many logistics and expenses and suid entitles released from my logistics.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner Corporation Commission

Sam Brownback, Governor

February 21, 2011

L. D. DAVIS L. D. Drilling, Inc. 7 SW 26TH AVE GREAT BEND, KS 67530-6525

Re: Drilling Pit Application JANE 1-4 SW/4 Sec.04-23S-17W Pawnee County, Kansas

Dear L. D. DAVIS:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.