

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Sec. Typ.	•	month day	year	Spot Description:	
SECTION: Regular Irregular? Well of Stackfores 2: The Country: Lease Name: State Section E / W Line of Stackfores 2: Well prilied For: State: Zip: + Country: Lease Name: Lease Name: Well prilied For: Well Class: Type Equipment: Country: Lease Name:		monur day	year	(0/0/0/0)	
dotess 1:	PERATOR: License#			feet from N /	S Line of Section
ddress 2:	lame:				W Line of Section
County:	ddress 1:			Is SECTION: Regular Irregular?	
County. Country. Country				(Note: Locate well on the Section Plat on revers	e side)
Lease Name: Well #:	ity:	State: Zi	p: +	·	*
Field Name: Surface Fromation(s): Is this a Prorated / Spaced Field? Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in					
Target Formation(s): Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in foota	hone:				
Target Formation(s): Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Selevation: Televation Selevation: Televation: Tel	ONTRACTOR: License#.			Is this a Prorated / Spaced Field?	Yes No
Nearest Lease or unit boundary line (in footage): feet	lame:			•	
Gold Enh Rec	Well Drilled For:	Wall Class:	Type Equipment:	• • • • • • • • • • • • • • • • • • • •	
Gas Storage Pool Ext. Air Rotary Wallocat Cable Storage Pool Ext. Air Rotary Wallocat Cable Public water supply well within one-quarter mile: Yes Ves Disposal Wallocat Cable Public water supply well within one-quarter mile: Yes Ves Depth to bottom of Iresh water: Depth to Detom of Iresh water: Depth to				· · · · · · · · · · · · · · · · · · ·	
Cable Disposal Wildcart Cable Depth to bottom of trab water: Depth to bottom of usable valuer: Depth to botto			= '		
Seismic ; # of Holes Other Other Other Other Other Other Other: # Depth to bottom of fresh water: Depth to bottom of less balle water: Depth to bottom of less balle water: Depth to bottom of less balle water: Depth to bottom of usable water: Depth to bottom of fresh water: Depth to bottom of usable water to Depth water. Depth to bottom of usable water to Depth water. Depth of conductor Pipe (if any): Projected if it is I length of Conductor Pipe (if any): Projected I length of Conductor Pipe (if any): Projected I length of Conductor Pipe water. Depth vision and to destrict office on put water. Water Projected I length of Conductor Pipe water. Projected I length of Conductor Pipe water. Water and the district office on put length water. Depth water Pipe (if any): Projected I length of Conductor Pipe water. Projected I length and placement is necessary prior to plugging; S. The appropriate district office water is either plugged or production casing is cemented in; S. If an ALTERNATE II COMPLETION, production pipe safel be cemented from below any usable water to surface within 1					Yes
Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: Depth and the set: Usaface Pipe by Alternate: Depth and the set: Usaface Pipe by Alternate: Depth and the set: Usaface Pipe by Alternate: Usaface Pipe Pipe Pipe Bipe Bipe Bipe Bipe Bipe Bipe Bipe B			Capie		
Surface Pipe by Alternate:					
Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Promation at Total Depth: Promation at Total Depth: Promation at Total Depth: Promation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations in the Conductor pipe death of the Drilling Operation Drilling Oper					
Departor: Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Service of Total Depth: Service of Total Depth: Service of Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: Water Source for Drilling Operations: Well Farm Pond Other: Water Source for Drilling Operations: Well Farm Pond Other: Water Source for Drilling Operations: Well Farm Pond Other: Water Source for Drilling Operations: Well Farm Pond Other: Well We	If OWWO: old well	information as follows:			
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Ves, true vertical depth: Union Hole Location: CC DKT #: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other:	Operator:				
Original Completion Date:Original Total Depth:	•				
Water Source for Drilling Operations: Water Saurce for Drilling Operation of Land Saurce Supples Saurce Sa					
Vest No Vest Farm Pond Other: Vest Down Vest Down Vest Tever vertical depth: DWR Permit #: Vest DWR Permit #: Vest DWR Permit #: DWR Permit #: Vest DWR Permit #: Vest DWR Permit #: Vest DWR Permit #: DWR Permit #: Vest DWR Permit #: Vest DWR Permit #: Vest DWR Permit #: D	g				
Mote: Apply for Permit with DWR DWR Permit #: DWR Permit #:	Directional, Deviated or Ho	rizontal wellbore?	Yes No		
Will Cores be taken? Will Cores be taken? Will Cores be taken? Yes Y	f Yes, true vertical depth: $_$				
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Price KCC Use ONLY API #15				(Note: Apply for Permit with DWR)	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (from CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	(CC DKT #:			Will Cores be taken?	Yes N
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.				If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C; which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.			ΛΕ	FIDAVIT	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate distriction of it drilling not started within 12 months of approval date.) Obtain written approval before disposing or injecting salt water.					
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. District office and placement is necessary <i>prior to plugging</i> ; For KCC Use ONLY API # 15 - Conductor pipe required	he undersigned hereby	attırma that tha drilling a	ombielion and eventual b	ugging of this well will comply with K.S.A. 55 et. seq.	
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Districted Electronically Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	-	_			
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging;</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. With the complete of the completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.	t is agreed that the follow	ring minimum requiremer	nts will be met:		
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cermented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	t is agreed that the follow 1. Notify the appropria	ring minimum requirement ate district office <i>prior</i> to	nts will be met: spudding of well;	L. Addison do	
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. For KCC Use ONLY API # 15	t is agreed that the follow 1. Notify the appropria 2. A copy of the appro	ring minimum requirement that e district office <i>prior</i> to oved notice of intent to dr	nts will be met: spudding of well; ill shall be posted on each	G G.	II ba sat
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. District Office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounts	ring minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as sp	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se	t by circulating cement to the top; in all cases surface pipe sha	ll be set
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Conductor pipe required	t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconsorted.	ring minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as spolidated materials plus a	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the	t by circulating cement to the top; in all cases surface pipe sha ne underlying formation.	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. District office prior to any cementing. Remember to: For KCC Use ONLY API # 15	t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry ho 5. The appropriate dis	ring minimum requirement ate district office <i>prior</i> to eved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug	t by circulating cement to the top; in all cases surface pipe sha ne underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in;	plugging;
### Remember to: For KCC Use ONLY API # 15	 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I 	ring minimum requirement ate district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, product	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement	t by circulating cement to the top; in all cases surface pipe sha ne underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of	plugging;
Remember to: For KCC Use ONLY API # 15	 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	ring minimum requirement ate district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production and in the control of the contr	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe sha be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate	spud date. II cementing
Remember to: For KCC Use ONLY API # 15	 t is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	ring minimum requirement ate district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production and in the control of the contr	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe sha be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate	spud date. II cementing
Remember to: For KCC Use ONLY API # 15	 t is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	ring minimum requirement ate district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production and in the control of the contr	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe sha be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate	plugging; spud date. II cementing
For KCC Use ONLY API # 15	 is agreed that the follow Notify the appropria A copy of the appropria The minimum amount through all unconst If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to Appmust be completed 	ring minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the sport of the spo	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe sha be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate	spud date. II cementing
API # 15	 s agreed that the follow Notify the appropria A copy of the appropria The minimum amore through all unconst If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to Appropriate dis 	ring minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the sport of the spo	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe sha be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate	spud date. II cementing
Conductor pipe required	1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ring minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the sport of the spo	spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dist before well is either plug tion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation. In thick office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any case. Remember to:	spud date. II cementing ementing.
Conductor pipe required	1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ubmitted Electron For KCC Use ONLY	ring minimum requirement at a district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the production of the sponding of	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the n the operator and the dis d before well is either plug tion pipe shall be cement as surface casing order # ud date or the well shall be	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any case. Remember to: File Certification of Compliance with the Kansas Surface Own	spud date. II cementing ementing.
Minimum surface pipe required	1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis with the completed Ibmitted Electron For KCC Use ONLY API # 15	ring minimum requirement at a district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production of the production of the sport of th	nts will be met: spudding of well; ill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugition pipe shall be cement as surface casing order # and date or the well shall be	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any case. Remember to: File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;	spud date. II cementing ementing.
Approved by:	1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis with the completed Ibmitted Electron For KCC Use ONLY API # 15	ring minimum requirement at a district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production of the production of the sport of th	nts will be met: spudding of well; ill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugition pipe shall be cement as surface casing order # and date or the well shall be	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any content of the KCC District off	spud date. II cementing ementing.
This authorization expires:	is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed Ibmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	ring minimum requirement ate district office <i>prior</i> to oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producendix "B" - Eastern Kanswithin 30 days of the sponically	nts will be met: spudding of well; ill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugation pipe shall be cement as surface casing order # and date or the well shall be the operator and the district of the operator and the district of the operator and the operator an	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any case. Remember to: - File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	spud date. II cementing ementing.
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompleted	ring minimum requirement atte district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, producted in the production of the spondard of th	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugation pipe shall be cemented as surface casing order # and date or the well shall be the operator and the distance casing order # and date or the well shall be the operator of the o	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District office prior to any content of the KCC District 3 area, alternate and plugged. File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders.	spud date. Il cementing ementing. mer Notification s;
	1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed UDMITTED FOR KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe rec	ring minimum requirement atte district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, product endix "B" - Eastern Kans within 30 days of the sponically	nts will be met: spudding of well; ill shall be posted on eacecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugation pipe shall be cemented as surface casing order # and date or the well shall be the operator and the distance casing order # and date or the well shall be the operator of the o	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate area, alte	spud date. Il cementing ementing. The Notification s; re-entry;
- ii weii wiii not be uniieu oi permit nas expireu (see. autionzeu expiration date)	1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 7. Or pursuant to Appropriate dis 8. If an ALTERNATE I Or pursuant to Approved by: Conductor pipe required I Minimum surface pipe reconstruction of the surface	ring minimum requirement atte district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production in the production of the spondial company of the spond	nts will be met: spudding of well; ill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugition pipe shall be cement as surface casing order # und date or the well shall be feetfeet per ALTIIIII	t by circulating cement to the top; in all cases surface pipe shape underlying formation. In thick office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate area,	spud date. Il cementing ementing. ner Notification s; re-entry; ithin 60 days);
Spud date: Agent: please check the box below and return to the address below.	1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed JDMITTED Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompleted by: This authorization expires	ring minimum requirement atte district office <i>prior</i> to exped notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement betwee strict office will be notified I COMPLETION, production in the production of the spondial company of the spond	nts will be met: spudding of well; ill shall be posted on eace ecified below shall be se minimum of 20 feet into the operator and the dist before well is either plugition pipe shall be cement as surface casing order # und date or the well shall be feetfeet per ALTIIIII	t by circulating cement to the top; in all cases surface pipe shape underlying formation. In thick office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any content of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office of the KCC District 3 area, alternate area,	spud date. Il cementing ementing. ner Notification s; re-entry; ithin 60 days); er.



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Loc	ation of W	/ell: County:
Lease:									feet from N / S Line of Section
Well Numb	er:								feet from E / W Line of Section
Field:			_ Sec	SecTwpS. R					
Number of QTR/QTR/							15 3	Section:	Regular or Irregular
								ection is	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
			atteries, pi		d electrica You m	the neare		the Kans	dary line. Show the predicted locations of cas Surface Owner Notice Act (House Bill 2032). ired.
2140 ft		:	:	. 		:			LEGEND
						: : :			O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		: : :		1	 3	: : :			EXAMPLE : :
		: 		: 		: :	· · · · · · · · · · · · · · · · · · ·		
		:		:		:	:		1980' FSL
					••••			···········	
		•		•		•			SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

051067

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.		
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1051067

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East West				
Address 1:					
Address 2:	Lease Name: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
City: State: Zip:+					
Contact Person:					
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:					
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. cknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this I fee, payable to the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					



ROBERT E. MOSER, R.L.S.

Oil Field Surveying

335 N. Mission Road Wichita, Kansas 67206

(316) 683-2853

INVOICE NO.

VESS OIL CORPORATION Bloir 'A' $\frac{13}{s}$ $\frac{26s}{T}$ $\frac{01e}{R}$ 400'FNL - 2140'FWL Butler (KS) COUNTY ELEVATION: 1372.9'Gr. @ stk. VESS OIL CORPORATION 1700 Waterfront Pkwy. - #500 Wichita, KS 67206 Mr. Coats 1/31/11 AUTHORIZED BY: BLACK TOP LEYFL GRASS 032

Date: 16 February 2011

F. E. Moser, R.L.S. #329 KS




ROBERT E. MOSER, R.L.S.

Oil Field Surveying

335 N. Mission Road Wichita, Kansas 67206

(316) 683-2853



VESS OIL CORPORATION Bloir 'A' 13 26s Olie Butler (KS) 400'FNL - 2140'FWL COUNTY LOCATION elevation: <u>1372.9'Gr.</u> @ stk. VESS OIL CORPORATION 1700 Waterfront Pkwy. - #500 Wichita, KS 67206 Mr. Coats 1/31/11 SCALE: 1" = 1000" TOWANDA 2 MILS BLACK TOP 5 アカムだ 5 WOOD - PINK & WHITE FIE'S. LEYEL GKASS 032 Road: New entrance off

Block top with cattle grand.

Flow line: go was t about 1200!

to the in to =27

Electric: undergrand along

same pash as flow line to =27

> Date: 16 February 2011 Surveyor.R.E. Moser, R.L.S. #329 KS