



BASICSM
ENERGY SERVICES
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.
P.O. Box 129
Liberal, Kansas 67905
Phone 620-624-2277

FIELD SERVICE TICKET
1717 01116 A

DATE _____ TICKET NO. _____

| | | | | | | | | |
|---------------------------------|---------------------------------|--|-----------------------------------|-------------------------------|------------------------------|------------------------------|---------------------|------------------|
| DATE OF JOB 10-21-10 | DISTRICT 1717 | NEW WELL <input checked="" type="checkbox"/> | OLD WELL <input type="checkbox"/> | PROD <input type="checkbox"/> | INJ <input type="checkbox"/> | WDW <input type="checkbox"/> | CUSTOMER ORDER NO.: | |
| CUSTOMER Oxy USA | LEASE Hardwick A#4 | WELL NO. | | | | | | |
| ADDRESS | COUNTY Maskell | STATE KS | | | | | | |
| CITY | STATE | SERVICE CREW M. Stegman, J. Martinez | | | | | | |
| AUTHORIZED BY J. Bennett JRB | JOB TYPE: 242 5/2 Production | | | | | | | |
| EQUIPMENT# | HRS | EQUIPMENT# | HRS | EQUIPMENT# | HRS | TRUCK CALLED | DATE 10-21-10 | TIME 10:00 AM |
| 34726 | 8 | | | | | ARRIVED AT JOB | | 10:00 PM |
| 30464 | 2 | | | | | START OPERATION | | 6:00 AM |
| 19919 | 6 | | | | | FINISH OPERATION | | 7:30 AM |
| 19827 | 2 | | | | | RELEASED | | 8:00 AM |
| 19883 | 6 | | | | | MILES FROM STATION TO WELL | 50 mi | |

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: Wes Will
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

| ITEM/PRICE REF. NO. | MATERIAL, EQUIPMENT AND SERVICES USED | UNIT | QUANTITY | UNIT PRICE | \$ AMOUNT |
|---------------------|---------------------------------------|-------|----------|------------|-------------|
| CL104 | 50/50 Poz | sk | 175 | | 1925 00 |
| CL100 | Common | sk | 50 | | 800 00 |
| CC113 | Gypsum | lb | 735 | | 551 25 |
| CC111 | Salt | | 470 | | 485 00 |
| CC124 | FLA-115 | | 89 | | 1335 00 |
| CC107 | G-42P | | 37 | | 296 00 |
| CC201 | Gilsonite | | 872 | | 584 24 |
| CF1451 | Flapper Type Insert 5/2 | ea | 1 | | 215 00 |
| CF1651 | Turbolized | | 20 | | 2200 00 |
| CF103 | 100 Rubber Plug | | 1 | | 105 00 |
| CF251 | Regular Guide Shoe | | 1 | | 250 00 |
| CF501 | Stop Ring | | 1 | | 40 00 |
| CC155 | Superflush | gal | 500 | | 765 00 |
| E101 | Heavy Equipment Mileage | mi | 100 | | 700 00 |
| CE240 | Blending & Mixing Service | st | 225 | | 315 00 |
| E113 | Poppart + Bulk Delivery | bu/mi | 485 | | 776 00 |
| CE206 | Pump Depth: 5001-6000' | ea | 1 | | 2880 00 |
| CE804 | Plus Containers | ea | 1 | | 250 00 |
| E100 | Unit Mileage | mi | 50 | | 212 50 |
| SUB TOTAL | | | | | \$ 9,337.49 |

| CHEMICAL / ACID DATA: | | | |
|-----------------------|--|--|--|
| | | | |
| | | | |
| | | | |

| | | |
|---------------------|------------|--|
| SERVICE & EQUIPMENT | %TAX ON \$ | |
| MATERIALS | %TAX ON \$ | |
| TOTAL | | |

SERVICE REPRESENTATIVE: Bob Owen THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: Wes Will
(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.

| | | |
|----------------------------------|-----------------------------|-------------------------------|
| Customer Oxy USA | Lease No. | Date 10-21-10 |
| Lease Hardwick A | Well # 4 | |
| Field Order # 0116 | Station Liberal, KS-1717 | Casing" # 5 7/8" 17' 5100' |
| Type Job 242-5 1/2 Production | Formation | County Haskell |
| | | State KS |
| | | Legal Description 4-27-33 |

| PIPE DATA | | PERFORATING DATA | | FLUID USED | | TREATMENT RESUME | | |
|---------------------------|--------------|------------------|----|--------------------------|------------|------------------|------------------|--|
| Casing Size 5 7/8" 17' | Tubing Size | Shots/Ft | | Acid 175 sk 80/80 pot | RATE | PRESS | ISIP | |
| Depth 5400' | Depth | From | To | Pre Pad | Max | | 5 Min. | |
| Volume 12466 | Volume | From | To | Pad | Min | | 10 Min. | |
| Max Press 2000# | Max Press | From | To | Frac | Avg | | 15 Min. | |
| Well Connection | Annulus Vol. | From | To | | HHP Used | | Annulus Pressure | |
| Plug Depth 5357' | Packer Depth | From | To | Flush fresh | Gas Volume | | Total Load | |

| | | |
|--|-------------------------------|----------------------|
| Customer Representative W. Willman | Station Manager J. Bennett | Treater A. Olvera |
| Service Units 34726 30464 19919 19827 19883 | | |
| Driver Names A. Olvera M. Stegman J. Martinez | | |

| Time | Casing Pressure | Tubing Pressure | Bbls. Pumped | Rate | Service Log |
|-------|-----------------|-----------------|--------------|------|--|
| 10:00 | | | | | on loc-site assessment |
| 10:15 | | | | | spot trucks rig up |
| 12:30 | | | | | Start CSG + float equip |
| 5:00 | | | | | CSG on btm, break circ 1 hr. |
| 6:00 | | | | | safety meeting |
| 6:01 | | | | | pressure test pumping lines 2500' |
| 6:03 | 50 | | 5 | 3 | start w/ 5 bbl H ₂ O spacer |
| 6:07 | 50 | | 12 | 3 | pump 12 bbl superflush |
| 6:12 | 50 | | 5 | 3 | 5 bbl H ₂ O spacer |
| 6:15 | 50 | | 12 | 3 | plug rat + mouse hole w/ 50sk |
| 6:30 | 150 | | 98 | 2 | Class H neat @ 13.5 ppg |
| | | | | | mix + pump 175 sk 80/80 pot |
| | | | | | w/ 5% W-60, 10% salt, 6% C-15, |
| | | | | | 1/4# Deformery 5# Gilsomite |
| | | | | | 1.52 ft/sk, 6.65 gal/sk @ 13.8 ppg |
| | | | | | finish curt, wash pumping lines |
| 7:45 | 0 | | 0 | 6 | drop plug, disp CSG |
| | 700 | | 114 | 2 | slow rate last 10 bbls of disp |
| 7:30 | 1100 | | RT | 0 | land plug float hold |
| 8:00 | 1500 | | | | shut in w/ resort held for 30 min |
| | | | | | job complete |