



**BASIC**<sup>SM</sup>  
ENERGY SERVICES  
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.  
P.O. Box 129  
Liberal, Kansas 67905  
Phone 620-624-2277

FIELD SERVICE TICKET  
1717 01143 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

DATE OF JOB <i>10-28-10</i>	DISTRICT <i>1717</i>	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:	
CUSTOMER <i>Oxy USA</i>		LEASE <i>Sullivan "D"</i>					WELL NO. <i>1</i>	
ADDRESS		COUNTY <i>Grant</i>			STATE <i>Ks</i>			
CITY		STATE						
AUTHORIZED BY		SERVICE CREW <i>Cochran/Gibson/R. Martinez</i>						
		JOB TYPE: <i>Z 42 5 1/2 Long Spring</i>						
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE AM TIME	
<i>21755</i>	<i>12</i>						<i>10-27 AM 14:00</i>	
<i>27808</i>	<i>12</i>					ARRIVED AT JOB	<i>10-27 PM 18:00</i>	
<i>19553</i>	<i>12</i>					START OPERATION	<i>10-28 PM 02:15</i>	
<i>19827</i>	<i>12</i>					FINISH OPERATION	<i>10-28 AM 05:00</i>	
<i>19566</i>	<i>12</i>					RELEASED	<i>10-28 PM 06:00</i>	
						MILES FROM STATION TO WELL	<i>66</i>	

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: *Andy Solley (AWSC LLC)*  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
<i>CL101</i>	<i>'A-con' Blend</i>	<i>sk</i>	<i>280</i>		<i>5208 00</i>
<i>CL104</i>	<i>50/50 Poz</i>	<i>sk</i>	<i>140</i>		<i>1540 00</i>
<i>CC113</i>	<i>Gypsum</i>	<i>lb</i>	<i>590</i>		<i>442 50</i>
<i>CC111</i>	<i>Salt</i>	<i>lb</i>	<i>779</i>		<i>389 50</i>
<i>CC107</i>	<i>C-42P</i>	<i>lb</i>	<i>30</i>		<i>240 00</i>
<i>CC124</i>	<i>FIA-115</i>	<i>lb</i>	<i>71</i>		<i>1065 00</i>
<i>CC201</i>	<i>Gilsonite</i>	<i>lb</i>	<i>700</i>		<i>469 00</i>
<i>CC109</i>	<i>Calcium Chloride</i>	<i>lb</i>	<i>792</i>		<i>831 60</i>
<i>CC102</i>	<i>Celloflake</i>	<i>lb</i>	<i>70</i>		<i>259 00</i>
<i>CC130</i>	<i>C-51</i>	<i>lb</i>	<i>53</i>		<i>1325 00</i>
<i>CF1451</i>	<i>Insert</i>	<i>ea</i>	<i>1</i>		<i>215 00</i>
<i>CF251</i>	<i>Guide Shoe</i>	<i>ea</i>	<i>1</i>		<i>250 00</i>
<i>CF1651</i>	<i>Turbolizer</i>	<i>ea</i>	<i>20</i>		<i>2200 00</i>
<i>CF103</i>	<i>Top Plug</i>	<i>ea</i>	<i>1</i>		<i>105 00</i>
<i>CC155</i>	<i>Super Flush II</i>	<i>gal</i>	<i>500</i>		<i>765 00</i>
<i>E101</i>	<i>Heavy Equip. Mileage</i>	<i>mi</i>	<i>195</i>		<i>1365 00</i>
SUB TOTAL					<i>15491 13</i>

CHEMICAL / ACID DATA:			

SERVICE & EQUIPMENT	%TAX ON \$	
MATERIALS	%TAX ON \$	
TOTAL		

SERVICE REPRESENTATIVE <i>Mikey Cochran</i>	THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY <i>Andy Solley</i> (WELL OWNER OPERATOR CONTRACTOR OR AGENT)
--	---

FIELD SERVICE ORDER NO.

*(AWSC LLC)*



# BASIC

energy services, L.P.

## TREATMENT REPORT

Customer <i>Oxy USA</i>	Lease No.	Date <i>10-27-10</i>	
Lease <i>Sullivan "D"</i>	Well # <i>1</i>		
Field Order # <i>171401143</i>	Station <i>Liberal</i>	Casing <i>5 1/2</i>	Depth <i>3858</i>
		County <i>Grant</i>	State <i>Ks</i>
Type Job <i>242 5 1/2 Long String</i>	Formation	Legal Description <i>7-20-38</i>	

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME	
Casing Size <i>5 1/2</i>	Tubing Size <i>1 1/2</i>	Shots/Ft <i>280sk</i>	Acid <i>'A-Con Blend - 3% CC - 14' Lemo Make</i>	Pre Pad <i>@ 11.4 #/gal</i>	ISIP <i>10 Min.</i>	Max Press <i>140sk 50/50 Poz - 5% W-60 - 10% 5219</i>	ISIP <i>15 Min.</i>
Depth <i>3858</i>	Depth	From <i>2.95ft</i>	To <i>18.1gal/sk</i>	Min <i>1/4" Defoamer - .66% C-15 - 5# Gilsonite</i>	Annulus Pressure	From <i>1.52ft</i>	To <i>6.65gal/sk @ 13.8 #/gal</i>
Volume	Volume	From <i>140sk</i>	To <i>50/50 Poz - 5% W-60 - 10% 5219</i>	Gas Volume	Total Load	From <i>1.52ft</i>	To <i>6.65gal/sk @ 13.8 #/gal</i>
Max Press	Max Press	From <i>1/4" Defoamer - .66% C-15 - 5# Gilsonite</i>	To	Flush		From	To
Well Connection	Annulus Vol.	From <i>1.52ft</i>	To <i>6.65gal/sk</i>	Flush		From	To
Plug Depth <i>3858</i>	Packer Depth	From	To	Flush		From	To

Customer Representative	Station Manager <i>J. Bennett</i>	Treater <i>M. Cochran</i>
Service Units <i>21955 27909 19553 19827 19566</i>		
Driver Names <i>Cochran T. Gibson R. Martinez</i>		

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
<i>18:00</i>					<i>on Loc. / Held Safety Meeting</i>
<i>18:20</i>					<i>Spot + Rig up Equip.</i>
<i>18:30</i>					<i>Start Csg.</i>
<i>00:30</i>					<i>Csg on Bottom Cir. w/ Rig</i>
					<i>Held Safety Meeting</i>
<i>02:25</i>	<i>3000</i>				<i>Test Pump + Lines</i>
<i>02:27</i>	<i>400</i>		<i>5</i>	<i>3.5</i>	<i>Start fresh H<sub>2</sub>O</i>
<i>02:29</i>	<i>400</i>		<i>12</i>	<i>3.5</i>	<i>Start Super Flush II</i>
<i>02:33</i>	<i>400</i>		<i>5</i>	<i>3.5</i>	<i>Start fresh H<sub>2</sub>O</i>
<i>02:39</i>					<i>Shutdown + Switch to Rat Hole</i>
<i>02:38</i>	<i>200</i>		<i>8</i>	<i>2</i>	<i>Plug Rat Hole w/ 20sk @ 13"</i>
<i>02:47</i>	<i>200</i>		<i>5</i>	<i>2</i>	<i>Plug Mouse Hole w/ 20sk @ 17"</i>
<i>02:54</i>	<del><i>400</i></del>				<i>Shutdown + Switch To Pipe</i>
<i>02:56</i>	<i>400</i>		<i>121</i>	<i>5.5</i>	<i>Start Lead Cmt 230sk @ 11.4"</i>
<i>03:16</i>	<i>400</i>		<i>38</i>	<i>5.5</i>	<i>Start Tail Cmt 140sk @ 13.8"</i>
<i>03:30</i>					<i>Shutdown + Wash up</i>
<i>03:31</i>					<i>Drop Plug</i>
<i>03:33</i>	<i>100</i>		<del><i>0</i></del>	<i>5</i>	<i>Start Disp. w/ fresh H<sub>2</sub>O</i>
<i>03:58</i>	<i>1000</i>		<i>125</i>	<i>2</i>	<i>Slow Rate SAs per Co. Rep.</i>
<i>04:03</i>	<i>1800</i>		<i>135</i>	<i>2</i>	<i>Bump Plug / Test Csg. to 1600" + Hold</i>
<i>04:53</i>	<del><i>0</i></del>		<i>135</i>		<i>Release / float Held</i>
<i>05:00</i>					<i>End Job / 1150 psi Before Plug Landed</i>