



**BASIC**<sup>SM</sup>  
ENERGY SERVICES  
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.  
P.O. Box 129  
Liberal, Kansas 67905  
Phone 620-624-2277

FIELD SERVICE TICKET  
1717 01125 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

DATE OF JOB <b>11-4-10</b>	DISTRICT <b>1717</b>	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:		
CUSTOMER <b>Oxy USA</b>		LEASE <b>Langbotman #4</b>				WELL NO.			
ADDRESS		COUNTY <b>Maskell</b>		STATE <b>KS</b>					
CITY		STATE		SERVICE CREW <b>M. Stegman, V. Vasquez</b>					
AUTHORIZED BY <b>J. Bennett JAB</b>		JOB TYPE: <b>242 5/2 Production</b>							
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE	AM	TIME
<b>34726</b>	<b>3</b>						<b>11-5-10</b>	<b>8:00</b>	<b>8:00</b>
<b>30464</b>	<b>2</b>					ARRIVED AT JOB		<b>11:00</b>	
<b>1999</b>	<b>1</b>					START OPERATION		<b>1:30</b>	
<b>19828</b>	<b>2</b>					FINISH OPERATION		<b>2:30</b>	
<b>19883</b>	<b>1</b>					RELEASED		<b>3:00</b>	
						MILES FROM STATION TO WELL	<b>50 mi</b>		

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: *John J. Call*  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
CL104	50/50 Poz	sk	165		1815 00
CL100	Premium / Common	sk	50		800 00
CC113	Gypsum	lb	695		521 25
CC111	salt	lb	917		458 50
CC124	FLA-115	lb	84		1260 00
CC107	C-42	lb	35		280 00
CC201	Gilsonite	lb	824		552 08
CF1451	Flapper type Insert 5/8	ea	1		215 00
CF1651	Turbolizer		20		2200 00
CF103	Top Rubber Plug		1		105 00
CF251	Regular Guide Shoe		1		250 00
CF501	Stop Ring		1		40 00
CC155	Super Flush	gal	500		965 00
E101	Heavy Equipment Mileage	mi	100		700 00
CE240	Blending + Mixing Service	sk	215		301 00
E113	Prep work + Bulk Delivery	bu/mi	465		744 00
CE206	Pump Depth: 5001-6000	day	1		2890 00
CE504	Plus Container	ea	1		250 00
E100	Unit Mileage	mi	50		212 50
SUB TOTAL					<b>9136.10</b>

CHEMICAL / ACID DATA:


SERVICE & EQUIPMENT	%TAX ON \$	
MATERIALS	%TAX ON \$	
TOTAL		

SERVICE REPRESENTATIVE *Paul Owen*

THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: *John J. Call*  
(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO.



Customer <b>Oxy USA</b>	Lease No.	Date <b>10-11-10</b>
Lease <b>Low Bottom</b>	Well # <b>4</b>	
Field Order # <b>01125</b>	Station <b>Liberal, KS-1717</b>	Casing <b>5 1/2" 17"</b>
Type Job <b>242-5 1/2 Production</b>	Depth <b>5700'</b>	County <b>Maskell</b>
	Formation	State <b>KS</b>
		Legal Description <b>3-30-32</b>

PIPE DATA		PERFORATING DATA		FLUID USED	TREATMENT RESUME		
Casing Size	Tubing Size	Shots/Ft		Acid <b>165 sk</b>	RATE	PRESS	ISIP
Depth	Depth	From	To	Pre Pad	Max		5 Min.
Volume	Volume	From	To	Pad	Min		10 Min.
Max Press	Max Press	From	To	Frac	Avg		15 Min.
Well Connection	Annulus Vol.	From	To		HHP Used		Annulus Pressure
Plug Depth	Packer Depth	From	To	Flush <b>fresh</b>	Gas Volume		Total Load

Customer Representative	Station Manager <b>J. Bennett</b>	Treater <b>A. Olvera</b>
Service Units	<b>34726</b>	<b>30464</b>
Driver Names	<b>A. Olvera</b>	<b>M. Stegman</b>
	<b>19919</b>	<b>19828</b>
	<b>19883</b>	<b>V. Vasquez</b>

Time	Casing Pressure	Tubing Pressure	Bbbs. Pumped	Rate	Service Log
11:00					on loc, site assessment
11:05					spot trucks, rig up
1:20					safety meeting
1:30					pressure test pumping lines 2500#
1:35	250		5	4	start pumping 5 bbl H <sub>2</sub> O spacer
1:37	250		12	4	follow w/ 12 bbl superflush
1:42	250		5	4	follow w/ 5 bbl H <sub>2</sub> O spacer
1:45			14	3	mix 50' sk Premium/Common to plug rat mouse holes @ 13.5 ppb
2:00	200		45	5.5	mix 165 sk 50/50 Poz w/ 5% W-60 10% Salt, 10% C-15, K# Definers 5# Gil sulfate 1.52 H <sub>2</sub> O sk, 6.65 gal/sk @ 13.8 ppb
2:25					wash pumping lines
2:30	0		0	6	drop plug, disp CSS
2:55	900		120	2	slow rate last 10 bbls of disp
3:00	1500		130	0	land plug, float held
3:30	1500				psi up CSS test for 30 min @ 1500#