



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Sam Gary
1515 Wynkoop St. Ste. 700
Denver, Co
80202
ATTN: Clayton Camozzi

Wagner Trust 2-1
1-16-16/Rush
Job Ticket: 40926 **DST#: 5**
Test Start: 2010.11.03 @ 00:50:32

Mud and Cushion Information

| | | |
|----------------------------------|----------------------------|---------------------|
| Mud Type: Gel Chem | Cushion Type: | Oil API: 38 deg API |
| Mud Weight: 9.00 lb/gal | Cushion Length: ft | Water Salinity: ppm |
| Viscosity: 46.00 sec/qt | Cushion Volume: bbl | |
| Water Loss: 8.37 in ³ | Gas Cushion Type: | |
| Resistivity: ohm.m | Gas Cushion Pressure: psig | |
| Salinity: 6200.00 ppm | | |
| Filter Cake: inches | | |


Recovery Information

Recovery Table

| Length ft | Description | Volume bbl |
|--------------|----------------------|---------------|
| 25.00 | GOCM 5%G, 25%O, 75%M | 0.351 |
| 15.00 | FREE OIL 95%O, 5M | 0.210 |

Total Length: 40.00 ft Total Volume: 0.561 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:

Pressure vs. Time



3 Wed Nov 2010

Serial #: 8372

Sam Gary

1-16-16/Rush

DST Test Number: 5

