

LETTER OF CONFIDENTIALITY

Kansas Corporation Commission
Conservation Division
130 S. Market -- Room 2078
Wichita, Kansas 67202

Re: API: 15-081-21940-00-00
NW NW NW
Sec 24-30S-31W
Haskell County, Kansas

Kenneth W. Cory, Ltd. hereby requests that completions information and logs listed below be held confidential for a period of twelve (12) months:

Microresistivity Log
Array Induction/Shallow Focussed/Electric Log
Compact Photo Density/Compensated Neutron/Microresistivity Log



Pat Chesnut

8/10/11
Date

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

**CERTIFICATION OF COMPLIANCE WITH THE
KANSAS SURFACE OWNER NOTIFICATION ACT**

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License # 33649
Name: KENNETH W. CORY, LTD.
Address 1: 6750 West Loop South, Suite 1050
Address 2:
City: Bellaire State: Texas Zip: 77401, 4198
Contact Person: Pat Chesnut
Phone: (713) 661-5911 Fax: (713) 661-2679
Email Address: pat.chesnut@coryltd.com

Well Location:
 NW NW Sec. 24 Twp. 30 S. R. 31 East West
County: Haskell
Lease Name: CSS FARMS Well #: 1

If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:

Surface Owner Information:

Name: Mary Ann Palmer
Address 1: 620 West Renee Drive
Address 2:
City: Andover State: KS Zip: 67002

When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.

Date: 8/10/11 Signature of Operator or Agent: [Signature] Title: Land Manager

Koda Services, Inc.

INVOICE

Conductor and Rat Hole Drilling, Landfill Gas Drilling and Well Construction Nationwide

Date	6/27/2011
INVOICE #	9152

Bill To
Kenneth W Cory Ltd 6750 W Loop South, Ste 1050 Bellaire TX 77401-4198

Ordered By	Terms	Field Tkt	Legal Description	Lease Name	Drill Rig
Mark	Net 30	6554		CSS Farms	Duke #6
Item	Quantity		Description		
Conductor	70		Drilled 70' of 32" hole for conductor		
20" Pipe	70		Furnished 70' of 20" conductor pipe		
Ream Hole			Ream Hole		
60" X 5'	1		Furnished 5' X 5' tinhorn		
Dirt Removal	1		Provided Labor and Equipment for dirt removal and cleanup		
15"X 30'	1		Furnished 30' Shuck		
15"X 20'	1		Furnished 20' Shuck		
Placement			Equipment and Labor to place shucks in rat & mouse hole		
Mud/Water			Freight/Trucking charge for mud/water		
Welder			Welder		
Grout			Furnished grout		
Deliver Grout			Deliver grout to location		
Mouse			Drilled rat & mouse hole		
Cover Plate			Cover Plate		
Permits			Permits		
			<p>201 → 150006 - 2401</p> <p>RECEIVED JUL - 8 2011</p> <p><i>Dr</i></p>		
			<p>Subtotal \$13,275.00</p> <p>Sales Tax (7.3%) \$352.23</p>		
			<p>Total \$13,627.23</p>		

Thank you for your business.

Mark Cory

P.O. Box 66 • Woodward, OK 73802-0066 • Phone: (580) 254-5019 • Fax: (580) 254-5908

KOD 0001
187281



CEMENTING LOG

STAGE NO.

Date 6-21-2011 District Mt Ticket No. 40224
 Company KW Carey Rig Duke #10
 Lease CSS Farms Well No. 1
 County Sewick State Ks
 Location McC Plains, P1 Field 24-30-31W

CASING DATA: PTA Squeeze Liner
 Surface Intermediate Production
 Size 8 5/8 Type 24 Weight 24 Collar _____

Casing Depths: Top 1514 Bottom 1509'

Drill Pipe: Size _____ Weight _____ Collars _____
 Open Hole: Size 12 1/4 T.D. 1514 ft. P.B. to _____ ft.
 CAPACITY FACTORS:
 Casing: Bbls/Lin. ft. 10682 Lin. ft./Bbl. 15.70
 Open Holes: Bbls/Lin. ft. _____ Lin. ft./Bbl. _____
 Drill Pipe: Bbls/Lin. ft. 10735 Lin. ft./Bbl. 13.60
 Annulus: Bbls/Lin. ft. _____ Lin. ft./Bbl. _____
 Perforations: From _____ ft. to _____ ft. Amt. _____

CEMENT DATA: Spacer Type: 3 bbls fresh water
 Amt. _____ Sks Yield _____ ft³/sk Density _____ PPG

LEAD: Pump Time _____ hrs. Type _____ Excess _____
3/1000 + 1/1000
 Amt. 625 Sks Yield 1.98 ft³/sk Density 128 PPG
 TAIL: Pump Time _____ hrs. Type _____ Excess _____
2/1000
 Amt. 150 Sks Yield 1.34 ft³/sk Density 15.2 PPG
 WATER: Lead A gals/sk Tail _____ gals/sk Total 342 Bbls.


Pump Trucks Used 471-302-Kon.G.
 Bulk Equip. 363-290-Dustin E.
356-250-Bono

Floater Equip: Manufacturer Waterford Depth 1509'
 Shoe: Type Guide Shoe Depth 1465'
 Floater Type AFU Insert
 Centralizers: Quantity 5 Plugs Top 1 Btm. _____
 Stage Collars _____
 Special Equip. 3-Baskets
 Disp. Fluid Type Freshwater Amt. 93 Bbls. Weight 8.34 PPG
 Mud Type _____ Weight _____

CEMENTER Darin Franklin COMPANY REPRESENTATIVE Meric Horney

TIME	PRESSURES PSI		FLUID PUMPED DATA		REMARKS
	DRILL-PIPE CASING	ANNULUS	TOTAL FLUID	Pumped Per Time Period	
	<u>200</u>				<u>Pipe on bottom break circulation</u>
<u>11:45</u>	<u>200</u>			<u>3</u>	<u>Pump 3 bbls of fresh water check</u>
	<u>200</u>			<u>220</u>	<u>mix 625sr of test cement</u>
	<u>200</u>			<u>36</u>	<u>mix 150sr of test cement</u>
					<u>Shot down</u>
					<u>Release plug</u>
	<u>200</u>			<u>6</u>	<u>Start displacement</u>
	<u>500</u>			<u>80</u>	<u>Slow rate to 3 bpm at 80 bbls</u>
<u>12:45</u>	<u>1000</u>			<u>93</u>	<u>Romo six #+93 bbls 500-1000 PSI</u>
					<u>Floater not held</u>
					<u>Cement in circulation</u>

FINAL DISP. PRESS: 500 PSI BUMP PLUG TO 1000 PSI BLEEDBACK _____ BELLS _____



ALLIED CEMENTING CO., LLC.

Federal Tax I.D.# 20-5975804

040224

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Mer-Cent Roberts

DATE <u>6-21-11</u>	SEC <u>21</u>	TWP <u>30</u>	RANGE <u>31w</u>	CALLED OUT <u>1:00pm</u>	ON LOCATION <u>7:00pm</u>	JOB START <u>11:00am</u>	JOB FINISH <u>12:00pm</u>
LEASE <u>55 Acres</u>				WELL # <u>1</u>	LOCATION <u>Platts KS 2 mi on hwy 10</u>	COUNTY <u>Platts</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

CONTRACTOR Duke #6 OWNER KW Core

TYPE OF JOB SOIL TEST

HOLE SIZE 1 1/2" TD 1519 CEMENT

CASING SIZE 5 7/8" DEPTH 1505' AMOUNT ORDERED 625 bags of 90 lb

TUBING SIZE DEPTH DEPTH DEPTH

DRILL PIPE DEPTH DEPTH DEPTH

TOOL DEPTH DEPTH DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 1 1/2"

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 93 bbls of fresh water

EQUIPMENT

PUMP TRUCK CEMENTER Duke #6

171-302 HELPER Ron G.

BULK TRUCK

368-490 DRIVER Dustin E.

BULK TRUCK

336-150 DRIVER Brian

REMARKS:

*Person has some pressure washer pump
3 bbls 15 min water gauge on pump
Loss cement, mix 15 bags of 90 lb cement
Shoe joint, Release Plug 549.1 displacement
Blast pipe 94.3 bbls 300 H2O @ 25
Fiber 5 bbls water cement & a Circulate*

DEPTH OF JOB 1505'

PUMP TRUCK CHARGE

EXTRA FOOTAGE

MILEAGE

MANIFOLD

TOTAL

CHARGE TO: KW Core

STREET

CITY STATE ZIP

PLUG & FLOAT EQUIPMENT

SIGNATURE [Signature]

PRINTED NAME X IF PAID IN 30 DAYS

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

PRINTED NAME X

SIGNATURE [Signature]

PRINTED NAME X

SIGNATURE [Signature]

ALLIED CEMENTING CO., LLC. 042103

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Appanetoga, KS

DATE <u>7-26-11</u>	SEC <u>29</u>	TWP. <u>30S</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE <u>SS Farms</u>	WELL # <u>H-1</u>	LOCATION <u>Plains, KS 2w, 10w, 4w, N, E/S</u>				COUNTY <u>Sevier</u>	STATE <u>KS</u>
OLD OR NEW (Circle one) <u>1.4</u>							

CONTRACTOR Duke #0 OWNER KW Cony

TYPE OF JOB Saturated Plug

HOLE SIZE 7 7/8 T.D. 5000

CASING SIZE 8 5/8 DEPTH 1500

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 DEPTH 1537

TOOL DEPTH

PRES. MAX 2500 MINIMUM

MEAS. LINE SHOE JOINT N/A

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT Frash 110

EQUIPMENT

PUMP TRUCK CEMENTER D. Felso

360-205 HELPER M. Thimmesch

BULK TRUCK

363-290 DRIVER D. Elorn

BULK TRUCK

DRIVER

CHARGE TO: KW Cony

STREET CITY STATE ZIP

REMARKS: Drill Pipe at 1537', load Hole Pump Spacing, Max 5000, Discard 100 Blks, Drill Pipe at 1330, Road Hole Pump Spacing Mix 40SK, Pump at 64 Blks, Drill Pipe 60 Surface Pump, Drive Cement, Drill Case, Plug Cat 4, Appanetoga, up 5000

DEPTH OF JOB 1537

PUMP TRUCK CHARGE

EXTRA FOOTAGE

MILEAGE

MANIFOLD N/A

Light Vehicle

TOTAL

PLUG & FLOAT EQUIPMENT

TOTAL

SALES TAX (If Any)

TOTAL CHARGES

DISCOUNT

IF PAID IN 30 DAYS

PRINTED NAME

SIGNATURE [Signature]

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment

and furnish cementer and helper(s) to assist owner or

contractor to do work as is listed. The above work was

done to satisfaction and supervision of owner agent or

contractor. I have read and understand the "GENERAL

TERMS AND CONDITIONS" listed on the reverse side.