

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month o	day year	Spot Description:	
	monar	ady your	SecTwpS. RE	
OPERATOR: License#			feet from N / S Line of	Section
Name:			feet from E / W Line of	Section
Address 1:			Is SECTION: Regular Irregular?	
Address 2:			(Note: Locate well on the Section Plat on reverse side)	
		Zip: +		
Contact Person:			Lease Name: Well #:	
Phone:			Field Name:	
CONTRACTOR: License#				ΠN
lame:			Target Formation(s):	
14/- II Duille et Fenn	14/- 11 01	T	Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:fe	et MS
Oil Enh F		Mud Rotary	Water well within one-quarter mile:	
Gas Stora	• =	Air Rotary	Public water supply well within one mile: Yes	=
Dispo		Cable	Depth to bottom of fresh water:	
Seismic ;# o			Depth to bottom of resh water:	
Other:			Surface Pipe by Alternate: I	
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:	
Operator:				
			Projected Total Depth:	
Original Completion Da	ate: Orig	inal Total Depth:		
Directional, Deviated or Ho	rizontal wellhore?	Yes No	Water Source for Drilling Operations:	
		103140	Well Farm Pond Other:	
			- DW/R Parmit #:	
•			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR)	
Bottom Hole Location:			- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes	
Bottom Hole Location:			(Note: Apply for Permit with DWR)	
Bottom Hole Location:			- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes	N
Sottom Hole Location: CCC DKT #:		AI	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:	
Bottom Hole Location: CCC DKT #: The undersigned hereby	affirms that the drilling	AF g, completion and eventual p	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:	
Bottom Hole Location: CCC DKT #: The undersigned hereby	affirms that the drilling	Al g, completion and eventual p ments will be met:	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:	
Sottom Hole Location: KCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropriation of the appropriation of the propriation o	affirms that the drilling ving minimum requirer ate district office <i>prioi</i> oved notice of intent to	Alg, completion and eventual prents will be met: To spudding of well; To drill shall be posted on ea	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:	
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as	All g, completion and eventual prents will be met: To spudding of well; To drill shall be posted on ear specified below shall be see	Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set	1
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus	All p, completion and eventual prents will be met: If to spudding of well; If o drill shall be posted on ear specified below shall be set a minimum of 20 feet into the	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw	Algorithm and eventual properties will be met: To spudding of well; To drill shall be posted on each specified below shall be seed a minimum of 20 feet into the each seed the operator and the discontinuation.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging;	1
the undersigned hereby is agreed that the follow 1. Notify the appropriate is accepted all unconsequents. 4. If the well is dry ho 5. The appropriate dispersions.	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plustle, an agreement betwestrict office will be noti	Alg, completion and eventual prents will be met: To spudding of well; of drill shall be posted on ear specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either pluging.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;	
the undersigned hereby is agreed that the follow 1. Notify the appropri. 2. A copy of the approthrough all unconse through all unconse. 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notill COMPLETION, producing vine affice will be notill COMPLETION, producing vine affice will be notill COMPLETION, producing vine affice will be notill COMPLETION, producing vine vine affice vine affice vine affice vine affice vine vine vine vine vine vine vine vin	Algorithms, completion and eventual prents will be met: It to spudding of well; It of drill shall be posted on ear specified below shall be set a minimum of 20 feet into the earth of the operator and the diffied before well is either pludduction pipe shall be cement.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.	
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to App	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet it completed will be noticed in COMPLETION, proceed in the complete in the comple	Algorithms, completion and eventual prents will be met: To spudding of well; To drill shall be posted on ear specified below shall be set a minimum of 20 feet into the earth of the earth	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; by by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;	
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropriate A copy of the appropriate A copy all unconsections and through all unconsections. 4. If the well is dry house the appropriate displayed in the appropriate displayed in the appropriate displayed in the appropriate displayed.	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet it completed will be noticed in COMPLETION, proceed in the complete in the comple	Algorithms, completion and eventual prents will be met: To spudding of well; To drill shall be posted on ear specified below shall be set a minimum of 20 feet into the earth of the earth	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the drown below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to App	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet it completed will be noticed in COMPLETION, proceed in the complete in the comple	Algorithms, completion and eventual prents will be met: To spudding of well; To drill shall be posted on ear specified below shall be set a minimum of 20 feet into the earth of the earth	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the drown below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby Is agreed that the follow In Notify the appropriate A copy of the appropriate A copy all unconsess. If the well is dry how The appropriate dis If an ALTERNATE of the Appropriate of the Appropriate Ap	affirms that the drilling ving minimum requirer ate district office prior oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement between the completion of the protection of the completion of the within 30 days of the	Algorithms, completion and eventual prents will be met: To spudding of well; To drill shall be posted on ear specified below shall be set a minimum of 20 feet into the earth of the earth	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the drown below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby It is agreed that the follow It is agreed that the follow It is accept of the appropriate of the appropriate distribution of the approp	affirms that the drilling ving minimum requirer ate district office prior oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement between the completion of the protection of the completion of the within 30 days of the	Algorithms, completion and eventual prents will be met: To spudding of well; To drill shall be posted on ear specified below shall be set a minimum of 20 feet into the earth of the earth	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the drom below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby It is agreed that the follow It is agreed that the follow It is accept of the appropriate of the appropriate distribution of the approp	affirms that the drilling ving minimum requirer ate district office prior oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement between the completion of the protection of the completion of the within 30 days of the	Algorithms, completion and eventual prents will be met: To spudding of well; To drill shall be posted on ear specified below shall be set a minimum of 20 feet into the earth of the earth	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:	
The undersigned hereby Is agreed that the follow I. Notify the appropria I. A copy of the appropria I. The minimum amough all unconse If the well is dry ho I. The appropriate dis If an ALTERNATE Or pursuant to Appropriate dis It appropriate dis If an ALTERNATE Or pursuant to Appropriate dis It an ALTERNATE II APPROPRIES IN THE TOTAL THE III APPROPRIES IN THE III APPROPRIE	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement between the completion of the lillicompletion, protection of the lillicompletion of the	g, completion and eventual prents will be met: It to spudding of well; It dails to drill shall be posted on ear specified below shall be seen the operator and the diffed before well is either plugduction pipe shall be cementansas surface casing order spud date or the well shall is	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification.	
he undersigned hereby is agreed that the follow 1. Notify the appropriate of the composition of the propriate of the composition of the propriate of the propriate of the composition of the propriate of the pro	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus lle, an agreement between strict office will be notill COMPLETION, proceed within 30 days of the nically	g, completion and eventual prents will be met: It to spudding of well; It of drill shall be posted on ear specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cementansas surface casing order is spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificatio Act (KSONA-1) with Intent to Drill;	
the undersigned hereby is agreed that the follow 1. Notify the appropriate is account in the image is a copy of the appropriate is	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plusile, an agreement betweet it completely of the complete of the within 30 days of the inically	g, completion and eventual prents will be met: To spudding of well; odrill shall be posted on ear specified below shall be set a minimum of 20 feet into the diffed before well is either plugible of the properties of the well is either plugible of the well shall be comented ansas surface casing order a spud date or the well shall be completed.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed Ubmitted Electrol For KCC Use ONLY API # 15 - Conductor pipe required	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plusile, an agreement betweet it completely of the complete of the within 30 days of the inically	g, completion and eventual prents will be met: To spudding of well; odrill shall be posted on ear specified below shall be set a minimum of 20 feet into the diffed before well is either plugible of the properties of the well is either plugible of the well shall be comented ansas surface casing order a spud date or the well shall be completed.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificatio Act (KSONA-1) with Intent to Drill;	
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropriate the appropriate distance of the appropriate distance	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notill COMPLETION, proceeding "B" - Eastern Kat within 30 days of the nically	g, completion and eventual prents will be met: It to spudding of well; It to spudding of well in the	Will Cores be taken? If Yes, proposed zone: FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	
Sottom Hole Location: KCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dia 6. If an ALTERNATE or pursuant to App must be completed ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required and incompleted incompleted incompleted Minimum surface pipe recompleted.	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plusile, an agreement betweetrict office will be notiful COMPLETION, proceeding "B" - Eastern Kat within 30 days of the inically	g, completion and eventual prents will be met: It to spudding of well; It to spudding of well in the	Will Cores be taken? If Yes, proposed zone: SFIDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. At 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							Lo	cation of W	Vell: County:
ease:					feet from N / S Line of Section				
Well Number:						feet from E / W Line of Section			
Field:							Se	ec	Twp S. R
Number of Acres attributable to well:			15	Is Section: Regular or Irregular					
QTR/QTR	/QTR/QTR	of acreag	e:				_		
								Section is ection corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
		ds, tank b			d electrica	l lines, as	required b		dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). sired.
			:	:			:		LECEND
	:		:	:		:	:	:	LEGEND
309 ft.	 			:		:	:	:	O Well Location
			:	:		:		:	Tank Battery Location
					•••••				—— Pipeline Location
			:	<u>:</u>		<u>:</u>	:	:	Electric Line Location
			:	:		:	:	:	Lease Road Location
		• • • • • • • • • • • • • • • • • • • •			•••••		• • • • • • • • • • • • • • • • • • • •		
			: :	<u>:</u>	į.	<u>:</u>	:	:	EXAMPLE : :
	:		:	:		:	:	:	1
				2	I	:	:	:	
			:				:		
				:		:	:	:	
			:	:		:	:	:	
		•••••		:	••••	:	:	:	1980' FSL
							:		
		•••••		······································	•••••		· · · · · · · · · · · · · · · · · · ·	:	
				:		:			SEWARD CO. 3390' FEL
			•	:		:	:	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

052560

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls) Area? Yes No		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?		
	Length (fee		Width (feet)		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	·	be closed within 365 days of spud date.		
Submitted Electronically					
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1052560

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
Address 2:				
City: State: Zip:+				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address. 1) cknowledge that, because I have not provided this information, the			
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.			
Submitted Electronically				

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Field:	Layn- Shultz per: 4M-2 - g Fon tain Acres attributable to QTR/QTR of acreas	e	NW - NW	Location of Well: County: 1771		
				AT		
	Show location lease roads, tank b	on of the well. Show foot atteries, pipelines and ele	age to the nearest le actrical lines, as req	ase or unit boundary line. Show	the predicted locations of vner Notice Act (House Bill 2032).	
	309'FWL			parate plat if desired.	THE NOTICE ACT (HOUSE BIII 2032).	
					LEGEND	
771 FNL	-6				O Well Location Tank Battery Location Pipeline Location	
					Electric Line Location Lease Road Location	
				EXA	MPLE	
					0-7 1980' FSL	
				SEWAR	D CO. 3390' FEL	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.