



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1052633

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method: Flowing Pumping Gas Lift Other (Explain) _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

ALLIED CEMENTING CO., LLC.

Federal Tax I.D.# 20-5975804

SERVICE POINT:

RUSSELL, KANSAS 67665

REMIT TO P.O. BOX 31

DATE	6/15/11	SEC.	23	TWP	8	RANGE	14	CALLED OUT		ON LOCATION		JOB START	8:45 p.m.	JOB FINISH	9:15 p.m.
LEASE	Alice														
WELL #	1-23														
LOCATION	Paradee W/E 10N 3 1/2 E														
OLD OR NEW (Circle one)	Old														

CONTRACTOR *Richard R. King*

TYPE OF JOB *Refracture*

HOLE SIZE *2 1/8 3 1/2*

CASING SIZE *5 1/2 14 1/2*

TUBING SIZE *5 1/2 14 1/2*

DRILL PIPE DEPTH *500*

TOOL DEPTH *500*

PRES. MAX DEPTH *500*

MEAS. LINE SHOE JOINT *1340*

CEMENT LEFT IN CSG. *1340*

PERFS. DISPLACEMENT *25 21 611*

EQUIPMENT

PUMP TRUCK CEMENTER *Spine Mark*

409 HELPER *Todd*

BULK TRUCK DRIVER *Mark*

410 BULK TRUCK

DRIVER

DRIVER

BULK TRUCK

REMARKS:

Get 3000 lbs. Portland Cement

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment
 and furnish cementer and helper(s) to assist owner or
 contractor to do work as is listed. The above work was
 done to satisfaction and supervision of owner agent or
 contractor. I have read and understand the "GENERAL
 TERMS AND CONDITIONS" listed on the reverse side of this

PLUG & FLOAT EQUIPMENT

TOTAL

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE

MILEAGE

MANIFOLD

SERVICE

TOTAL

HANDLING

MILEAGE

COMMON

POZMIX

GEL

CHLORIDE

ASC

CEMENT

AMOUNT ORDERED

OWNER

COUNTY

STATE

JOB START

JOB FINISH

ON LOCATION

CALLED OUT

RANGE

TWP

SEC.

CITY

STATE

ZIP

STREET

CHARGE TO: *Line 01*

Plg @ 1300 ps

Displaced 25,211 Lbs

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

5 1/2" 14 1/2" down well down

035886

ALLIED CEMENTING CO., LLC.

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: *Russell*

DATE	6/11/14	SEC.	03	TWP.	8	RANGE	1-1	CALLED OUT		ON LOCATION		JOB START	4:50 PM	JOB FINISH	4:45 PM	COUNTY	Adair, KS	STATE	KS
LEASE	WELL # 1-03			Perdise Ks															
OLD OR NEW (Circle one)																			

CONTRACTOR *Melvin Davis, Jr. #1* TYPE OF JOB *Surface Sol.* HOLE SIZE *10 1/4* T.D. *768'* CASING SIZE *8 1/2* DEPTH *768'* TUBING SIZE *8 1/2* DEPTH *768'* DRILL PIPE DEPTH *768'* TOOL DEPTH *768'* PRES. MAX MINIMUM DEPTH *768'* MEAS. LINE SHOE JOINT *4450* CEMENT LEFT IN CSG. *4450* PERFS. 46 2 1/2

EQUIPMENT	
PUMP TRUCK	<i>Shore Well II</i>
CEMENTER	<i>Todd</i>
HELPER	<i>Todd</i>
BULK TRUCK	<i>405</i>
BULK TRUCK	<i>402</i>
DRIVER	<i>Mark</i>
BULK TRUCK	
DRIVER	
BULK TRUCK	
DISPLACEMENT	<i>46 2 1/2</i>

REMARKS:	
#	<i>Best Circulator that shows</i>
#	<i>Marked Pump Lines</i>
#	<i>Drilled 46 etc.</i>
#	<i>Count 45 @ 200ps</i>
#	<i>(Pump + Circulator)</i>
#	<i>Done O.K.</i>

SERVICE	
DEPTH OF JOB	
PUMP TRUCK CHARGE	
EXTRA FOOTAGE	
MILEAGE	
MANIFOLD	
TOTAL	

PLUG & FLOAT EQUIPMENT	
TOTAL	

SALES TAX (If Any)	
TOTAL	

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side

CITY _____ STATE _____ ZIP _____

STREET _____
 CHARGE TO: *Done O.K.*

DRIVER _____
 BULK TRUCK _____
 # *402* DRIVER *Mark*
 BULK TRUCK _____
 # *405* HELPER *Todd*
 PUMP TRUCK *Shore Well II*

CONTRACTOR *Melvin Davis, Jr. #1*
 TYPE OF JOB *Surface Sol.*
 HOLE SIZE *10 1/4*
 T.D. *768'*
 CASING SIZE *8 1/2*
 DEPTH *768'*
 TUBING SIZE *8 1/2*
 DEPTH *768'*
 DRILL PIPE DEPTH *768'*
 TOOL DEPTH *768'*
 PRES. MAX MINIMUM DEPTH *768'*
 MEAS. LINE SHOE JOINT *4450*
 CEMENT LEFT IN CSG. *4450*
 PERFS. 46 2 1/2

OWNER _____

AMOUNT ORDERED	<i>350 @ 6 1/2 35cc</i>
CEMENT	<i>350 @ 6 1/2 35cc</i>

CONTRACTOR *Melvin Davis, Jr. #1* TYPE OF JOB *Surface Sol.* HOLE SIZE *10 1/4* T.D. *768'* CASING SIZE *8 1/2* DEPTH *768'* TUBING SIZE *8 1/2* DEPTH *768'* DRILL PIPE DEPTH *768'* TOOL DEPTH *768'* PRES. MAX MINIMUM DEPTH *768'* MEAS. LINE SHOE JOINT *4450* CEMENT LEFT IN CSG. *4450* PERFS. 46 2 1/2

ALLIED CEMENTING CO., LLC.

Federal Tax I.D.# 20-5975804

SERVICE POINT:

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

DATE	6/15/11	SEC.	23	TWP	8	RANGE	14	CALLED OUT		ON LOCATION		JOB START	8:45 p.m.	JOB FINISH	9:15 p.m.
LEASE	WELL #		1-23		LOCATION		Russett Well 14E 10W 3 1/2								
OLD OR NEW (Circle one)	New														

CONTRACTOR *Richard R. King*

TYPE OF JOB *Well Completion*

HOLE SIZE *2 1/8* T.D. *3116*

CASING SIZE *5 1/2* DEPTH *3116*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

FRES. MAX MINIMUM

MEAS. LINE SHOE JOINT *1340*

CEMENT LEFT IN CSG. *1340*

PERFS. DISPLACEMENT *25 21 661*

EQUIPMENT

PUMP TRUCK CEMENTER *Spence Mark*

409 HELPER *Todd*

410 DRIVER *Mark*

BULK TRUCK DRIVER

BULK TRUCK DRIVER

DRIVER

REMARKS:

Get 3000 lbs. Portland Cement

Put Cement in 500 gal

5/4 - 5/4 down well down

5/4 - 5/4 down well down

Disposal 25 21 661

plg @ 1300 ps

CHARGE TO: *Line 01*

CITY STATE ZIP

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side of this contract.

PLUG & FLOAT EQUIPMENT

TOTAL

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE

MILAGE

MANIFOLD

TOTAL

2 Cementers	@
5 Buckets	@
Code 100	@
ASO Turret	@
Bumper PL	@

SALES TAX (If Any)

035886

ALLIED CEMENTING CO., LLC.

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: *Russell*

DATE	6/11/14	SEC.	03	TWP.	8	RANGE	14	ON LOCATION		CALLED OUT		JOB START	4:50 PM	JOB FINISH	4:45 PM	COUNTY	Adair, KS	STATE	KS
LEASE	WELL # 1-23			Perdise Ks															
OLD OR NEW (Circle one)																			

CONTRACTOR *Melvin Davis, Jr. #1* TYPE OF JOB *Surface Sol.* HOLE SIZE *10 1/4* T.D. *768'* CASING SIZE *8 1/2* DEPTH *768'* TUBING SIZE *8 1/2* DEPTH *768'* DRILL PIPE DEPTH *768'* TOOL DEPTH *768'* PRES. MAX MINIMUM DEPTH *768'* MEAS. LINE SHOE JOINT *4450* CEMENT LEFT IN CSG. *4450* PERFS. *46 2 1/2* EQUIPMENT

PUMP TRUCK	#	405	CEMENTER	<i>Steve Hill</i>
BULK TRUCK	#	405	HELPER	<i>Todd</i>
BULK TRUCK	#	405	DRIVER	<i>Mark</i>
BULK TRUCK	#	405	DRIVER	<i>Mark</i>
REMARKS:	<i>Best Circulator that shows marked pump lines - Disposed 46 etc. Cement plug & roops. (Pump & Circulator) Done only</i>			

CONTRACTOR	OWNER	CEMENT	AMOUNT ORDERED	COMMON	POZMIX	GEL	CHLORIDE	ASC	HANDLING	MILEAGE	SERVICE	TOTAL
			<i>350 6 1/2 35cc</i>									

DEPTH OF JOB	PUMP TRUCK CHARGE	EXTRA FOOTAGE	MILEAGE	MANIFOLD	TOTAL

PLUG & FLOAT EQUIPMENT	TOTAL

SALES TAX (If Any)	TOTAL

CITY STATE ZIP

STREET

CHARGE TO: *Done only*

Best Circulator that shows marked pump lines - Disposed 46 etc. Cement plug & roops. (Pump & Circulator) Done only

Best Circulator that shows marked pump lines - Disposed 46 etc. Cement plug & roops. (Pump & Circulator) Done only

Best Circulator that shows marked pump lines - Disposed 46 etc. Cement plug & roops. (Pump & Circulator) Done only

Best Circulator that shows marked pump lines - Disposed 46 etc. Cement plug & roops. (Pump & Circulator) Done only

Best Circulator that shows marked pump lines - Disposed 46 etc. Cement plug & roops. (Pump & Circulator) Done only

Best Circulator that shows marked pump lines - Disposed 46 etc. Cement plug & roops. (Pump & Circulator) Done only