# 

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1052777

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
ODERATOR, Licensett	(Q/Q/Q/Q) feet from N / S Line of Section
OPERATOR: License# Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
Phone:	Lease Name: Well #:
CONTRACTOR: License II	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes No
	If Yes, proposed zone:
ΔΕΕ	IDAVIT
	TIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	gging of this well will comply with K.S.A. 55 et. seq. drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation. circi office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. circi office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afrom below any usable water to surface within <i>120 DAYS</i> of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation. cict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; If from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the distriction of the distric	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date. By 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. must be completed within 30 days of the spud date or the well shall be.  6. Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		

Location of Well: County: \_\_\_

For KCC Use ONLY	
API # 15	_

Operator: \_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease:										feet from	N /	S Line	of Section
Well Numb	er:									feet from	E /	W Line	of Section
Field:			_ S	ec	Twp	S. R		E	W				
Number of QTR/QTR/							15	is Section.     Negulai of     Integulai					
								Section is ection corne	Irregular, locater used: N	te well from	se s		dary.
					_				dary line. Show				
	lease road	ds, tank bi	atteries, pi	pelines and 2050	You m			by the Kans e plat if desi	as Surface Ow ired.	ner Notice A	ct (House Bill	(2032).	
			: : : : :	:		:	:	:		LE	GEND		
						:	 : :	 :		Tan	I Location k Battery Lo eline Locatio		
2440 (			:			:				Elec	ctric Line Lo se Road Lo	cation	
2110 ft			:	-O		:	:	:					
			<u>:</u> :	1		<u>:</u> :	<u>:</u> :	<u>:</u> :	EXA	MPLE : :			
							·			····· ········			
					••••								1980' FSL
						:	:						
		•••••			•••••	:	:	:	SEWAR	ED CO. 3390' F	EL :		
	:		:	:		:	:	:					

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 052777

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No .			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits		
	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	her·	Permi	t Date: Lease Inspection: Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

#### **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	Sec TwpS. R 🗌 East 🗌 West				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal descrip				
Contact Person:	the lease heleur				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					

### **Summary of Changes**

Lease Name and Number: FROETSCHNER TRUST "B" 1-12

API/Permit #: 15-145-21619-00-00

Doc ID: 1052777

Correction Number: 1

Approved By: Rick Hestermann 03/24/2011

Field Name	Previous Value	New Value
Depth Of Water Well	137	120
Feet to Nearest Water Well Within One-Mile of Pit	1016	423
KCC Only - Approved By	Rick Hestermann 10/29/2010	Rick Hestermann 03/24/2011
KCC Only - Approved Date	10/29/2010	03/24/2011
KCC Only - Date Received	10/27/2010	03/24/2011
KCC Only - Lease Inspection	Yes	No
KCC Only - Regular Section Quarter Calls	SE NW SE NW	NW SE SE NW
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=12&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=12&t
Number of Feet East or West From Section Line	1870	2110
Number of Feet East or West From Section Line	1870	2110

## Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section Line	1850	2050
Number of Feet North or South From Section	1850	2050
Line Quarter Call 3	NW	SE
Quarter Call 4 - Smallest	SE	NW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 46066	//kcc/detail/operatorE ditDetail.cfm?docID=10 52777
Spot Description	130' N. & 110' W.	70' S. & 130' E. OF