Diamond **Testing**

General information Report

General Information

Company Name MID-CONTINENT OPERATING CO.

RICHARD SAENZ Contact **Well Name**

DST #3 PLEAS. 4,310' - 4,345' Representative Unique Well ID

Well License Number

Field **WILDCAT** Prepared By

Well Type Vertical

JAMES #1-15 Job Number

ROGER D. FRIEDLY

Surface Location SEC 15-18S-29W LANE COUNTY, KS Well Operator MID-CONTINENT OPERATING CO.

Report Date 2010/12/13

ROGER D. FRIEDLY

CONVENTIONAL TEST Test Type

Formation DST #3 PLEAS. 4,310' - 4,345' **Well Fluid Type**

01 Oil Start Test Time

14:35:00 **Final Test Time** 23:34:00

2010/12/12 **Start Test Date** 2010/12/12 **Final Test Date**

Gauge Name 1150

Gauge Serial Number

Test Results

RECOVERED: 15' MW 72% WTR, 28% MUD


TOOL SAMPLE: 85% WTR, 15% MUD

CHLORIDES: 27,000 Ppm

PH: 6.0

RW: .32 @ 50 deg.

MID-CONTINENT OPERATING CO. DST #3 PLEAS. 4,310' - 4,345' Start Test Date: 2010/12/12 JAMES #1-15 Formation: DST #3 PLEAS. 4,310' - 4,345'



Fas

DIAMOND TESTING

P.O. Box 157 HOISINGTON, KANSAS 67544 (800) 542-7313

DRILL-STEM TEST TICKET

CLOCK ON: 14:35

CLOCK OFF:23:34

Company MID-CONTINENT OPERATING CO.	Lease & Well No. JAMES #1-15	
Contractor VAL RIG #4	Charge to MID-CONTINENT OPERATING C	О.
Elevation 2,805 KB Formation PLEAS.	The state of the s	No
Date 12.12.10 Sec. 15 Twp. 18 S Rai		te_KANSAS
Test Approved By KEVIN KESSLER	Diamond RepresentativeROGER D. FRIEDLY	
Formation Test No. 3 Interval Tested from 4,310	t. to 4,345 ft. Total Depth 4,345	ft.
Packer Depth 4,305 ft. Size 6 3/4 in.	Packer Depthft. Sizein.	
Packer Depth 4,310 ft. Size 6 3/4 in.	Packer Depthft. Sizein.	
Depth of Selective Zone Set		
Top Recorder Depth (Inside) 4,298 ft.	Recorder Number 1150 Cap. 5,000	P.S.I.
Bottom Recorder Depth (Outside) 4,342 ft.	Recorder Number 3851 Cap. 5,700	P.S.I.
Below Straddle Recorder Depthft.	Recorder Number Cap	P.S.1.
Mud Type CHEMICAL Viscosity 49	Drill Collar Length 0 ft. I.D. 2	1/4 in.
Weight 9.3 Water Loss 7.2 cc.	Weight Pipe Length 0 ft. I.D. 2	7/8 in.
Chlorides 2,400 P.P.M.	4.004	1/2 in.
Jars: Make BOWEN Serial Number N/A	Test Tool Length 26 ft. Tool Size 3	3 1/2-IF in.
Did Well Flow? NO Reversed Out NO	Anchor Length 35 ft. Size 4 1/	2-FHin.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in.	Surface Choke Size 1 in. Bottom Choke	Size 5/8 in.
Blow: 1st Open: WEAK 1/4" BLOW INCREASING TO 1" SLOWII	NG @ END	(NObb)
2nd Open: NO BLOW		(NObb)
2nd Open: NO BLOW		
2nd Open: NO BLOW		
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD		
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of		
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered ft. of	Price Job	NObb)
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered Recovered ft. of Recovered	Price Job	NObb)
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered ft. of Recovered ft. of Recovered ft. of	Price Job Other Charges	NObb)
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered Recovered ft. of Recovered Recovered ft. of Recovered Remarks: TOOL SAMPLE:85% WTR, 15% MUD - FEW OIL SPECKS	Price Job Other Charges Insurance	NObb)
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered ft. Other ft. of Recovered ft. Other ft	Price Job Other Charges Insurance Total Bottom 9:08 P.M. A.M. P.M. Maximum Temperature	NObb)
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Remarks: TOOL SAMPLE:85% WTR, 15% MUD - FEW OIL SPECKS Time Set Packer(s) 4:53 P.M. A.M. P.M. Time Started Off Initial Hydrostatic Pressure	Price Job Other Charges Insurance Total Bottom 9:08 P.M. A.M. P.M. Maximum Temperature 2,095 P.S.I.	NObb)
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Remarks: TOOL SAMPLE:85% WTR, 15% MUD - FEW OIL SPECKS Time Set Packer(s) 4:53 P.M. A.M. P.M. Time Started Off Initial Hydrostatic Pressure Initial Flow Period Minutes 30	Price Job Other Charges Insurance Total Sottom 9:08 P.M. A.M. P.M. Maximum Temperature 2,095 P.S.I. (B) 5 P.S.I. to (C) 10	NObb)
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered ft. of Recovered ft. of Recovered ft. of Remarks: TOOL SAMPLE:85% WTR, 15% MUD - FEW OIL SPECKS Time Set Packer(s) 4:53 P.M. P.M. Time Started Off Initial Hydrostatic Pressure Initial Flow Period Minutes 30 Initial Closed In Period Minutes 75	Price Job Other Charges Insurance Total Sottom 9:08 P.M. A.M. P.M. Maximum Temperature (A) 2,095 P.S.I. (B) 5 P.S.I. to (C) 10 1,018 P.S.I.	NObb) 115 P.S.I.
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered Recovered ft. of Recovered Remarks: TOOL SAMPLE:85% WTR, 15% MUD - FEW OIL SPECKS Time Set Packer(s) 4:53 P.M. P.M. Time Started Off Initial Hydrostatic Pressure Minutes 30 Initial Closed In Period Minutes 75 Final Flow Period Minutes 60	Price Job Other Charges Insurance Total Sottom 9:08 P.M. A.M. P.M. Maximum Temperature (A) 2,095 P.S.I. (B) 5 P.S.I. to (C) 10 (D) 1,018 P.S.I. (E) 10 P.S.I. to (F) 16	NObb)
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered ft. of Recovered ft. of Remarks:	Price Job Other Charges Insurance Total Sottom 9:08 P.M. A.M. Maximum Temperature (A) 2,095 P.S.I. (B) 5 P.S.I. to (C) 10 (D) 1,018 P.S.I. (E) 10 P.S.I. to (F) 16 (G) 988 P.S.I.	NObb) 115 P.S.I.
2nd Open: NO BLOW Recovered 15ft. of MW 72% WTR, 28% MUD Recovered ft. of Recovered ft. of Recovered ft. of Remarks:	Price Job Other Charges Insurance Total Sottom 9:08 P.M. A.M. P.M. Maximum Temperature 2,095 P.S.I. (B) 5 P.S.I. to (C) 10 1,018 P.S.I. (E) 10 P.S.I. to (F) 16 988 P.S.I. (H) 2,092 P.S.I.	NObb) 115 P.S.I. P.S.I.