

Kansas Corporation Commission Oil & Gas Conservation Division

1053667

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Name: Address 1:	OPERATOR: License #	API No. 15
Address 2:	Name:	Spot Description:
City:	Address 1:	SecTwpS. R 🔲 East 🗌 West
Contact Person:	Address 2:	Feet from North / South Line of Section
NR	City:	Feet from _ East / _ West Line of Section
CONTRACTOR: License # County: Name: Wellsite Geologist: Purchaser: Posignate Type of Completion: New Well Re-Entry Workover Oil WSW SWD SIOW Gas D&A ENHR SIGW OG BA ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Mehane) GSW Temp. Abd. If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License #: Quarter Sec. Twp. S. R. East West County: Permit #: County: Permit #:	Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Lease Name:	Phone: ()	□NE □NW □SE □SW
Wellsite Geologist:	CONTRACTOR: License #	County:
Purchaser:	Name:	Lease Name: Well #:
Designate Type of Completion: New Well Re-Entry Workover Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. If Workover/Re-entry: Old Well Info as follows: Original Comp. Date: Deepening Re-perf. Conv. to ENHR Conv. to GSW Plug Back: Plu	Wellsite Geologist:	Field Name:
New Well	Purchaser:	Producing Formation:
New Well	Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
Oil		, ,
Well Name:	Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from:
Well Name:Original Total Depth:	Operator:	
Original Comp. Date: Original Total Depth: bbls Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #: ENHR Permit #: GSW Permit #: GSW Permit #: Original Total Depth: bbls Chloride content: ppm Fluid volume: bbls Dewatering method used: bewatering method used: Dependence: bolt print disposal if hauled offsite: Operator Name: License #: Quarter Sec Twp S. R East West County: Permit #:	Well Name:	
GSW Permit #: County: Permit #:	Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: License #:
	Spud Date or Date Reached TD Completion Date or	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Side Two



Operator Name:			Lease Name	e:			_ Well #:	
Sec Twp	S. R	East West	County:					
time tool open and clos	sed, flowing and shut s if gas to surface tes	I base of formations per in pressures, whether set, along with final chart well site report.	shut-in pressure	reached s	static level,	hydrostatic press	sures, bottom h	ole temperature, fl
Orill Stem Tests Taken (Attach Additional S		Yes No		Log	Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolo		☐ Yes ☐ No	N	lame			Тор	
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	I Electronically	Yes No Yes No Yes No						
List All E. Logs Run:			RECORD [Used			
	Size Hole	Report all strings set- Size Casing	-conductor, surface Weight		ate, producti Setting	on, etc. Type of	# Sacks	Type and Percen
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.		Depth	Cement	Used	Additives
		ADDITIONA	L OFMENTING (00115575	DECORD			
		ADDITIONA	L CEMENTING / :	SQUEEZE	RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement # Sacks		Jsed Type and Perc			Percent Additives	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No		
Date of First, Resumed I	Production, SWD or ENI	HR. Producing Me	thod:	Gas Li	ift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water	В	bls. (Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease	Open Hole	METHOD OF COM Perf. D	MPLETION: ually Comp omit ACO-5)	. Cor	nmingled mit ACO-4)	PRODUCTIO	ON INTERVAL:
(If vented, Sub	mit ACO-18.)	Other (Specify) _						

GARNETT TRUE VALUE HOMECENTER

410 N Maple Gamett, KS 66032 {785} 448-7106 FAX {785} 448-7135

Merchant Copy

THIS COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

Page: 1	<u></u>	<u> </u>	Invoice: 101	65984			
	· <u>····································</u>		Time:	10:57:54			
Special :			Ship Date:	11/18/10			
Instructions			Invoice Date:	11/18/10			
Sale rep.#: MARLIN MARLIN BRUBAKEF	₹	Acct rep code:	Due Date;	12/08/10			
Sold To: SIRIUS ENERGY CORP		Ship To: SIRIUS ENERGY CORP					
526 COUNTRYPLACE SOUTH ABILENE, TX 79606-7032	(325) 665-	9152					
	(325) 665	9152	<u></u>	<u></u>			
Customer #: 0001860	Customer PO:		Order By:				

Customer #: 0001860 BTH T 18 popimg01 **EXTENSION** PRICE All Price/Lom DESCRIPTION ITEM# U/M **ORDER** SHIP 377.40 6.2900 6.2900 BAG FLY ASH MIX 80 LBS PER BAG CPFA 60.00 P BAG 60.00 539.40 8.9900 8,9900 BAG PORTLAND CEMENT-84# BAG CPPC 60.00 P 60.00 Surface casing and production casing are cemented with company tools.

> The remaining cement and fly ash from this ticket are used for plugging purposes as per submitted CP-1 and CP-4.

6 sacks portland cement are used for surface casing.

for production casing (=40% kol seal).

33 sacks portland cement and 33 sacks fly ash are used

\$916.80 CHECKED BY DATE SHIPPED DRIVER Sales total FILLED BY SHIP VIA Customer Pick up 916.80 RECEIVED COMPLETE AND IN GOOD CONDITION Taxabla 0.00 Sales tax Non-taxable 76.10 Tax #

1 - Merchant Copy



\$992.90

TOTAL