


QUEST

Resource Corporation



211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

Called Becke KCC 9:30AM

AFF D10086

TICKET NUMBER 7009

FIELD TICKET REF # _____

FOREMAN Jan Blanchard

SSI _____

API _____

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER			SECTION	TOWNSHIP	RANGE	COUNTY
12-29-10	Lasley Lee 30-1			30	34	18	LTB
FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Joe Blanchard	7:00	2:00		904850		7	Joe Blanchard
Ken Coiston	7:00	12:30		931310	932900	5.5	Ken Coiston
Wes Graham	7:00	12:30		931585	931387	5.5	Wes Graham
DANIEL POPIA	7:00	12:30		904735		5.5	Daniel Popia
Chris Middle	7:00	2:00		903197		7	Chris Middle
MAT WALKER	7:00	12:30		903600		5.5	Mat Walker

JOB TYPE Longstrags HOLE SIZE 7 7/8 HOLE DEPTH 1029 CASING SIZE & WEIGHT 5 1/2 16"
 CASING DEPTH 1021.50 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 24.32 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4bpm

REMARKS:

RAN 1021.50 Ft 5 1/2 casing in hole washed 2 Ft swab + 2 SKS gel to surface. Installed Cementhead RAN 16 BBI dye + 135 SKS of Cement to get dye to surface. Flush pump. Pump wiper plug to bottom + set float shoe + started casing at 9:30 left location 12:30

Cement to surface Mike with Gus Jones RAN casing in hole

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
904850	7 hr	Foreman Pickup	
903197	7 hr	Cement Pump Truck	
903600	5.5 hr	Bulk Truck	
931585	5.5 hr	Transport Truck	
931387	5.5 hr	Transport Trailer	
904735	5.5 hr	80 Vac	
	1021.50 Ft	Casing 5 1/2	
	5	Centralizers	
	1	Float Shoe	
	1	Wiper Plug	
	2	Frac Baffles 4" x 4 1/2"	
	105 SK	Portland Cement	
	25 SK	Gilsonite	
	1 SK	Flo-Seal	
	11 SK	Premium Gel 100 # SACKS	
	3 SK	Cal Chloride	
	1	5 1/2 Basket	
	7000 gal	City Water	
931310	5.5 hr	Casing tractor	
932900	5.5 hr	Casing trailer	


TD'd. McPherson Drilling 12-28-10 @ 12 Noon,
 on the Lasley, Lee F. 30-1 (345-18E)

5000+
 Close
 S+E
 into

Pos #	Length	Running Total	Baffle Location
1	31.00	31.00	
2	38.20	71.80	Concret
3	38.77	110.57	
4	38.47	156.32	Backed out
5	39.44	195.76	116 ft
6	31.82	233.58	
7	38.80	272.38	to
8	40.10	312.48	
9	38.14	350.62	156 ft.
10	39.16	389.78	above
11	39.32	429.10	
12	39.47	468.57	mulberry
13	57.94	506.51	
14	38.39	544.90	
15	38.25	583.75	
16	39.66	623.41	
17	31.93	661.34	
18	38.74	700.08	← Set Upper Baffle @ 700.08 ft. Big Hole.
19	38.10	738.18	
20	38.53	776.71	
21	38.51	815.22	
22	38.09	853.31	← Set Lower Baffle @ 853.21 ft. Small Hole.
23	38.41	891.72	
24	40.04	931.76	
25	40.18	971.94	
26	37.56	1009.50	
Sub	10	1021.50	

Casing Tally Sheet
 Location: Lasley 30-1
 SS#
 Date: 12/28/10
 Well TD: 1029 ft.
 D10036

Lafayette Co., KS
 21 ft. of Surface Casing.
 Jennifer
 Ken



Notes

Set Upper Baffle @ 700.08 ft. Big Hole.
 Set Lower Baffle @ 853.21 ft. Small Hole.

Use all 26 joints and the 10 ft. Sub.

Be Safe!

Post Rock

~~QUEST~~ (TK'S?)

Miss Top = 908 ft
 Tally Bottom = 1021.50 ft.
 Logger Bottom = 1028.40 ft.
 Drille TD = 1029 ft.

Ken Reusz
 Sr. Geologist
 620-305-9900
 Cell.