

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1055467

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Spot Description:    Spot Description:   Spot Description:   Spot Description:   Sect.   TwpS. R  E   W		re (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.		
Section   Sect	Expected Stud Date:	Snot Description:		
OPERATOR: Licenses	month day year	·		
Section   Regular   Impediar   Restrown   E /   W Line of Section   Radioses 1:   Address 2:   City   Slate:   Zip:   County:   County				
Address 5:   Contact Person:	OPERATOR: License#			
Address 2:   Chip:   Signo:   Zip:	Name:			
Country: Contact Person: Contract Person: Contractor:	Address 1:	Is SECTION: Regular Irregular?		
ContraCtors: Ucense# Name: Field Marne:   Lease Name:   Well #: Field Marne:   Lease Name:   Well Drilled For:   Well Class:   Type Equipment:   String Port   Property   Target Formation(s):   Target Formation(s):   Read Marne:   Well Drilled For:   Well Class:   Type Equipment:   Ground Surface Elevation:   G	Address 2:	(Note: Locate well on the Section Plat on reverse side)		
Lease Name:   Well #:	·	County:		
Field Name:		Lease Name: Well #:		
Name:    Neil Drilled For:   Weil Class:   Type Equipment.   Nearest Lease or unit boundary line (in footage):   Nearest L	Phone:	Field Name:		
Name:	CONTRACTOR: License#	Is this a Prorated / Spaced Field?		
Nearost Lease or unit boundary line (in footage):   Set MSL   Galos	Name:			
Ground Surface Elevation:   feet MSL   Water well within one-quarter mile:   yas   No   No   Water well within one-quarter mile:   yas   No   No   Water well within one-quarter mile:   yas   yas   Yas   No   Water well within one-quarter mile:   yas   yas   No   Water well within one-quarter   yas   Yas   No   Water well within o	Wall Drillad For: Wall Class: Type Fauinment:			
Oil   Enh Rec   Infloid   Mula Rotary   Water well within one-quarter mile:   Yes   No   Public water supply well within one-quarter mile:   Yes   No   Public water supply well within one mile:   Depht to bottom of fresh water:   Depht to Detom of fresh water:   Depht to D		· · · · · · · · · · · · · · · · · · ·		
Gas   Grage   Pool EXI.   Cable   Ca				
Seismic : # of Holes Other Other: Organor: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Other Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DVMR Permit #: Will Cores be taken? If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district Office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date, Or pursuant to Appendix "B"- Eastern Kansas surface casing order #133,891-4, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY API # 15 - Conductor pi				
Depth to bottom of usable water:				
Surface Pipe by Alternate:		•		
Length of Surface Pipe Planned to be set:    Length of Conductor Pipe (if any):	Other:			
Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  Water Source for Drilling Operations:  Well Farm Pond Other:  DWR Permit #:  Water Source for Drilling Operations:  Water Source for Drill Drill Drill;  Formation at Teach Per Permit water Water Source for Water	If OWWO: old well information as follows:			
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations.  Water Source for Drilling Operations.  Water Source for Drilling Operation At Experiment Source developed on each drilling rigger or Source developed	in evivo. did non midimation de followe.			
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source For Drilling Operation Form Drilling Operation For Month of Water Source For Drilling Operations: Water Source For Drilling Operations: Water Source For Drilling Operation For Month of Water Source For Drilling Operations: Water Source For Drilling Operations: Water Source For Drilling Operations: Water Source For Drilling Operation For Month of Brilling Approved Brilling or Brilling Operation For Month Operation For Month	Operator:			
Water Source for Drilling Operations:   Water Source for Drilling Operation   Water Source for Drilling Operation   Water Source for Drilling Operations:   Water Source for Drilling Operation   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation with K.S.A. 55 et. seq.   Water Source for Drilling Operation Promation operation or Drilling Operation Promation Promation Promat				
Well   Farm Pond   Other:	Original Completion Date: Original Total Depth:	Formation at Total Depth:		
If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  DWR Permit #:  (Note: Apply for Permit with DWR   )  Will Cores be taken?  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix 'B'- Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum surface pipe required feet per ALT.				
Bottom Hole Location:		Well Farm Pond Other:		
Will Cores be taken?   Yes   No	•	DWR Permit #:		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required				
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15	KCC DKT #:	- Will Cores be taken? Yes No		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically    For KCC Use ONLY		If Yes, proposed zone:		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically    For KCC Use ONLY	A.F.	FIDAVIT		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required				
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically    For KCC Use ONLY		lugging of this well will comply with K.S.A. 55 et. seq.		
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	It is agreed that the following minimum requirements will be met:			
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15				
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  For KCC Use ONLY  API # 15 -  Conductor pipe required				
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required				
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required				
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	, ,	, , , , , , , , , , , , , , , , , , , ,		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Submitted Electronically  For KCC Use ONLY  API # 15				
For KCC Use ONLY  API # 15				
Remember to:   For KCC Use ONLY	must be completed within 30 days of the spud date or the well shall b	e plugged. In all cases, NOTIFY district office prior to any cementing.		
Remember to:   For KCC Use ONLY				
Remember to:   For KCC Use ONLY				
Remember to:   For KCC Use ONLY	Submitted Electronically			
For KCC Use ONLY  API # 15	,	Pamambar to:		
API # 15	For KCC Use ONLY			
Conductor pipe requiredfeet	ADI # 15	•		
Conductor pipe required		·		
Minimum surface pipe requiredfeet per ALTIII	Conductor pipe requiredfeet			
Approved by:	Minimum surface pipe requiredfeet per ALTIII			
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)  - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.				
(This authorization expires:				
	·			
	1 2.2010.1.2010.1.101.1.19 Tot otal tod Wallet 12 Mollillo of approval date.)	- If well will not be drilled or permit has expired (See: authorized expiration date)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

\_ Agent: .

If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

Side Two



For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

or:	Location of Well: County:
	feet from N / S Line of Section
umber:	feet from E / W Line of Section
	SecTwp S. R 🗌 E 🔲 W
er of Acres attributable to well:	la Castiana Basulan au Elimanulan
TR/QTR/QTR of acreage:	is Section.   Regular of   Irregular
ÿ —— —— —	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	Geolofi Comer used
	PLAT
Show location of the well. Show footage to the ne	earest lease or unit boundary line. Show the predicted locations of
	, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
	ach a separate plat if desired.
	: :
	LEGEND
	Tank Battery Location
	Electric Line Location
	Lease Road Location
	EXAMPLE : :
29	
29	
	1980' FSL
	1980' FSL

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

440 ft.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

055467

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwpR
Settling Pit Drilling Pit	Settling Pit Drilling Pit If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit			Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?
			NAC data (force)
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining
material, thickness and installation procedure.			cluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inforr	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill nite must h	e closed within 365 days of spud date.
ilow into the pit: res rvo			
Submitted Electronically			
KCC OFFICE USE ONLY			
	11.00	513 <b>2 332 0</b> 1	Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



## Kansas Corporation Commission Oil & Gas Conservation Division

1055467

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name: When filing a Form T-1 involving multiple surface owners, attach an a			
Address 1:	Owner information can be found in the records of the register of deeds for the		
Address 2:			
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			

For KCC Use ONLY
API # 15


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: D & Z Exploration	Location of Well: County: Johnson
Lease: Sugar Ridge Farms	
Well Number: #GH1	0 feet from X E / W Line of Section
Field: Gardner South	Sec. 29 Twp. 14 S. R. 22 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NE _ SE _ SE _ SE	Is Section: Regular or Imegular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner Corporation Commission

Sam Brownback, Governor

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner Corporation Commission

Sam Brownback, Governor

May 19, 2011

Zane Belden
D & Z Exploration, Inc.
901 N Elm St.
PO BOX 159
ST ELMO, IL 62458

Re: Drilling Pit Application Sugar Ridge Farms #GH1 SE/4 Sec.29-14S-22E Johnson County, Kansas

### Dear Zane Belden:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.