

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R [E [] \
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken? Yes Yes
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
aas.oighoa horosy aminio that the arming, completion and eventual pr	
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the distribution. 4. If the well is dry hole, an agreement between the operator and the distribution.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ;
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on production casing is cemented in; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and plug length a
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date.
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on production casing is cemented in; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and plug length a
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is enderlying formation. It ict office on plug length and placement is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i>: through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is enderlying formation. It ict office on plug length and placement is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing explugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> ; through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either plug of the surface of the surface of the well is either plug of the surface casing order work or pursuant to Appendix "B" - Eastern Kansas surface casing order would be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be shall be supported to the well shall be shall be completed within 30 days of the spud date or the well shall be supported to the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the supported to the spud date or the spud date or the well shall be supported to the supported to the spud date or the supported to the supported to the spud date or the supported to the supported to the spud date or the supported to the supported to the spud date or the supported to the supported to the spud date or the supported to the	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set into the set of th	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b UDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							Loc	cation of V	Vell: Cou	nty:				
Lease:										fe	eet from	N /	S Line	of Section
Well Numb	er:									fe	eet from	E /	W Line	of Section
Field:							_						E	w
Number of	Acres attrib	outable to	well:				- lo 9	Section:	Pog	ular or	Irregulai			
QTR/QTR/	QTR/QTR	of acreage	e:					Jection.	ixeg	nai oi _	irregulai			
							If S	Section is	Irregula	, locate w	ell from n	earest co	ner boun	dary.
							Se	ction corn	er used:	NE	NW	SE S	SW	
							PLAT							
	Sho	ow locatio	n of the w	ell. Show	footage to	the neares	st lease or	unit boun	dary line.	Show the	predicted l	ocations c	f	
	lease road	ls, tank ba	atteries, pi	pelines an		ıl lines, as r				ce Owner I	Notice Act	(House Bi	II 2032).	
				137	70 ft.	ay attach a	separate	plat if des	sired.					
	:	:	:	:		: :	;	<u>:</u>						
											LEGI	END		
			•••••	·		: ::::::::		: 						
	:			:				:				ocation Battery L	ocation	
	i			:		: :::::::::::::::::::::::::::::::::::::		:		<u> </u>		ne Locati		
2310 ft	:			_		: :		:			Electr			
	:			• • •				:		_	L ease	Road Lo	ocation	
				·	•••••		•••••	·						
	:			• • •				:					. 1	
	:			<u>:</u>		<u>: :</u>		:		EXAMPL	_E :			
				1	1			:			:			
	:							•			:			
	:			············	•••••	: :	• • • • • • • • • • • • • • • • • • • •	:						
								: : :		•••••				
			• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	••••		• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·			0=			1980' FSL
						:					:]			
	:					: :		:			 			
										SEWARD CO.	. 3390' FE	<u> </u>		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

055853

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR			
Settling Pit Drilling Pit If Existing, date cor		nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	п и сарасну.	(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l			
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?			
			NAC data (force)			
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit			
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining			
material, thickness and installation procedure.			cluding any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	l utilized in drilling/workover:			
Number of producing wells on lease:		Number of worl	king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nite must h	e closed within 365 days of spud date.			
Submitted Electronically						
	KCC	OFFICE USE O	NLY			
	11.00	513 2 332 0 1	Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



Kansas Corporation Commission Oil & Gas Conservation Division

1055853

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease: Flegle	ai i Oil Operations, In er "B"	C.		Location of Well: Co 1,370	feet from N / S Line of Section
Well Number				2,310	feet from E / X W Line of Section
Field: Trapp				Sec. 11 Twp	
	cres attributable to	o well:		Is Section: Re	egular or Irregular
					lar, locate well from nearest corner boundary.
			P	LAT	
			•		e. Show the predicted locations of
I	ease roads, tank b	batteries, pipelines and			face Owner Notice Act (House Bill 2032).
		2310 F	You may attach a s	eparate plat if desired.	
		6 5//D F	W		
	:	X310 F	: :	:	
		18	W 2		LEGEND
		3/07	WZ		
		310 F	W &		O Well Location
372 EN		23/07	WC		
370'FNL		23/07	W &		O Well Location Tank Battery Location Pipeline Location Electric Line Location
370'FNL		23/07	W &		O Well Location Tank Battery Location Pipeline Location
370 FNL		2310 F	W C		O Well Location Tank Battery Location Pipeline Location Electric Line Location
370'FNL		23/07	W &		O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
370'FNL		23/07	W &		O Well Location Tank Battery Location Pipeline Location Electric Line Location
370'FNL		23/07	1		O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
370'FNL		2310 F	<i>I</i>		O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner Corporation Commission

Sam Brownback, Governor

May 16, 2011

Allen Bangert Mai Oil Operations, Inc. 8411 PRESTON RD STE 800 DALLAS, TX 75225-5520

Re: Drilling Pit Application Flegler "B" 2 NW/4 Sec.11-15S-14W Russell County, Kansas

Dear Allen Bangert:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. Keep pits away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.