

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective Date:				
District #				
SGA?	Yes No			

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
monur day year	
PERATOR: License#	foot from   N /   S Line of Soction
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	
State:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable  Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
- · · g······ - · · · · · · · · · · · ·	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
CCC DKT #:	
CCC DKT #:	
	Will Cores be taken? Yes N If Yes, proposed zone:
AF	- Will Cores be taken? Yes N If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p	- Will Cores be taken? Yes N If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:	- Will Cores be taken? Yes N If Yes, proposed zone:
AF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging.	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the approved in the second of the second o	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the set of t	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the driving formation is compared to surface within 120 DAYS of spud date.  2133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the driving downward of the complete shall be set to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  Et 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set in the set of the set in the	If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  If 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed.  **Description**  **Description*	If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  F133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the second of the s	If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  F133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be completed.  1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the spud date or the well shall be computed.  2. A copy of the appropriate district office will be notified before well is either plug of the spud date or the well shall be computed.  3. The minimum surface pipe required	If Yes, proposed zone:  FIDAVIT  Ilugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  F133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the appropriate district office prior to the spud and the driving and the	If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  F133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the search of the approved in the search of the search o	If Yes, proposed zone:  SFIDAVIT  Ilugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging.  5. The appropriate district office will be notified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order from the well shall be completed within 30 days of the spudicate or the well shall be completed.  7. Eastern Kansas surface casing order from the well shall be completed within 30 days of the spudicate or the well shall be conductor pipe required feet.  8. Eastern Kansas surface pipe required feet per ALT. In Intended the provided by:  9. Intended the provided feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface pipe required feet per ALT. Intended the provided surface provided surface provided surface provided surface provided surface provided surface provided s	If Yes, proposed zone:  SFIDAVIT  Ilugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the search of the approved in the search of the search o	If Yes, proposed zone:  SFIDAVIT  Ilugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.

Side Two



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Lease:    Get from   N /   S Line of Section   Well Number:   Get from   E /   W Line of Section   Field:   Well Number:   Get from   E /   W Line of Section   Field:   Well Number of Acres attributable to well:   Section:   Regular or   Irregular   Regular   Regular or   Irregular   Regular   Regular   Regular   Regular   Regular or   Irregular   Regular   R	Operator:					Location of Wel	II: County:
Well Number:	•						
Number of Acres attributable to well:  QTR/QTR/QTR of acreage:  Is Section:  Regular or  Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW  PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  Well Location  — Pipeline Location — Pipeline Location — Electric Line Location — Lease Road Location  EXAMPLE  1980' FSL							feet from E / W Line of Section
If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW  PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  LEGEND  Well Location — Pipeline Location — Pipeline Location — Lease Road Location  EXAMPLE  1980'FSL						Sec.	
If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW  PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location  EXAMPLE  1980 FSL						Is Section:	Regular or Irregular
PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  Well Location  Tank Battery Location  Pipeline Location	QTR/QTR/QTR	of acreage:					
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location  EXAMPLE  1980'FSL							
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location   EXAMPLE  1980' FSL			s, pipelines and elec	ctrical lines,	arest leas as require	e or unit bounda ed by the Kansas	s Surface Owner Notice Act (House Bill 2032).
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location   EXAMPLE  1980' FSL		: :	:	:	:	:	
O Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location  EXAMPLE  32							LEGEND
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location  EXAMPLE  1980' FSL	••••			• • • • • • • • • • • • • • • • • • • •			O Wall Location
Pipeline Location Electric Line Location Lease Road Location  EXAMPLE  1980' FSL				:	:		
BEXAMPLE  SECURIC Line Location  Lease Road Location  EXAMPLE  1980' FSL		:	:	:	:	:	
EXAMPLE  32  1980' FSL			:	:		:	•
32 EXAMPLE 1980' FSL							
32  EXAMPLE  1980' FSL			:	:	:	:	Lease Road Location
32 1980' FSL		: :	:	:	:	:	
32 1980' FSL				:			EVANDUE
1980' FSL		:	<u> </u>	:	:	<u>:</u>	EXAMPLE : : : : : : : : : : : : : : : : : : :
1980' FSL			32	:	:		
1980' FSL							
1980' FSL							
1980' FSL			:	:		:	
1980' FSL			:	:		:	
	•••••						1980' FSL
			:	:	:		
		:	:	÷	:	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

600 ft.

SEWARD CO. 3390' FEL

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1056782

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?	
	Length (fee		Width (feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	·	be closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Number:		Permi	it Date: Lease Inspection: Yes No	



## Kansas Corporation Commission Oil & Gas Conservation Division

1056782

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			



# Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499



c052511d

Naumann #1-32

LEASE NAME

Kiowa County, KS
COUNTY

Strata Exploration, Inc.

32 27s 18w Sec. Twp. Rng. Main loc.= 660' FSL & 750' FEL = 2209.7' gr.elev. Alt#1 = 600' FSL & 700' FEL = 2208.6' gr.elev.

LOCATION SPOT

SCALE: n/a

DATE STAKED: May 23, 2011

MEASURED BY: Ben R.


DRAWN BY: Ben R.

AUTHORIZED BY: Bobby K. & Bob K.

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

**Directions**: From approx. 1 ½ mile West of the center of Greensburg, KS at the intersection of Hwy 54 & Hwy 183 - Now go 2.8 mile North on Hwy 183 to the SW corner of section 32-27s-18w - Now go 0.8 mile East on G St. to ingress stake North into - Now go 480' North on trail to ingress stake East into - Now go approx. 220' East through pasture to ingress stake North into - Now go approx. 200' North through pasture into staked locations. **Final ingress must be verified with land owner or Operator.** 






# **Pro-Stake LLC**


Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159



c052511d

Cell: (620) 272-1499 Strata Exploration, Inc. **Naumann #1-32** LEASE NAME Main loc.= 660' FSL & 750' FEL = 2209.7' gr.elev. **Kiowa County, KS** 32 18w Alt#1 = 600' FSL & 700' FEL = 2208.6' gr.elev. COUNTY Twp. LOCATION SPOT 1"=1000 SCALE: May 23, 2011 DATE STAKED: **Directions**: From approx. 1 ½ mile West of the center of Greensburg, KS at the intersection of Hwy 54 & Hwy 183 - Now Ben R. MEASURED BY: go 2.8 mile North on Hwy 183 to the SW corner of section 32-27s-Ben R. DRAWN BY: 18w - Now go 0.8 mile East on G St. to ingress stake North into -AUTHORIZED BY: Bobby K. & Bob K. Now go 480' North on trail to ingress stake East into – Now go approx. 220' East through pasture to ingress stake North into -This drawing does not constitute a monumented survey or a Now go approx. 200' North through pasture into staked locations. land survey plat. Final ingress must be verified with land owner or Operator.



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Otacta Faultantian Inc	
Operator: Strata Exploration, Inc.	Location of Well: County: Kiowa
Lease: Naumann	600 feet from N / S Line of Section
Well Number: 1-32	700 feet from X E / W Line of Section
Field: Einsel	Sec. 32 Twp. 27 S. R. 18 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage: NE - SE - SE - SE	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
RLA	т
Show location of the well. Show footage to the nearest leas	se or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and electrical lines, as require	ed by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a sepa	rate plat if desired.
	LEGEND
	: O Well Location
	Tank Battery Location
	: Pipeline Location
	Electric Line Location
	Lease Road Location
	EXAMPLE :
32	
	·
//	
//     \ \ \	
/ 🤇	
	1980' FSL
	Pipeline Pipeline
Kaad ->	SEMARD CO 3300' EEI
; V: ; 7 ; /	ton K battery
NOTE: In all cases locate the spot of the proposed drilling locate	aton,

#### at ahaun

600 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 27, 2011

John R Kinney Strata Exploration, Inc. PO BOX 401 FAIRFIELD, IL 62837-0401

Re: Drilling Pit Application Naumann 1-32 SE/4 Sec.32-27S-18W Kiowa County, Kansas

## Dear John R Kinney:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.