

ALLIED CEMENTING CO., LLC. 040686

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine Lodge

| | | | | | | | |
|-------------------------|-----------------|--------------------------------------|------------------|----------------------|------------------|-----------|------------|
| DATE <u>1-19-2011</u> | SEC. <u>10</u> | TWP. <u>35s</u> | RANGE <u>12w</u> | CALLED OUT | ON LOCATION | JOB START | JOB FINISH |
| LEASE <u>Platt</u> | WELL # <u>2</u> | LOCATION <u>Hardtner, Ks. 2 east</u> | | COUNTY <u>Barber</u> | STATE <u>Ks.</u> | | |
| OLD OR NEW (Circle one) | | <u>S/S</u> | | | | | |

CONTRACTOR H-2
 TYPE OF JOB Surface
 HOLE SIZE 14 3/4 T.D.
 CASING SIZE 10 3/4 DEPTH 200'
 TUBING SIZE DEPTH
 DRILL PIPE 12' 8 5/8 DEPTH
 TOOL Landing Joint DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG.
 PERFS.
 DISPLACEMENT 19 Bbls

OWNER Woolsey Operating
 CEMENT
 AMOUNT ORDERED
230 5x Class A + 3 1/2 cc + 2 1/2 gel
 COMMON Class A 230 @ 15 45 3553 50
 POZMIX @
 GEL 5 5x @ 20 80 104 00
 CHLORIDE 8 5x @ 58 20 465 60
 ASC @

EQUIPMENT
 PUMP TRUCK CEMENTER Carl Balding
 # 360-265 HELPER Jason Thimesch
 BULK TRUCK
 # 364 DRIVER Matt Thimesch
 BULK TRUCK
 # DRIVER

WELL FILE
 Regulatory Correspondence
 Drilling Comp Workovers
 Tests / Meters Operations

HANDLING 243 @ 2 40 583 20
 MILEAGE 243-10/26 486 00
 TOTAL 5192 30

REMARKS:

Run 200' 10 3/4 casing + 12' 8 5/8
Landing Joint. Break circulation
w/ Rig. Mix 230 5x Class A
+ 3 1/2 cc + 2 1/2 gel Displace with
19 Bbls freshwater. Leave 20'
Cement in casing + shut in.

SERVICE

DEPTH OF JOB 200'
 PUMP TRUCK CHARGE 1018 00
 EXTRA FOOTAGE @
 MILEAGE 20 @ 7 00 140 00
 MANIFOLD @
 @

CHARGE TO: Woolsey Operating
 STREET
 CITY STATE ZIP

TOTAL 1158 00

PLUG & FLOAT EQUIPMENT

X @
 @
 @
 @
 @

TOTAL

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any)
 TOTAL CHARGES 1158 00
 DISCOUNT IF PAID IN 30 DAYS 1158 00

PRINTED NAME MIKE TARRP
 SIGNATURE [Signature]

ALLIED CEMENTING CO., LLC. 040572

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine Lodge KS

| | | | | | | | |
|--------------------------------|-----------------|---------------------------------------|------------------|------------|-------------------------|--------------------|------------------------------|
| DATE <i>01 22 11</i> | SEC. <i>10</i> | TWP. <i>3.5s</i> | RANGE <i>12w</i> | CALLED OUT | ON LOCATION | JOB START | JOB FINISH <i>5:30 AM</i> |
| LEASE <i>Platt</i> | WELL # <i>2</i> | LOCATION <i>Hardner, KS, 2e, 5/10</i> | | | COUNTY <i>Barber</i> | STATE <i>KS</i> | |
| OLD OR <u>NEW</u> (Circle one) | | | | | | | |

CONTRACTOR *H-2 #3*

TYPE OF JOB *Intermediate*

HOLE SIZE *9 7/8* T.D. *1045*

CASING SIZE *8 5/8* DEPTH *1044 965*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX *800* MINIMUM *-*

MEAS. LINE SHOE JOINT *41*

CEMENT LEFT IN CSG. *41'*

PERFS.

DISPLACEMENT *60% Bbls Fresh H₂O*

OWNER *Woolsey*

CEMENT

AMOUNT ORDERED *400 sx class A + 3% acc + 2% gel*

| | | |
|------------------------|--------------------------|--------------------------|
| COMMON <i>100 sx A</i> | @ <i>15⁴⁵</i> | <i>1545⁰⁰</i> |
| POZMIX | @ | |
| GEL <i>2 sx</i> | @ <i>20²⁰</i> | <i>41.⁴⁰</i> |
| CHLORIDE <i>4 sx</i> | @ <i>58²⁰</i> | <i>232²⁰</i> |
| ASC | @ | |

WELL FILE

| | | |
|---------------------------|--------------------------|--------------------------|
| Regulatory Correspondence | @ | |
| Drig / Somp Workovers | @ | |
| Tests / Meters Operations | @ | |
| | @ | |
| | @ | |
| | @ | |
| HANDLING <i>106</i> | @ <i>2.⁴⁰</i> | <i>254⁴⁰</i> |
| MILEAGE <i>106/20/.10</i> | | <i>212⁰⁰</i> |
| TOTAL | | <i>2285²⁰</i> |

EQUIPMENT

PUMP TRUCK CEMENTER *D. Felio*

414-302 HELPER *D. Felio*

BULK TRUCK

364 DRIVER *Grant Bend*

BULK TRUCK

391 DRIVER *T. Becker*

REMARKS:

Pipe on B+M, Break Circ., Pump Spacers, Mix 100sx class A. 3#2 = 24 Bbls Slurry, Stop Pump, Release Plug, Start Disp w/ Fresh H₂O, Wash up on Plug, See increase in Pst, Slow Rate, Not Bump Plug at ~~70%~~ 60% Bbls total Disp., Shut in, Cement Did Not Circ.

SERVICE

| | | |
|-----------------------------|-------------------------|--------------------------|
| DEPTH OF JOB <i>1041</i> | | |
| PUMP TRUCK CHARGE | | <i>1018⁰⁰</i> |
| EXTRA FOOTAGE <i>746</i> | @ <i>.85</i> | <i>629²⁵</i> |
| MILEAGE <i>20</i> | @ <i>7⁰⁰</i> | <i>140⁰⁰</i> |
| MANIFOLD <i>Head rental</i> | @ | |
| | @ | |
| | @ | |
| TOTAL | | <i>1787²⁵</i> |

CHARGE TO: *Woolsey Oper.*

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

| | | |
|------------------------|---|-------------------------|
| <i>1- Baffle Plate</i> | @ | <i>68⁰⁰</i> |
| <i>1- TRP</i> | @ | <i>113⁰⁰</i> |
| | @ | |
| | @ | |
| | @ | |
| TOTAL | | <i>181⁰⁰</i> |

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME *MIKE THARP*

SIGNATURE *Mike Tharp*

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 040622

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Medicine Lodge, KS

| | | | | | | | |
|--------------------------------|----------------|------------------------------------|-------------------|---------------------------|----------------------------|--------------------------|---------------------------|
| DATE <i>2-3-2010</i> | SEC. <i>10</i> | TWP. <i>35S</i> | RANGE <i>12W</i> | CALLED OUT <i>6:00 AM</i> | ON LOCATION <i>8:30 AM</i> | JOB START <i>3:00 PM</i> | JOB FINISH <i>4:00 PM</i> |
| LEASE <i>PLG#</i> | WELL# <i>2</i> | LOCATION <i>Herndon, KS 2 essa</i> | | | COUNTY <i>Barber</i> | STATE <i>KS</i> | |
| OLD OR <u>NEW</u> (Circle one) | | | <i>South into</i> | | | | |

CONTRACTOR *H 2 #3*
 TYPE OF JOB *Production*
 HOLE SIZE *7 7/8* T.D. *5485'*
 CASING SIZE *5 1/2* DEPTH *5381'*
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT *42'*
 CEMENT LEFT IN CSG.
 PERFS.
 DISPLACEMENT *128 bbls OF 20% KEL WATER*

OWNER *Woolsey Operating*

CEMENT
 AMOUNT ORDERED *35s, 60 1/4, 40 1/2 GEL*
150s, Class # + 10% Gyp + 10% SS #
6# Kalseal + 1.8% FL160 + 1/4 # F1050 #

| | | | |
|-----------------|--------------------|----------------|----------------------|
| COMMON | <i>A 45 SK</i> | @ <i>15 45</i> | <i>695 25</i> |
| POZMIX | <i>30 SK</i> | @ <i>8 00</i> | <i>240 00</i> |
| GEL | <i>3 SK</i> | @ <i>20 00</i> | <i>62 40</i> |
| CHLORIDE | | @ | |
| ASC | | @ | |
| <i>H</i> | <i>150 SK</i> | @ <i>16 75</i> | <i>2512 50</i> |
| <i>Gypseal</i> | <i>14 SK</i> | @ <i>29 00</i> | <i>408 00</i> |
| <i>Salt</i> | <i>16 SK</i> | @ <i>12 00</i> | <i>194 40</i> |
| <i>Kalseal</i> | <i>900 #</i> | @ <i>.89</i> | <i>801 00</i> |
| <i>FL-160</i> | <i>113 #</i> | @ <i>13 00</i> | <i>1502 00</i> |
| <i>Flo Seal</i> | <i>37.5 #</i> | @ <i>2 00</i> | <i>93 75</i> |
| <i>Clapro</i> | <i>13 Gals</i> | @ <i>31 25</i> | <i>406 25</i> |
| | | @ | |
| HANDLING | <i>281</i> | @ <i>2 40</i> | <i>674 40</i> |
| MILEAGE | <i>281.10 / 20</i> | | <i>562 00</i> |
| | | | TOTAL <i>8153 65</i> |

EQUIPMENT
 PUMP TRUCK CEMENTER *Darin F.*
 # *414-302* HELPER *Ron G*
 BULK TRUCK
 # *356-252* DRIVER *Regulatory Correspondence*
 BULK TRUCK DRIVER *Regulatory Correspondence*
 # *Regulatory Correspondence*
Drig Comp Workovers
Tests / Meters Operations

REMARKS:

Pipe on bottom d. break circulation, mix 25s for det + more holes, mix 50s of seawater cement, mix 150s of 10% cement, shut down, wssn pump & lines, Release plug, start displacement, lift pressure 92 90 bbls, slow rate to 3 bpm 92 120 bbls, bump plus 92 128 bbls 1,000-1,700 PSI, flush dia hold

SERVICE

| | | | |
|-------------------|------------------|---------------|----------------------|
| DEPTH OF JOB | <i>5381'</i> | | |
| PUMP TRUCK CHARGE | <i>2185 00</i> | | |
| EXTRA FOOTAGE | | @ | |
| MILEAGE | <i>20</i> | @ <i>7 00</i> | <i>140 00</i> |
| MANIFOLD | | @ | |
| | <i>Headrents</i> | @ | |
| | | @ | |
| | | | TOTAL <i>2325 00</i> |

CHARGE TO: *Woolsey Operating*
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

| | | | |
|--------------------------|--|----------------|----------------------|
| <i>5 1/2</i> | | | |
| <i>1-AFV Plug shoe</i> | | @ | <i>214 20</i> |
| <i>1-Latch down Plug</i> | | @ | <i>163 00</i> |
| <i>13-Turbolizers</i> | | @ <i>40 00</i> | <i>527 00</i> |
| <i>32-Scraper</i> | | @ <i>23 24</i> | <i>766 08</i> |
| | | @ | |
| | | | TOTAL <i>1671 88</i> |

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cement and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES ~~2325 00~~
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME *X MIKE THARP*

SIGNATURE *X Mike Tharp*
Thank you!!!