



BASICSM
ENERGY SERVICES
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.
P.O. Box 129
Liberal, Kansas 67905
Phone 620-624-2277

FIELD SERVICE TICKET
1717 01276 A

DATE _____ TICKET NO. _____

DATE OF JOB: 2-2-11	DISTRICT: 1717	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:		
CUSTOMER: Oxy USA	LEASE: James Operating Unit #A		WELL NO.: 7						
ADDRESS:	COUNTY: Haskell	STATE: KS							
CITY:	STATE:		SERVICE CREW: M. Stegman, J. Ortiz						
AUTHORIZED BY: J. Bennett	JOB TYPE: 242 5/2 Production								
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE	AM	TIME
304726	5						2-2-11	AM	9:30
12978	2					ARRIVED AT JOB		AM	6:30
19919		ZAP LOCATION/DEPT: James Operating Unit				START OPERATION		AM	8:30
19828		LEASE/WELL/FAC: A 7				FINISH OPERATION		AM	10:00
19883		MAXIMO / WSM #				RELEASED		AM	11:00
TASK: 01-02		ELEMENT: 3023				MILES FROM STATION TO WELL	50 mi		

PROFIT T# 6107846 CONTRACT CONDITIONS (The contract must be signed before the jobs commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies in whole or in part and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services.

PRINTED NAME: Andy Hoddeyne
SIGNATURE: *Andy Hoddeyne*
I certify that these Services/Materials have been received

SIGNED: *Andy Hoddeyne*
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
CL101	A-Con	sk	100		2976 00
CL104	50/50 Poz	sk	140		1540 00
CC113	Gypsum	lb	690		442 50
CC111	Sol 4		779		389 50
CC103	L-15		71		887 50
CC107	L-42		30		240 00
CC201	Gilsonite		700		469 00
CC109	Calcium Chloride		302		317 10
CC102	Cell-Pake		40		148 00
CC130	G-01		31		775 00
CF135	5/2 Auto fill float collar	ea	1		410 00
CF251	Regular Guide Shoe	ea	1		250 00
CF118	Centratizer	ea	25		1875 00
CF103	Plus	ea	1		105 00
CC155	Super flush II	gal	500		765 00
E101	Heavy Equipment Mileage	mi	100		700 00
CF240	Blending + Mixing Service	sk	300		420 00
E113	Prep work + Bulk Delivery	hour	1673		1076 80
CF206	Pump Dept - 5000-6000'	ea	1		2850 00
SUB TOTAL					10777 94

CHEMICAL / ACID DATA:			

SERVICE & EQUIPMENT	%TAX ON \$	
MATERIALS	%TAX ON \$	
TOTAL		

SERVICE REPRESENTATIVE: <i>Del Dan</i>	THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: <i>Andy Hoddeyne</i> (WELL OWNER OPERATOR CONTRACTOR OR AGENT)
--	---

FIELD SERVICE ORDER NO. _____



BASIC
ENERGY SERVICES
Liberal, Kansas

Cement Report

Customer <u>Oxy USA</u>	Lease No.	Date <u>2-2-11</u>
Lease <u>James Operating Unit A</u>	Well # <u>7</u>	Service Receipt <u>01276</u>
Casing <u>5 1/2" 17#</u> Depth <u>5653'</u>	County <u>Haskell</u>	State <u>KS</u>
Job Type <u>242-5 1/2 Production</u>	Formation	Legal Description <u>16-30-33</u>

Pipe Data		Perforating Data		Cement Data
Casing size <u>5 1/2"</u>	Tubing Size	Shots/Ft		Lead <u>110 sk A-Con</u>
Depth <u>5653'</u>	Depth	From	To	
Volume <u>130 bbl</u>	Volume	From	To	Tail in <u>140 sk 50/50 POZ</u>
Max Press <u>2000#</u>	Max Press	From	To	
Well Connection	Annulus Vol.	From	To	
Plug Depth <u>5610'</u>	Packer Depth	From	To	

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
6:30					on loc-site assessment
6:45					spot trucks rig up
8:00					safety meeting
8:30					pressure test pumping lines 2000#
8:31	250		5	4	pump 5 bbl H ₂ O spacer
8:32	250		12	4	pump 12 bbl superflush
8:37	250		5	4	pump 5 bbl H ₂ O spacer
8:40	00		13	3	mix & pump 50 sk for plug rate
					mouse holes @ 13.5 ppq
8:45	200		47	4	mix & pump 110 sk lead cut
					A-Con w/ 2% CC, 1/4# polyflake,
					2% WtA1
					2.39 ft ³ /sk, 13.93 gal/sk @ 12.1#
9:00	150		38	4	switch to tail cut 50/50 POZ
					5% Wt60, 10% salt, 6% C-15
					1/4# Destormer 5# Gilsomite
					1.02 ft ³ /sk, 6.65 gal/sk @ 13.8#
9:10					wash pumping lines - drop plug
9:15	0		0	5	disp csg
9:45	400		120	2	slow rate last 10 bbls of disp
10:00	1500		130	0	land plug - psi test csg @ 1500# - 10 min
10:10					float held job complete

Service Units				
Driver Names				

Customer Representative _____ Station Manager D. Bennett Cementer A. Olvera Taylor Printing, Inc.