

## Kansas Corporation Commission Oil & Gas Conservation Division

### 1057173

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #  | API No. 15  |
|--|---|
| Name:  | Spot Description:   |
| Address 1:   | SecTwpS. R  |
| Address 2:   | Feet from North / South Line of Section   |
| City: State: Zip:+   | Feet from East / West Line of Section   |
| Contact Person:  | Footages Calculated from Nearest Outside Section Corner:                                |
| Phone: ()  | □NE □NW □SE □SW   |
| CONTRACTOR: License #  | County:   |
| Name:  | Lease Name: Well #:   |
| Wellsite Geologist:  | Field Name:   |
| Purchaser:   | Producing Formation:  |
| Designate Type of Completion:  | Elevation: Ground: Kelly Bushing:   |
| ☐ New Well ☐ Re-Entry ☐ Workover   | Total Depth: Plug Back Total Depth:   |
| Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): | Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used? |
| Operator:  |   |
| Well Name:   | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)            |
| Original Comp. Date: Original Total Depth: Onv. to ENHR  | Chloride content: ppm Fluid volume: bbls  Dewatering method used:                       |
| Plug Back: Plug Back Total Depth   | Location of fluid disposal if hauled offsite:   |
| Commingled Permit #:   | Operator Name:  |
| Dual Completion Permit #:  | Lease Name: License #:  |
| SWD Permit #:  | Quarter Sec TwpS. R   |
| ☐ ENHR         Permit #:           ☐ GSW         Permit #:   | County: Permit #:   |
| GGW Fellill #.   |   |
| Spud Date or Date Reached TD Completion Date or Recompletion Date  |   |

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

| KCC Office Use ONLY                |  |  |  |  |  |  |
|------------------------------------|--|--|--|--|--|--|
| Letter of Confidentiality Received |  |  |  |  |  |  |
| Date:                              |  |  |  |  |  |  |
| Confidential Release Date:         |  |  |  |  |  |  |
| ☐ Wireline Log Received            |  |  |  |  |  |  |
| Geologist Report Received          |  |  |  |  |  |  |
| UIC Distribution                   |  |  |  |  |  |  |
| ALT I II III Approved by: Date:    |  |  |  |  |  |  |

Side Two



| Operator Name:   |  |  | Lease Name                    | e:                                     |                          |   | _ Well #:         |                     |
|--|--|--|-------------------------------|--|--------------------------|---|-------------------|---------------------|
| Sec Twp  | S. R   | East West  | County:                       |  |                          |   |                   |                     |
| time tool open and clos  | sed, flowing and shut<br>s if gas to surface tes | I base of formations per<br>in pressures, whether set, along with final chart<br>well site report. | shut-in pressure              | reached s                              | static level,            | hydrostatic press                           | sures, bottom h   | ole temperature, fl |
| Orill Stem Tests Taken (Attach Additional S                              |  | Yes No   |                               | Log                                    | Formatio                 | n (Top), Depth an                           | d Datum           | Sample              |
| Samples Sent to Geolo  |  | ☐ Yes ☐ No   | N                             | lame                                   |                          |   | Тор               | Datum               |
| Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy) | I Electronically                                 | Yes No Yes No Yes No   |                               |  |                          |   |                   |                     |
| List All E. Logs Run:  |  |  | RECORD [                      |  | Used                     |   |                   |                     |
|  | Size Hole  | Report all strings set-<br>Size Casing   | -conductor, surface<br>Weight |  | ate, producti<br>Setting | on, etc.  Type of                           | # Sacks           | Type and Percen     |
| Purpose of String  | Drilled  | Set (In O.D.)  | Lbs. / Ft.                    |  | Depth                    | Cement                                      | Used              | Additives           |
|  |  | ADDITIONA  | L OFMENTING (                 | 00115575                               | DECORD                   |   |                   |                     |
|  |  | ADDITIONA  | L CEMENTING / :               | SQUEEZE                                | RECORD                   |   |                   |                     |
| Purpose: Depth Type of Co  |  | Type of Cement   | nent # Sacks Used             |  |                          | Type and F                                  | Percent Additives |                     |
|  |  |  |                               |  |                          |   |                   |                     |
| Shots Per Foot   |  | ON RECORD - Bridge Plu<br>ootage of Each Interval Pe   |                               |  |                          | cture, Shot, Cement<br>mount and Kind of Ma | •                 | d Depth             |
|  |  |  |                               |  |                          |   |                   |                     |
| TUBING RECORD:   | Size:  | Set At:  | Packer At:                    | Line                                   | r Run:                   | Yes No                                      |                   |                     |
| Date of First, Resumed I   | Production, SWD or ENI                           | HR. Producing Me   | thod:                         | Gas Li                                 | ift C                    | Other (Explain)                             |                   |                     |
| Estimated Production<br>Per 24 Hours                                     | Oil E  | Bbls. Gas  | Mcf                           | Water                                  | В                        | ols. (                                      | Gas-Oil Ratio     | Gravity             |
| DISPOSITIO   | Used on Lease                                    | Open Hole  | METHOD OF COM Perf. D (Sub    | MPLETION:<br>ually Comp<br>omit ACO-5) | . Cor                    | nmingled<br>mit ACO-4)                      | PRODUCTIO         | DN INTERVAL:        |
| (If vented, Sub  | mit ACO-18.)                                     | Other (Specify) _  |                               |  |                          |   |                   |                     |

| Lease:      | North East B  | Baker             |  |
|-------------|---------------|-------------------|--|
| Owner:      | Bobcat Oilfie | eld Services Inc  |  |
| OPR #:      | 3895          | 1/ 1/ 1           |  |
| Contractor: | DALE JACKS    | ON PRODUCTION CO. |  |
| OPR#:       | 4339          |                   |  |
| Surface:    | Cemented:     | Hole Size:        |  |
| 20FT, 6IN   | 5 SACKS       | 8 3/4             |  |
| Longstring  | Cemented:     | Hole Size:        |  |
| 316' 2 7/8  | 50            | 5 5/8             |  |
| 2rd         |               |                   |  |

Well Log

Dale Jackson Production Co.

Box 266, Mound City, Ks 66056

Cell # 620-363-2683

Office # 913-795-2991

| Well #: E-16                   |
|--------------------------------|
| Location: E2 NE SE S5 T20 R23E |
| County: Linn                   |
| FSL: 1980                      |
| FEL: 330                       |
| API#: 15-107-24460             |
| Started: 5-13-11               |
| Completed: 5-16-11             |
| TD: 323'                       |

| SN: NONE | Packer:      |  |
|----------|--------------|--|
| Plugged: | Bottom Plug: |  |

| TKN | BTM   | Formation  | TKN | BTM   | Formation  |
|-----|-------|--|-----|-------|--|
|     | Depth | A CONTRACTOR OF THE PARTY OF TH |     | Depth |  |
| 3   | 3     | Lime   |     |       |  |
| 7   | 10    | Clay   |     |       |  |
| 24  | 34    | Lime   |     |       |  |
| 2   | 36    | Shale  | _   | -     |  |
| 2   | 38    | Black Shale  |     |       |  |
| 3   | 41    | Lime   |     |       |  |
| 6   | 47    | Shale  |     |       |  |
| 6   | 53    | Lime   | 1   |       |  |
| 1   | 54    | Black shale  |     |       |  |
| 10  | 64    | Shale(limey)   | 1.  |       | A SAME AND  |
| 31  | 95    | Shale  |     |       |  |
| 23  | 118   | Sandy shale(dry sand)  |     |       | E CONTRACTOR DE L'ANDRE DE L'ANDR |
| 84  | 202   | Shale  |     |       |  |
| 1   | 203   | Black shale  |     |       |  |
| 7   | 210   | Shale  |     |       |  |
| 8   | 218   | Lime   |     |       |  |
| 21  | 239   | Shale  |     | -     |  |
| 2   | 241   | Lime   | 1   |       |  |
| 2   | 243   | Shale  |     |       |  |
| 10  | 253   | Lime   |     |       |  |
| 2.5 | 255.5 | Shale(limey)   |     |       |  |
| .5  | 256   | Sandy shale(oil sand streaks)  | 1   |       |  |
| 2.5 | 258.5 | Oil Sand(Shaley)(Good Bleed)   |     |       |  |
| 2.5 | 261   | Oil Sand (some shale)(good bleed)  |     |       |  |
| 2   | 263   | Lime(oil sand streaks)(poor bleed)   |     |       |  |
| 3   | 266   | Oil Sand(some shale)(good bleed)   |     | -     |  |
| 8   | 274   | Sandy shale(some oil sand streaks)(poor Bleed)   |     |       |  |
| 3   | 277   | Oil sand(very shaley)(fair bleed)  | 1   |       |  |
| 3   | 280   | Sandy shale(oil sand streaks)(fair bleed)  | 1   |       |  |
| 3   | 283   | Oil sand(shaley)(fair bleed)   |     |       |  |
| 2   | 285   | Sandy shale(oil sand streaks   |     |       |  |
| 12  | 297   | Shale  |     |       |  |
| 2   | 299   | Coal   |     |       |  |
| 7   | 306   | Shale  |     |       |  |
| 9   | 315   | Lime(shaley)   |     |       |  |
| TD  | 323   | Shale  |     |       | 1  |
|     |       |  |     |       |  |
|     |       |  |     |       |  |
|     |       |  | 1   |       |  |
|     |       |  |     |       |  |
|     |       | 3  | -   |       |  |



North East Baker

**Bobcat Oilfield Services** 

DALE JACKSON PRODUCTION CO.

Lease:

Owner:

OPR #: Contractor:



Dale Jackson Production Co.

Box 266, Mound City, Ks 66056

Cell # 620-363-2683

Office # 913-795-2991

| Core | Run | # |
|------|-----|---|
|      |     |   |

| Well #: E-16                   |
|--------------------------------|
| Location: E2 NE SE S5 T20 R23E |
| County: Linn                   |
| FSL: 1980                      |
| FEL: 330                       |
| API#: 15-107-24460             |
| Started: 5-13-11               |
| Completed: 5-16-11             |

| OPR#: | 4339  |       |      |        |  | Completed: 5-16-11 |       |
|-------|-------|-------|------|--------|--|--------------------|-------|
| FT    | Depth | Clock | Time |        | Formation/Remar                                  | ks                 | Depth |
| 0     | 256   |       |      |        |  |                    |       |
| 1     | 257   |       | 1    | ×      | Oil Sand (shaley) (good bleed)                   |                    | 258.5 |
| 2     | 258   |       | 1    | u<br>u |  |                    |       |
| 3     | 259   |       | 1.5  | >      |  |                    | -     |
| 4     | 260   |       | 1    | 173    | Oil Sand (some shale) (Good Bleed)               |                    | 261   |
|       | , ·   |       |      |        |  |                    |       |
| 5     | 261   |       | 1.5  |        |  |                    |       |
| 6     | 262   |       | 2.5  |        | Lime (Oil Sand Streaks) (poor bleed)             |                    |       |
| 7     | 263   |       | 3    |        |  | н                  | 263   |
| 8     | 264   |       | 1    |        | Oil Sand (some shale) (Good Bleed)               |                    |       |
| 9     | 265   |       | 2.5  |        |  |                    | 255   |
| 10    | 266   |       | 3    |        |  |                    | 266   |
| 11    | 267   |       | 3    |        |  |                    |       |
| 12    | 268   |       | 4    |        | Sandy Shale (some oil sand streaks) (poor bleed) |                    |       |
| 13    | 269   |       | 2    | a.     |  |                    | -     |
| 14    | 270   |       | 1.5  | -      |  |                    |       |
| 15    | 271   |       | 1    |        |  |                    |       |
| 16    | 272   |       | 1    |        |  |                    |       |
| 17    | 273   |       | 1.5  |        |  |                    |       |
| 18    | 274   |       | P    |        |  |                    |       |
| 19    | 275   |       |      |        |  |                    | 1.114 |
| 20    | 276   |       |      |        |  |                    |       |
|       |       |       |      |        |  |                    |       |
|       |       |       |      |        |  |                    |       |

P.O. BOX 66 MOUND CITY, KS 66056 (913) 795-2210 FAX (913) 795-2194

Merchant Copy INVOICE

10030661 Page: 1 Invoice: 10:18:53 Special Time: 05/02/11 Instructions Ship Date: Invoice Date: 05/06/11 Sale rep #: SCOLEMAN STEVE Due Date: 06/05/11 Sold To: BOBCAT OILFIELD SRVC,INC Ship To: BOBCAT OILFIELD SAVC,INC C/O BOB EBERHART (913) 837-2823 30805 COLDWATER RD LOUISBURG, KS 86053 (913) 837-2823

Customer #: 3570021 Customer PO: Order By:

|                           |                           |  | 00700 |                      | Customer PO:  | Orger by.                                   | popimg01                    | 511<br>. T 2              |
|---------------------------|---------------------------|--|-------|----------------------|---|---|-----------------------------|---------------------------|
| ORDER                     | SHIP                      | L  | U/M   | ITEM#                | DESCRIPTION   | Alt Price/Uom                               | PRICE                       | EXTENSION                 |
| 280.00<br>240.00<br>14.00 | 280.00<br>240.00<br>14.00 | L  | BAG   | CPPC<br>CPPM<br>CPQP | PORTLAND CEMENT POST SET FLY ASH 75# QUIKRETE PALLETS         | 8.2900 BAG<br>5.1000 BAG<br>17.0000 EA      | 8.2900<br>5.1000<br>17.0000 | 2321.2<br>1224.0<br>238.0 |
|                           |                           | THE PARTY OF THE P |       |                      | DIRECT DELIVERY ORDERED BY TERR'<br>FRIDAY THE 6TH, 1ST THING | Y   |                             |                           |
|                           |                           | and the first beautiful format and man and the first had be for the first format of the first production of the first production for the first production of the first product |       |                      | atel  |   |                             |                           |
|                           |                           | magagi da spidaud ya pa pagadayon, natawa na san an ya sa pa spin  |       |                      |   |   |                             |                           |
|                           |                           | and the state of the state and area are from an area and a state of the state of the state of the state of the   |       |                      |   |   |                             |                           |
|                           |                           | <u>   </u>   |       | FILLED BY            | CHECKED BY DATE SHIPPED DRIVER                                |   | Sales total                 | \$3783.2                  |
|                           |                           |  |       | SHIP VIA             | N   | axable 3783.20<br>lon-taxable 0.00<br>fax # | Sales tex                   | 238.3                     |

TOTAL \$4021.54

# 1 - Merchant Copy

