

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:				
Effective Date:				
District #	·			
SGA?	Yes No			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1057526

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	year Sec Twp S. R E W
OPERATOR: License#	(0/0/0/0) foot from N / S Line of Section
Name:	foot from E / W Line of Continu
Address 1:	L OFOTION D L D L O
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	
CONTRACTOR: License#	Field Name:
Name:	is also a restalled reputation.
variie.	Target Formation(s):
Well Drilled For: Well Class: Type Equip	
Oil Enh Rec Infield Mud I	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Ro	otary Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes Ves
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : . IT . ID
Original Completion Date: Original Total Depth	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
	If Yes, proposed zone:
The condensioned beauty officers that the drilling accompletion	AFFIDAVIT
	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be n	net:
1. Notify the appropriate district office <i>prior</i> to spudding of	of well;
2. A copy of the approved notice of intent to drill shall be	
3. The minimum amount of surface pipe as specified belo	ow shall be set by circulating cement to the top; in all cases surface pipe shall be set
 The minimum amount of surface pipe as specified belothrough all unconsolidated materials plus a minimum of 	bw shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.
3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation.	ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging;
 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation. 5. The appropriate district office will be notified before we 	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; all is either plugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation of the appropriate district office will be notified before well from the ALTERNATE II COMPLETION, production pipe shapes of the minimum amount of surface plus as a surface production of the pipe shapes. 	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to appropriate of the surface of the production pipe should be producted before the production of the producti	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to a like the appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe should be provided by the control of the provided before the control of the provided before the control of the provided by the provided before the control of the provided by the provided before the provided by t	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to appropriate of the surface of the production pipe should be producted before the production of the producti	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand the appropriate district office will be notified before were found to the surface of the appropriate of the surface of the surfac	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation of the appropriate district office will be notified before were found in the surface of the properties of the properties of the well as the well as the well as the properties of the well as the well	by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operand of the appropriate district office will be notified before were found to the surface of the appropriate district office will be notified before were for an ALTERNATE II COMPLETION, production pipe story of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the surface of the surfa	ow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. actor and the district office on plug length and placement is necessary prior to plugging; will is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the operand of the well is dry hole, an agreement between the operand of	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, and agreement between the operand of the well is dry hole, an agreement between the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the operand of the well is dry hole, and the operand of the well is dry hole, and the operand of the op	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well of the appropriate district office will be notified before well of an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the specified of the spe	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well to the properties of the specified before well to the specified within 30 days of the spud date or the specified before well to the specified within 30 days of the spud date or the specified before well to the specified before well to the specified within 30 days of the spud date or the specified before well to the specified within 30 days of the spud date or the specified before well to the specified before we	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. actor and the district office on plug length and placement is necessary prior to plugging; which is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. In all be cased as a plugged. In all cases, NOTIFY district office prior to any cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the very specified below through all unconsolidated materials plus a minimum of the very specified before well appropriate district office will be notified before well to the appropriate district office will be notified before well appropriate district office will be notified bef	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well be notified before well be notified before well of the specified before well of the specified before well of the specified of th	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plug to the Korn plught of the Volume To the Surface of the Korn plugged of the Korn of Completion of the Volume To Completion of the Kansas Surface Owner Notification of Completion of Completion (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the very specified belot through all unconsolidated materials plus a minimum of the very specified before well appropriate district office will be notified before well to the appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be notified before well appropriate district office will be notified before	w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. actor and the district office on plug length and placement is necessary prior to plugging; all is either plugged or production casing is cemented in; anall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the vector of the well is dry hole, an agreement between the operand of the well is dry hole, an agreement between the operand of the specified before well to the provided before well be notified before well of the specified before well of the specified before well of the specified of the specified of the specified within 30 days of the spud date or the specified of	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plua to the Konsas Pion of Act (KSOna) is in all cases attribution plua date; - Submit plugging report (CP-4) after plugging is completed (within 60 days);



feet from N / S Line of Section

SEWARD CO. 3390' FEL

feet from E / W Line of Section

For KCC Use ONLY	
API # 15	

Well Number:

Operator: __

Lease: ___

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: ___

Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
PL. Show location of the well. Show footage to the nearest lea	
lease roads, tank batteries, pipelines and electrical lines, as requ You may attach a sep	ired by the Kansas Surface Owner Notice Act (House Bill 2032).
	LEGEND
	O Well Location Tank Battery Location
	Pipeline Location Electric Line Location Lease Road Location
6	EXAMPLE
	1980' FSL
2310 ft.	

990 ft.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

057526

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A		Existing nstructed: (bbls)	SecTwpRBastWest West Bast West West Line of Section Feet from East / West Line of Section County County mg/l mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner? Yes N	10	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fe			Width (feet)	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining scluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		·	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1057526

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)		
OPERATOR: License #	Well Location:		
Name:	Sec. Twp. S. R. East West County: Well #:		
Address 1:			
Address 2:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address. 1) cknowledge that, because I have not provided this information, the		
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

