Form CP-111 March 2009 Form must be Typed Form must be signed

TEMPORARY ABANDONMENT WELL APPLICATION

All blanks must be complete

Phone 316.630.4000

Phone 620.432.2300

Phone 785.625.0550

Phone 316.734.4933

OPERATOR: License#				API No. 15-						
 Name:					iption:					
Address 1:					Sec					
Address 2:										
						fe	eet from E	/ \square W Li	ne of Section	
Contact Person:				GPS Location: Lat:, Long:, (e.gxxx.xxxxx)						
Contact Person: Phone:() Contact Person Email:				County: We				COLL #1		
				Elevation:						
				Well Type: (check one) Oil Gas OG WSW Other:						
	ield Contact Person:				☐ SWD Permit #: ☐ ENHR Permit #: ☐ Gas Storage Permit #:					
Field Contact Person Phone										
				Spud Date:		Da	ate Shut-In:			
	Conductor	Surface	Pr	oduction	Intermediat	е	Liner	Tu	ubing	
Size										
Setting Depth										
Amount of Cement										
Top of Cement										
Bottom of Cement										
Depth and Type:	ALT. II Depth o	f: DV Tool:(depth)	w /	sacks	s of cement F	Port Collar:			ack of cement	
Geological Data:										
Formation Name	Formation	Top Formation Base			Compl	etion Informati	on			
		to Feet	Perfo	oration Interval	to			l to	Feet	
2	At:	to Feet			to					
		Submitt	ed Ele	ectronicall	y					
Do NOT Write in This	Date Tested:	R	esults:		Date Plugged	d: Date Re	paired: Date	e Put Back in	Service:	
Space - KCC USE ONLY		_								
Review Completed by:			Comr	ments:			TA Approv	ed: Yes	Denied	
		Mail to the App	ropriate	KCC Conserv	ration Office:					
from the lines that the last too from the	KCC Distr	ct Office #1 - 210 E. Fro	ntview, Su	ite A, Dodge Ci	ty, KS 67801			Phone 62	0.225.8888	

KCC District Office #2 - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226

Underground Porosity Gas Storage (UPGS) 8200 E. 34th Street Circle N., Suite 1003, Wichita, KS 67226

KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720

KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651

	· · · · · · · · · · · · · · · · · · ·	ECHOMETER COMPANY PHONE-940-767-4334						
	/ 9	06/16/2011 09: 42: 34	GENERATE	uc				
CASING PRESSURE 3.4	JOINTS TO LIQUID 69	QUIET WELL UPPER COLLARS A: 8.4 P-P 0.023 mV	PULSE	marken manager and market and mar				
PRODUCTION RATE \mathcal{Q}	PROD RATE EFF, %	LIQUID LEVEL A: 7,8 P-P 0,025 mV	12.1 VOLTS					

