Form CP-111 March 2009 Form must be Typed Form must be signed

## All blanks must be complete

Phone 316.630.4000

Phone 620.432.2300

Phone 785.625.0550

Phone 316.734.4933

## TEMPORARY ABANDONMENT WELL APPLICATION

OPERATOR: License#				API No. 15-				
Name:				Spot Description:				
Address 1:					Sec	Twp S	s. R 🗆 E 🔲 W	
Address 2:						feet from	N / S Line of Section	
City:	State:	Zip: +					E / W Line of Section	
Contact Person:  Phone:( )  Contact Person Email:  Field Contact Person:  Field Contact Person Phone:( )				GPS Location: Lat:				
							GL KB	
				Well Type: (check one)  Oil  Gas  OG  WSW  Other:				
				Spud Date:		Date Shut-In: _		
	Conductor	Surface	Pr	oduction	Intermediate	Liner	Tubing	
Size								
Setting Depth								
Amount of Cement								
Top of Cement								
Bottom of Cement								
Casing Fluid Level:	Ц	ow Dotorminad?				Data		
•							Date:	
	. I ALT. II Depth o	of: DV Tool:(depth	w / .	sacks	s of cement Port (	Collar: w	// sack of cement	
Total Depth:	Plug Bad	ck Depth:		Plug Back Meth	od:			
Geological Data:								
Formation Name	Formation	Top Formation Base			Completion	n Information		
l	At:	to Fee	t Perfo	oration Interval	to Fe	eet or Open Hole Inter	val toFeet	
2	At:	to Fee	t Perfo	oration Interval	to Fe	eet or Open Hole Inter	val toFeet	
		Submit	ted Ele	ctronicall	y			
Do NOT Write in This Date Tested: Results:  Space - KCC USE ONLY		Date Plugged: Date Repaired: Date Put Back in Service:						
Review Completed by:			Comr	ments:		ТА Аррі	roved: Yes Denied	
		Mail to the Ap	propriate	KCC Conserv	ation Office:			
KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801  Phone 620.225.							Phone 620.225.8888	

KCC District Office #2 - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226

Underground Porosity Gas Storage (UPGS) 8200 E. 34th Street Circle N., Suite 1003, Wichita, KS 67226

KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720

KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651

NE-940-767-4334	Caccare parter 51/2 les 33/0 As	ECHOMETER COMPANY PHONE-940-							
WELL Bengston 1-13 CASING PRESSURE O  AP	CASING ONLY 51/2 /W 248 lines 710 tubing JOINTS TO LIQUID DISTANCE TO LIQUID 1568 PBHP SBHP	06/10/2011 08:20:47 QUIET WELL UPPER COLLARS A: 6.2 P-P 0.212 mV	UC GENERATE PULSE						
PRODUCTION RATE	PROD RATE EFF, % MAX PRODUCTION	LIQUID LEVEL A: 8.1 P-P 0.019 mV	12.2 VOLTS						
ECHOMETER COMPANY PHONE-940-767-4334									
WELL BENGSEN 1-13 CASING PRESSURE O  AP	JOINTS TO LIQUID	06/10/2011 08:22:23 QUIET WELL UPPER COLLARS A: 5.8 P-P 0.324 mV	UC GENERATE PULSE						
PRODUCTION RATE	PROD RATE EFF, %	LIQUID LEVEL A: 8.2 P-P 0.016 mV	12. 1 VOLTS						



