

Kansas Corporation Commission Oil & Gas Conservation Division

1058187

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Onv. to ENHR	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
GGW Fellill #.	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Side Two



Operator Name:			Lease Name	e:			_ Well #:	
Sec Twp	S. R	East West	County:					
time tool open and clos	sed, flowing and shut s if gas to surface tes	I base of formations per in pressures, whether set, along with final chart well site report.	shut-in pressure	reached s	static level,	hydrostatic press	sures, bottom h	ole temperature, fl
Orill Stem Tests Taken (Attach Additional S		Yes No		Log	Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolo		☐ Yes ☐ No	N	lame			Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	I Electronically	Yes No Yes No Yes No						
List All E. Logs Run:			RECORD [Used			
	Size Hole	Report all strings set- Size Casing	-conductor, surface Weight		ate, producti Setting	on, etc. Type of	# Sacks	Type and Percen
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.		Depth	Cement	Used	Additives
		ADDITIONA	L OFMENTING (00115575	DECORD			
		ADDITIONA	L CEMENTING / :	SQUEEZE	RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used	d		Type and F	Percent Additives	
Shots Per Foot		ON RECORD - Bridge Plu ootage of Each Interval Pe				cture, Shot, Cement mount and Kind of Ma	•	d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No		
Date of First, Resumed I	Production, SWD or ENI	HR. Producing Me	thod:	Gas Li	ift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water	В	bls. (Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease	Open Hole	METHOD OF COM Perf. D	MPLETION: ually Comp omit ACO-5)	. Cor	nmingled mit ACO-4)	PRODUCTIO	ON INTERVAL:
(If vented, Sub	mit ACO-18.)	Other (Specify)						

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720 Date Invoice # 4/14/2011 45381

Cement Treatment Report

Lorotta Oil, LLC 543A 22000 Road Cherryvale, KS 67335 (x) Landed Plug on Bottom at 800 PSI

() Shut in Pressure

(x) Good Cement Returns

() Topped off well with ______ sacks

(x) Set Float Shoe

TYPE OF TREATMENT: Production Casing HOLE SIZE: 6 3/4"
TOTAL DEPTH: 365

Well Name	Terms	Due Date
	Net 15 days	4/14/2011

Service or Product	Qty	Per Foot Pricing/Unit Pricing	Amount
Run and cement 2 7/8" Sales Tax	355	4.00 7.30%	
Amershack B-3 Crawford County Section: Township: Range:			

Hooked onto 2 7/8" casing. Established circulation with 3 barrels of water, 1 GEL, 1 METSO, COTTONSEED ahead, blended 59 sacks of OWC, dropped rubber plug, and pumped 2 barrels of water

Total	\$1,420.00
Payments/Credits	\$0.00
Balance Due	\$1,420.00

Well Refined Drilling Company, Inc.

4230 Douglas Road - Thayer, KS 66776

Contractor License # 33072 - FEIN # 48-1248553

Office - 620-839-5581; Jeff Pocket - 620-432-6170; Fax - 620-839-5582

g#:	2		License	# 9313	NER	S19	T30S	R22E
기#:	15-037-	-22152-0000			Rig # 2	Location	Marian Servinos, ese	NW,SE,NE,NW
perator:	James	D. Lorenz			4 MIST 4 5.	County		Crawford
ddress:	543A 2	2000 Road			TIDIO			Olawiola
1.5		ale, KS 67335 - 851	15			Gas	Tests	
/ell #:	3B	Lease Name:	Amersh	ek II	Depth	Oz.		flow MCE
cation:	4455	Here the contract of the contr	7 tilleron	CK II	105	U2.	Orfice No Flow	flow - MCF
	3135	Constant Con			205		No Flow	
oud Date:		4/11/2011			230	1	No Flow	
ate Comple	eted:	4/12/2011	TD:	366			No Flow	
eologist				330	305		No Flow	
iller:		Josiah Kephart			330		No Flow	
asing Red	cord	Surface	Produc	tion	366		No Flow	
ole Size		12 1/4"	6 3/4"				1.10111000	
asing Siz	ze	8 5/8"			PERSONAL PROPERTY.			
/eight		18#		8,830	AP CENTURE !		Hill	
etting De		22' 8"						
ement T		Portland						
acks		4						
eet of Ca	asing							
LD-041	211-R2-	018-Amershek II - 31	B - Jame	s D I or	enz			
		018-Amershek II - 31	Palata and an analysis of the second	s D. Lor Well L				
LD-041 Top	211-R2- Bottom		Palata and an analysis of the second		og	Тор	Bottom	Formation
	Bottom 2	Formation overburden		Well L Bottom	og	Тор	Bottom	Formation
	Bottom 2 3	Formation overburden lime	Тор	Well L Bottom	og Formation	Top	Bottom	Formation
	Bottom 2 3 4	Formation overburden lime shale	Top 218 240 242	Well L Bottom 240 242 284	Formation shale coal shale	Тор	Bottom	Formation
Top 0 2 3 4	Bottom 2 3 4 5	Formation overburden lime shale coal	Top 218 240	Well L Bottom 240 242 284	Formation shale coal shale sandy shale	Тор	Bottom	Formation
Top 0 2 3 4 5	Bottom 2 3 4 5 61	Formation overburden lime shale coal shale	Top 218 240 242 284	Well L Bottom 240 242 284 288	Formation shale coal shale sandy shale oil odor	Тор	Bottom	Formation
Top 0 2 3 4 5 61	Bottom 2 3 4 5 61 62	Formation overburden lime shale coal shale coal	Top 218 240 242 284 288	Well L Bottom 240 242 284 288	Formation shale coal shale sandy shale oil odor shale	Top	Bottom	Formation
Top 0 2 3 4 5 61 62	Bottom 2 3 4 5 61 62 76	Formation overburden lime shale coal shale coal shale	Top 218 240 242 284	Well L Bottom 240 242 284 288 296 308	Formation shale coal shale sandy shale oil odor shale oil sand	Тор	Bottom	Formation
Top 0 2 3 4 5 61 62 76	Bottom 2 3 4 5 61 62 76 77	Formation overburden lime shale coal shale coal shale lime	Top 218 240 242 284 288 296	Well L Bottom 240 242 284 288 296 308	Formation shale coal shale sandy shale oil odor shale oil sand odor	Top	Bottom	Formation
Top 0 2 3 4 5 61 62 76 77	Bottom 2 3 4 5 61 62 76 77	Formation overburden lime shale coal shale coal shale lime shale lime shale	Top 218 240 242 284 288 296	Well L Bottom 240 242 284 288 296 308	Formation shale coal shale sandy shale oil odor shale oil sand odor shale	Top	Bottom	Formation
Top 0 2 3 4 5 61 62 76 77	Bottom 2 3 4 5 61 62 76 77 81 89	Formation overburden lime shale coal shale coal shale lime shale lime	Top 218 240 242 284 288 296 308 314	Well L Bottom 240 242 284 288 296 308 314 315	Formation shale coal shale sandy shale oil odor shale oil sand odor shale coal	Тор	Bottom	Formation
Top 0 2 3 4 5 61 62 76 77 81 89	Bottom 2 3 4 5 61 62 76 77 81 89 92	Formation overburden lime shale coal shale coal shale lime shale lime shale lime shale	Top 218 240 242 284 288 296 308 314 315	Well L Bottom 240 242 284 288 296 308 314 315 352	Formation shale coal shale sandy shale oil odor shale oil sand odor shale coal shale coal shale	Top	Bottom	Formation
Top 0 2 3 4 5 61 62 76 77 81 89 92	Bottom 2 3 4 5 61 62 76 77 81 89 92 93	Formation overburden lime shale coal shale coal shale lime shale lime shale coal	Top 218 240 242 284 288 296 308 314 315 352	Well L Bottom 240 242 284 288 296 308 314 315 352 353	Formation shale coal shale sandy shale oil odor shale oil sand odor shale coal shale coal	Top	Bottom	Formation
Top 0 2 3 4 5 61 62 76 77 81 89 92 93	Bottom 2 3 4 5 61 62 76 77 81 89 92 93	Formation overburden lime shale coal shale lime shale lime shale lime shale shale lime shale	Top 218 240 242 284 288 296 308 314 315 352 353	Well L Bottom 240 242 284 288 296 308 314 315 352 353 360	Formation shale coal shale sandy shale oil odor shale oil sand odor shale coal shale coal shale coal shale	Τορ	Bottom	Formation
Top 0 2 3 4 5 61 62 76 77 81 89 92 93 94	Bottom 2 3 4 5 61 62 76 77 81 89 92 93 94 111	Formation overburden lime shale coal shale lime shale lime shale lime shale lime shale lime shale lime shale	Top 218 240 242 284 288 296 308 314 315 352 353 360	Well L Bottom 240 242 284 288 296 308 314 315 352 353 360 361	Formation shale coal shale sandy shale oil odor shale oil sand odor shale coal shale coal shale coal shale coal	Тор	Bottom	Formation
Top 0 2 3 4 5 61 62 76 77 81 89 92 93 94 111	Bottom 2 3 4 5 61 62 76 77 81 89 92 93 94 111 204	Formation overburden lime shale coal shale lime shale lime shale lime shale lime shale lime shale shale lime shale shale shale	Top 218 240 242 284 288 296 308 314 315 352 353 360 361	Well L Bottom 240 242 284 288 296 308 314 315 352 353 360 361	Formation shale coal shale sandy shale oil odor shale oil sand odor shale coal shale coal shale coal shale coal shale	Top	Bottom	Formation
Top 0 2 3 4 5 61 62 76 77 81 89 92 93 94	Bottom 2 3 4 5 61 62 76 77 81 89 92 93 94 111 204 205	Formation overburden lime shale coal shale lime shale lime shale lime shale lime shale lime shale lime shale	Top 218 240 242 284 288 296 308 314 315 352 353 360	Well L Bottom 240 242 284 288 296 308 314 315 352 353 360 361	Formation shale coal shale sandy shale oil odor shale oil sand odor shale coal shale coal shale coal shale coal	Тор	Bottom	Formation