Company: Address: Contact Geologist: Contact Phone Nbr: Well Name: Location: Pool: State:	OPERATOR Falcon Exploration, Inc 125 N. Market Suite 1252 Wichita, KS 67202 Brian Fisher 316-262-1378 Ron Jantz #1-20 (SW) Sec. 20 - T28S - R30W Kansas	API: Field: Country:	15-069-20340-0000 Wildcat USA
	Scale 1:240 Imperi	al	
Well Name: Surface Location: Bottom Location: API:	Ron Jantz #1-20 (SW) Sec. 20 - T28S - R30W 15-069-20340-0000		
License Number: Spud Date:	5316 3/10/2011	Time:	00:00
Region: Drilling Completed: Surface Coordinates:	Gray County 3/27/2011 2420' FSL _1620' FWL	Time:	19:00
Bottom Hole Coordinates: Ground Elevation: K.B. Elevation: Logged Interval: Total Depth: Formation: Drilling Fluid Type:	2775.00ft 2788.00ft 3700.00ft 6230.00ft Morrow Chemical/Fresh Water Gel	To:	6230.00ft
	SURFACE CO-ORDIN	ATES	
Well Type: Longitude: N/S Co-ord: E/W Co-ord:	Vertical 2420' FSL _1620' FWL	Latitude:	
	LOGGED BY		
	Keith Reav Consulting Geold		
Company: Address:	KLG #136 3420 22nd Street Great Bend, KS 67530		
Phone Nbr: Logged By:	620-617-4091 Geologist	Name:	Keith Reavis
	CONTRACTOR		
Contractor: Rig #: Rig Type:	Sterling Drilling Company 5 mud rotary	_	
Spud Date: TD Date: Rig Release:	3/10/2011 3/27/2011	Time: Time: Time:	00:00 19:00
	ELEVATIONS		
K.B. Elevation: K.B. to Ground:	2788.00ft Gr 13.00ft	ound Elevation:	2775.00ft

The drill cutting were saved and will be available for review at the Kansas Geological Survey Well Sample Library located in Wichita KS

The drill time/sample tops were consistenty around 4-6 ft low to actual log measurements on this well. The gamma ray and caliper were plotted on this log but were not shifted to provide and exact match to the drill time.

Concerning results of DST #3: While the drill string and tools were set in the slips prior to hooking up the head joint for the test, the tools were resting on bottom just enough for the tool to open, due to low string weight on the tool, the packers were not completely seated and allowed the mud recovery on the test. This can be observed on the DST chart. Other than this, the rest of the test was valid.


Respectfully submitted, Keith Reavis


	Falcon Exploration, Inc. Daily Drilling Report						
	Da	aily Drilling Report					
DATE 7:	00 AM DEPT	H REMARKS					
3/17/2011	3862	Geologist Keith Reavis on location @ 0615 hrs, 3843 ft., drilling ahead Topeka, Lecompton, Heebner, Toronto, Douglas and Lansing					
3/18/2011	4385	drilling ahead, Lansing, lower LKC, Stark, show in Swope Fm. warrants DST, short trip, ctch, begin TOH for DST					
3/19/2011	4623	conducting DST #1, complete DST #1, successful test, TIH w/bit resume drilling, Lower KC					
3/20/2011	4808	drilling ahead, Marmaton, Pawnee, Cherokee					
3/21/2011	5010	drilling Cherokee, short trip @ 5010', ctch, resume drilling, drilling Morrow, encounter sand, show warrants test, TOH for DST #2					
3/22/2011	5154	tripping tools and conducting DST #2, successful test, TIH w/bit, ctch, resume drilling, cut rest of Morrow into Miss, TOH for DST #3					
3/23/2011	5190	conduct and complete DST #3, successful test, TIH w/bit and resume drilling Mississippian Chester, St. Gen.,					
3/24/2011	5335	drilling St. Louis, show @ 5315' warrants DST, TOH w/bit, trip in tools for DST #4, conduct and complete DST, successful test, resume drlg					
3/25/2011	5473	drilling ahead, St. Louis, Salem/Spergen, called of TD and logs					
3/26/2011	5785	drilling ahead, Warsaw, Osage					
3/27/2011	6105	drilling ahead, Osage, Viola, TD @ 6230 , short trip, ctch, TOH					
3/28/2011	6230	conducting logging operations, stuck tools on second pass, fish out, run in w/bit, condition hole					
3/29/2011	6230	TOH after conditioning hole, make final pass with logs, complete operations, geologist off location 0745 hrs					





Falcon Exploration, Inc. Well Comparison Sheet


		DRILLING	G WELI		COMPARISON WELL			COMPARISON WELL				
		R. Jantz #	#1-20			Beardmo	re-Yeage	r #1				
		2420' FSI	& 162	0'FWL		NE NE						
		Sec. 20 T	285 R3	sow		Sec. 20 T	285 R30	N				
							Struct	ıral			Structu	ural
	2788	KB			2783	КВ	Relation	nship		КВ	Relation	nship
Formation	Sample	Sub-Sea	Log	Sub-Sea	Log	Sub-Sea	Sample	Log	Log	Sub-Sea	Sample	Log
Topeka	3774	-986	3770	-982	3763	-980	-6	-2				
Heebner	4110	-1322	4106	-1318	4105	-1322	0	4				
Lansing	4217	-1429	4212	-1424	4206	-1423	-6	-1				
Stark	4587	-1799	4584	-1796	4576	-1793	-6	-3				
Marmaton	4741	-1953	4729	-1941	4713	-1930	-23	-11				
Pawnee	4830	-2042	4826	-2038	4800	-2017	-25	-21				
Cherokee	4875	-2087	4874	-2086	4845	-2062	-25	-24				
Morrow	5096	-2308	5093	-2305	5049	-2266	-42	-39				
Miss Chester	5179	-2391	5181	-2393	5095	-2312	-79	-81				
Miss St. Gen.	5215	-2427	5208	-2420	5198	-2415	-12	-5				
St. Louis B por	5315	-2527	5310	-2522	5284	-2501	-26	-21				
Salem	5441	-2653	5437	-2649	5488	-2705	52	56				
Warsaw	5602	-2814	5604	-2816	5572	-2789	-25	-27				
Osage	5925	-3137	5894	-3106	np							
Viola	6193	-3405	6186	-3398	np							
Total Depth	6230	-3442	6229	-3441	5613	-2830	-612	-611				













limestone arev mottled

nelletal to fossiliferous

nyritic





Toronto 4132 -1344

limestone, light gray, microcrystalline, fossiliferous, grainy, some interclast porosity, no shows, light fluoresence, 30-40% chalk in samples, abundant light gray to white chert

Douglas 4146 -1358

shale, mostly green to dark green, argillaceous in part, soft

limestone, light gray, gray/green and cream, microcrystalline, fossiliferous, some secondary calcite xtals, some scattered porosity, no shows, even fair mineral fluoresence, abundant chalk, scattered gray

mostly soft gray shales, some green

limestone, tan/brown to gray/brown, dense, cherty, fossiliferous, with abundant mixed gray and green shales, some silty, some micaceous Total Gas (units)

C2 (units)

C3 (units)

C4 (units)

100

10

Lansing 4217 -1429

limestone, cream, microcrystalline, bioclastic, chalky, poor visible porosity, with: chert, appx 20%, tan to gray, fossiliferous, sharp, fresh, no shows, pale bluish/white to light green fluoresence, moderate chalk


as above, decreasing cherts

4270 sample, picking up some white flakey fragile bioclastic, 4280 sample grades to: limestone, gray to dark gray, mottled, fossiliferous, dense to soft, shaley in part, with limestone, light gray to gray green, cryptocrystalline, slightly fossiliferous to lithographic, dense, no shows, some scattered chert

limestone, mixed grays to cream, microcrystalline, fossiliferous to bioclastic, some interclast porosity, some secondary calcite, with some gray and tan, mottled pelletal, dense to chalky, no shows, abundant chalk in samples, scattered chert

mixed fossiliferous limestone as above, increase of some gray dense cryptocrystalline, slight increase in shale, still carrying abundant chalk

some limestone as above, with flood dark gray very fossiliferous to



lithographic limestone, cherty, some striated, some shaley, some gray to brown striated fossiliferous limey shale, carrying some chert and chalk

limestone, light gray and tan, cryptocrystalline, slightly mottled fossilierous, chalky, no visible porosity, abundant chalk, no shows, poor fluoresence

limestone, gray, dense, cryptocrystalline, lithographic, gray cherts, trace green shale

limestone, mixed fossiliferous limestones, some oolitic, abundant chalk

4420 sample, flood of tan oomoldic to oolitic, fair porosity, light green fluoresence, no show or odor

Total Gas (units)

C2 (units)

G3 (units)

C4 (units)

lost extractor

extractor fixed

wl 9.6 cake 1/32 pH 9.5 chl 2300

cal 20

sol 6.3

lcm 1# dmc \$1747.70 cmc \$12934.35

Mud-Co Mud Ck @ 4488'

1215 hrs 3/18/11 vis 45 wt 9.2 pv 14 yp 15

power here

10

100

100

HO

4430 sample, abundant brown/black carbonaceous shale

grades to shale, light gray to gray green, some dense and limey, with mixed limestones, some dense gray cryptocrystalline, lithographic

picking up some red, brick red and maroon shales, with limestone, white to gray/green, cryptocrystalline, smooth compact lithographic, slightly fossiliferous, some chalk

trace black carbonaceous shale

(

ó

CX

limestone, white to cream, cryptocrystalline, chalky, smooth lithographic to light gray, cherty, cryptocrystalline, fossiliferous and light gray grainy fossiliferous, some chalk and chert, no shows

limestone, mixed fossiliferous, with flood shale, mixed gray to green, some red, with flood dark gray fossiliferous cherts


as above, cherts fall out


limestone, white to light gray, micro-cryptocrystalline, fossiliferous, chalky, poor visible porosity, no shows, moderate chalk in samples, no fluoresence

gray to green shales, some striated, some black carbonaceous

limestone, mixed non-descript fossiliferous, chalky, abundant chalk in samples, no shows

beginning in 4570 sample, flood chalk, appx 50%, with limestone, cream to gray, dense, fossiliferous





F

F

▲


F

Р


F

F

 \bigtriangleup



15



as above

F

.

P

P

P

1

Ρ

limestone as above, with influx dark gray limestone, cherty, cryptocrystalline, lithographic to fossiliferous, and, dark gray chert

5060 sample, as above, with flood black shale, dense, blocky, pyritic

sandstone, white, very fine grained quartz, well rounded and sorted, variable cementing, some friable and chalk loades, some very pyritic, many shale inclusions, some black carbon fragements, no visible porosity, shows or fluoresence, didn't drill like sand

limestone, black to dark gray and dark brown, cryptocrystalline, fossiliferous, dense, cherty, with black and dark gray fossiliferous cherts

5090 sample, as above, few pieces dark gray fossiliferous with small vugs, very dense, slight show free oil on break, fair odor, no fluoresence

Morrow 5096 -2308

limestone, gray/green, cryptocrystalline, cherty, fossiliferous in part, full of vugs and wormy solution veins, cyrstal lined, dark stained throughout, bleeding heavy oil and gas, strong odor, trace dirty well cemented fine grain sandstone, saturated stain, slight show oil, faint to no fluoresence, good cut

30 min sample, influx pale green and gray shales, some silty, with dirty poor sorted very fine grain sandstone to siltstone, fair rounding, shale to chalk filled, poor porosity, some fair stain, trace free oil, abundant chalk in tray, no fluoresence, faint odor in cup, 60 min sample, as in 30 min, less sand, more shale, sand is mostly barren, glauconitic in part, no odor

@ 5112' soft gray clayey to blocky shales, washes heavy gray in samples, grades to denser blocky to fissile dark gray shales, trace pyritic, trace stained sandstone as above, some brown shale, still heavy wash

- 3-22-2011 Ron Jantz #1-20 (SW) DST #2.pdf
- 3-23-2011 Ron Jantz #1-23 (SW) DST #3.pdf

sandstone, quartz, black to brown saturated stained, very fine grain, round to sub-round, fair sorting, glauconitic, friable (brown stained) to well cemented (black stained) good show free oil in tray, brown stained bleeding, no oil in black stained, some gassy, good odor, no natural fluoresence, excellent cut - 60 min sample, as above, mostly black stained, some clusters friable with show oil when broken

shale, gray as above in 5170 samp, 30 min samp, sandstone, quartz, very fine to fine grained, glauconitic, fair sorting and rounding, poor visible porosity, well cemented to friable, slight stianing, fleeting odor, show oil on break, no fluoresence, 60 min, a.a., inc. in sand, few pieces stained black & show oil, some sand so dense, cant break, still carrying abundant shales

5180 and 90 samples, a.a., increasing black sands


Mississippian (Chester) 5179 -2391


limestone, tan to gray oolitic to fossiliferous, some white very sandy limestone, with shales, brown to light gray and gray, argillaceous to pyritic, grainy to splintery, with sandstone to siltstone, green, very fine grain, well rounded and sorted, well cemented, very dense, no shows or fluoresence, abundant chalk and pyrite in 60 min sample


as above, flood white very fine grained, well cemented sands

limestone, blue/gray to gray/green, bioclastic, poor visible porosity, chalky in part, trace sandy, with mixed shales as above, some white flakey chalky bioclastic limestone, carrying white sand a.a., no shows

Mississippian (St. Gen) 5215 -2427







Salem 5441 -2653

flood chalk, w/ dolomite-dolomitic limestones, cream to light gray, dense, fossiliferous in part

limestone to dolomitic limestone and limey dolomite, tan to cream, fossiliferous, some oolitic, with dolomite, gray, arenacous to subsucrosic, dense, moderate chalk, no shows, spotty faint fluoresence

a.a., influx translucent gray chert, sharp, fresh, some black mineral inclusions

limestone, tan, micro to cryptocrystalline, oolitic to fossiliferous, dense, no shows, some chalk, with: influx of gray dolomite in 5500 sample, arenacoues, microcrystalline, dense, some scattered cherts

as above, some chalky oolitic, increase in dolomite as above, some tan lithographic limestone, influx mixed shales

TD @ 5505 ft 0950 hrs

Ŷ

F

F

 \bigtriangleup

9

Ь

F

F

F

 \sim

F

limestone, gray, cryptocrystalline, fossiliferous, chalky, some tan lithographic, with dolomitic limestone to dolomitic limestone, brown, fossiliferous, cryptocrystalline, dense - 5540 sample, flood chert, white to gray and tan, fossiliferous

dolomite, brown to dark brown, microcrystalline, dense, cherty, grainy altered fossiliferous, some gray dense oolitic limestone, no shows

weathered oolitic chalk, appx 60%, with dolomite as above, some brown oolitic limestone and gray weathered oolitic to fossiliferous limestone, poor visible porosity, no shows

dolomite to limey dolomite, gray, microcrystalline, sub-sucrosic, some chert inclusions, trace fossiliferous, abundant chert (appx 20%), frosted gray mottled fossiliferous, no shows


a.a. increasing chert 30-40%


mixed dolomites and limestones, same amount of chert, influx shale, green argillaceous, maroon-green mottled, some black blocky, some brown fossiliferous-grainy, with flood large loose quartz crystals


Warsaw 5602 -2814

limestone, gray, mottled, chalky, oolitic to pelletal with: tan to gray fossiliferous limestone, dense, mixed tan to brown dolomites, abundant shales (from above?), mixed white to gray cherts, abundant loose pyrite nodules

limestone, dolomitic, gray, micro to cryptocrystalline, oolitic to bioclastic, no visible porosity, no shows, abundant chalk, some scattered chert







Total Gas (units)

C2 (units)

C3 (units)

C4 (units)

200

20

Mud-Co Mud Ck

@ 5829' 1100 hrs 3/26/11 vis 56 wt 9.4

pv 20 yp 24 wl 8.8

-cake 1/32


pH 10.0

chl 1500 cal 60

sol. 7.7 Icm 2.5# dmc \$1074.95

cmc \$21227.50

some silty some light green clayey sandstones, very fine grain, silty, no porosity, soft, with abundant pyrite nodules



shales as above, with dolomite, gray to light green, microcrystalline, argillaceous, fairly dense, no shows

dolomite, gray to tan, mottled, microcrystalline, subsucrosic, altered fossiliferous, glauconitic, with chert (appx 30-40%), gray to tan, some mottled, fossiliferous to spiculitic, some fresh, most slightly weathered to rotten, some spottly fluoresence, no shows

Osage 5925 -3137

dolomite, light gray to gray/green, microcrystalline, sub-sucrosic, poor visible porosity, no shows, with chert, gray/white mottled fossiliferous, mixed shale, large loose dolomite and quartz shards/crystals, some medium crystalline dolomitic limestone, fossiliferous, large clasts, some scattered faint fluoresence

a.a.

 \sim

С

 \sim

 \bigtriangleup

 \bigtriangleup

C

ΔC

 \bigtriangleup

С

 \bigtriangleup

C

 \bigtriangleup

dolomite, cream to white, microcrystalline, sucrosic to sub-sucrosic, some white to gray fossiliferous chert, weathered in part, abundant chalk, no shows or fluoresence

flood green, gray and black shale in 5980 sample

dolomite as above, with gray microcrystalline dolomite, dense and cherty, some cream fossiliferous chalky limestone, smokey gray fossiliferous chert to white-gray slight weathered spiculitic chert, abundant chalk, no shows, light fluoresence in limestone only

Fotal Gas (units)

C2 (units)

C3 (units)

C4 (units)

200

20


as above, chalk drops out, weathered chert drops out

6060 sample, flood shales

dolomite, light gray and gray/green to cream, microcrystalline, subsucrosic, fairly uniform, no shows, few pieces w/bright fluoresence, chert, mostly gray mottled fossiliferous, abundant chalk

dolomite as above, decrease in chert

6110 sample, tray full of light brown dolomite, arenacoues microcrystalline and limestane, cryptocrystalline compact lithographic




DST1.jpg (620) 326-5830 **RICKETTS TESTING** Page 1 Company Falcon Exploration, Inc. Lease Name Ron Jantz (SW) Address 125 N. Market, Ste. 1252 Lease # 1-20 Legal Desc NW-NW-NE-SW CSZ Wichita, KS 67202 Job Ticket 2145 Attn. Keith Reavis Section 20 Range 30W Township 285 County Gray State KS Drilling Cont Sterling Drilling Co. Rig #5 Comments Legal Description Feet: 2420' FSL & 1620' FWL

GENERAL INFORMATION

				Chokes	3/4	Hole Size 77/8
Test #1		Test Date	3/19/2011	Top Recorder #	# W1119	
Tester	Tim Venters			Mid Recorder #		
Test Type	Conventiona Successful	al Bottom Ho Test	le	Bott Recorder a	#13310	
# of Packers	2.0	Packer Siz	2e6 3/4	Mileage Standby Time	224 0	Approved By
Mud Type	Gel Chem			Extra Equipmn	t Jars & Safet	ty joint
Mud Weight	9.2	Viscosity	50.0	Time on Site	11:00 PM	
Filtrate	8.4	Chlorides	3300	Tool Picked Up	3:40 AM	
				Tool Layed Dw	n11:15 AM	
Drill Collar Le	n 337.0					
Wght Pipe Le	n 0			Elevation	2775.00	Kelley Bushings 2788.00
Formation	Swope			Start Date/Tim	e3/19/2011 2:	38 AM
Interval Top	4585.0	Bottom	4623.0	End Date/Time	3/19/2011 11	:20 AM
Anchor Len B	elow 38.0	Between	0			
Total Depth	4623.0					
Blow Type				tial flow period, bui the final flow period		

inch in 25 minutes, where it held the rest of the period. Times: 5, 90, 45, 60.



RICKETTS TESTING		(620) 326-583	Pa	ige 1	
Company Address CSZ Attn.	Falcon Exploration, Inc. 125 N. Market, Ste. 1252 Wichita, KS 67202 Keith Reavis	Lease Name Lease # Legal Desc Section Township	Ron Jantz (SW) 1-20 NW-NW-NE-SW 20 28S	Job Ticket Range	2145 30W
		County Drilling Cont	Gray Sterling Drilling Co	State . Rig #5	KS


DST2.jpg

Comments Legal Description Feet: 2420' FSL & 1620' FWL

GENERAL INFORMATION

				Chokes	3/4	Hole Size 7 7/8
Test #2		Test Date	3/22/2011	Top Recorder #	¥W1119	
Tester	Tim Venters			Mid Recorder #	# W1022	
Test Type	Conventiona Successful		le	Bott Recorder a	#13310	
# of Packers	2.0	Packer Siz	e6 3/4	Mileage Standby Time	224 13.33	Approved By
Mud Type	Gel Chem			Extra Equipmn	t Jars & Safet	tv ioint
Mud Weight	9.3	Viscosity	58.0	Time on Site	11:10 PM	
Filtrate	7.2	Chlorides	1900	Tool Picked Up	1:00 AM	
				Tool Layed Dw	n11:00 AM	
Drill Collar Le	n 337.0					
Wght Pipe Le	n 0			Elevation	2775.00	Kelley Bushings2788.00
Formation	Morrow			Start Date/Tim	e3/22/2011 12	2:09 AM
Interval Top	5094.0	Bottom	5154.0	End Date/Time	3/22/2011 11	1:03 AM
Anchor Len B	elow 60.0	Between	0			
Total Depth	5154.0					
Blow Type				tial flow period, bu		
		-	h blow at the st	art of the final flow	period, build	ling

to 10 1/2 inches. Times: 5, 90, 90, 150.




		DST3.jpg			
RICKETTS TESTING		(620) 326-583	Page 1		
Company Address CSZ Attn.	Falcon Exploration, Inc. 125 N. Market, Ste. 1252 Wichita, KS 67202 Keith Reavis	Lease Name Lease # Legal Desc Section Township County	Ron Jantz (SW) 1-20 NW-NW-NE-SW 20 28S Gray	Job Ticket Range State	2145 30W KS
Commente	Level Description Fast 04001 FCL	Drilling Cont	Sterling Drilling Co	5. Rig #5	

Comments Legal Description Feet: 2420' FSL & 1620' FWL

GENERAL INFORMATION

		F13.50		Chokes	3/4	Hole Size 77/8
Test #3		Test Date	3/23/2011	Top Recorder #	#W1119	
Tester	Tim Venters			Mid Recorder #	W1022	
Test Type	Conventiona Mis-run	al Bottom Ho	le	Bott Recorder #	#13310	
# of Packers	2.0	Packer Siz	ze6 3/4	Mileage Standby Time	0	Approved By
Mud Type	Gel Chem			Extra Equipmn		ty joint
Mud Weight	9.3	Viscosity	58.0	Time on Site	4:30 PM	
Filtrate	7.2	Chlorides	1900	Tool Picked Up	10:35 PM	
				Tool Layed Dw	n5:55 AM	
Drill Collar Le	n 337.0					
Wght Pipe Le	n 0			Elevation	2775.00	Kelley Bushings2788.00
Formation	Morrow			Start Date/Tim	e3/23/2011 9:	55 PM
Interval Top	5092.0	Bottom	5190.0	End Date/Time	3/24/2011 5:	51 AM
Anchor Len B	elow 98.0	Between	0			
Total Depth	5190.0					
Blow Type	. Weak surfa	ace blow at t	he start of the fi	ial flow period, bui nal flow period. W	e flushed the	tool

23 minutes into the period and got a surface blow that built to 1/4 inch in 5 m inutes. After 10 minutes, it was at a weak surface blow. Times; 5, 90, 34, 5. There was specs of oil in the tool on recovery.



DST4.jpg (620) 326-5830 Page 1 RICKETTS TESTING Falcon Exploration, Inc. Company Lease Name Ron Jantz (SW) Address 125 N. Market, Ste. 1252 Lease # 1-20 CSZ Wichita, KS 67202 Legal Desc NW-NW-NE-SW Job Ticket 2145

Comments	Legal Description Feet: 2420' FSL & 1620'	Township County Drilling Cont FWL	28S Gray Sterling D	Sta rilling Co. Rig #	
GENERAL	INFORMATION	Chokes	3/4	Hole Size	7 7/8

Section

20

Range

30W KS

				OTIONEO	0/4	1016 0126 1110
Test #4		Test Date	3/24/2011	Top Recorder #	# W1119	
Tester	Tim Venter	s		Mid Recorder #	# W1022	
Test Type	Convention	al Bottom Ho	le	Bott Recorder :	#13310	
	Successful	Test				
# of Packers	2.0	Packer Siz	e6 3/4	Mileage	76	Approved By
				Standby Time		- FF
Mud Type	Gel Chem			Extra Equipmn		etv ioint
Mud Weight	9.2	Viscosity	60.0	Time on Site	2:25 AM	,,
Filtrate	8.8	Chlorides	3400	Tool Picked Up		
1 110 010	0.0	0.11011000		Tool Layed Dw		
Drill Collar Le	n 337.0					
Wght Pipe Le				Elevation	2775.00	Kelley Bushings 2788.00
Formation	Mississipp	ian St. Louis		Start Date/Tim	e3/24/2011 4	:12 AM
Interval Top	5303.0	Bottom	5335.0	End Date/Time	3/24/2011 1	:56 PM
Anchor Len B	elow 32.0	Between	0			
Total Depth	5335.0					
Blow Type	Weak surfa	ce blow at the	start of the int	ial flow period, buil	ding to 1/4 in	nch.
				al flow period, last		
				riod and got a weal		
		Timor: E Of		Jora ana gora mea		

11 minutes. Times: 5, 90, 40, 106.

Attn.

Keith Reavis

