

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | |
|------------|--------|---|
| Effective | Date: | _ |
| District # | | _ |
| SGA? | Yes No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1059510

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|--|--|
| month day year | Sec Twp S. R |
| DPERATOR: License# | (0/0/0/0) feet from N / S Line of Section |
| Name: | feet from E / W Line of Section |
| ddress 1: | Is SECTION: Regular Irregular? |
| ddress 2: | (Note: Locate well on the Section Plat on reverse side) |
| State: Zip: + | County: |
| Contact Person: | Lease Name: Well #: |
| hone: | Field Name: |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? |
| lame: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MS |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: I II |
| | Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): |
| Operator: | Projected Total Depth: |
| Well Name: Original Total Depth: | Formation at Total Depth: |
| Original Completion Date Original Total Deptil | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other: |
| f Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| CC DKT #· | |
| NOO DINT # | Will Cores be taken? YesN |
| OO DINI # | Will Cores be taken?N If Yes, proposed zone: |
| | |
| AFF | If Yes, proposed zone: |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu | If Yes, proposed zone: |
| The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: | If Yes, proposed zone: |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu | If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to | If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the | If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions. | If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg | If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 | If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will be set. Inging of t |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it of the |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist: 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 | If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will be set. Inging of t |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it of the |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will be set. Inging of t |
| The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will be set. Inging of t |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY | IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. Indicate the provided in the complete of the spud date or the well shall be submitted Electronically. For KCC Use ONLY API # 15 - | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist; 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Libmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT |



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | | | | | | | Lo | cation of W | /ell: County: |
|-----------|------------|-------------|-------|--|-------------|--------------|--|-------------------------|--|
| Lease: | | | | | | | | | feet from N / S Line of Section |
| Well Numb | er: | | | | | | | | feet from E / W Line of Section |
| Field: | | | | | Se | SecTwpS. R | | | |
| Number of | Acres attr | ibutable to | well: | | | | — le | Section: | Regular or Irregular |
| QTR/QTR/ | /QTR/QTR | of acreag | e: | | | | _ | Occilon. | Tregular of Integular |
| | | | | | | | | Section is ection corne | Irregular, locate well from nearest corner boundary. er used: NE NW SE SW |
| | | | | ipelines an | d electrica | al lines, as | required b | | dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). ired. |
| 1490 ft | | : | -0 | | | | | | LEGEND |
| | | | | • | | | | • | O Wall Loopting |
| | | : | : | : | | : | | : | O Well Location |
| | | : | : | : | | : | : | : | Tank Battery Location Pipeline Location |
| | ******** | | | | ••••• | | | | Electric Line Location |
| | | | | | | | • | | Lease Road Location |
| | | : | : | : | | : | : | : | Lease Road Location |
| | | : | : | : | | : | : | : | |
| | | : | : | <u>:</u> | | : | : | : | EVANDI'E : |
| | | : | : | <u>: </u> | | : | : | : | EXAMPLE : |
| | | : | : | : 3 | 6 | : | : | : | |
| | | : | : | : 3 | ĺ | : | : | : | |
| | | | • | | | | • | | |
| | | : | : | : | | : | • | : | |
| | | : | : | | | | : | : | |
| | ••••• | : | | : | | : | ······································ | : | 1980' FSL |
| | | · | : | · | | · | : | · | |
| | | : | : | : | | : | | : | SEWARD CO. 3390' FEL |
| | | : | : | : | | : | • | : | J |

In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

059510

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | | | |
|--|---|---|--|--|--|
| Operator Address: | | | | | |
| Contact Person: | | Phone Number: | | | |
| Lease Name & Well No.: | | Pit Location (QQQQ): | | | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A | Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls) Area? Yes No | | SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? | Artificial Liner? Yes N | No | How is the pit lined if a plastic liner is not used? | | |
| | Length (fee | | Width (feet) | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | ilei | | dures for periodic maintenance and determining any special monitoring. | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo Source of infor | west fresh water feet. mation: | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | |
| Barrels of fluid produced daily: | | Abandonment | procedure: | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must be closed within 365 days of spud date. | | | |
| Submitted Electronically | | | | | |
| KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS | | | | | |
| Date Received: Permit Num | ber: | Permi | it Date: Lease Inspection: Yes No | | |



Kansas Corporation Commission Oil & Gas Conservation Division

1059510

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|--|--|
| OPERATOR: License # | Well Location: |
| Name: | SecTwpS. R 🔲 East 🗌 West |
| Address 1: | County: |
| Address 2: | Lease Name: Well #: |
| City: | If filing a Form T-1 for multiple wells on a lease, enter the legal description of |
| Contact Person: | the lease below: |
| Phone: () Fax: () | |
| Email Address: | |
| Surface Owner Information: | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | county, and in the real estate property tax records of the county treasurer. |
| City: | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| Select one of the following: | |
| owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this |
| task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 |
| Submitted Electronically | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - | Location of Well: County: Pratt |
|---|--|
| Operator: Timberline Oil & Gas Corporation | feet from VN / S Line of Section |
| Lease:Sanders | 1490 feet from E / W Line of Section |
| Well Number:1 | Sec. 36 Twp. 26S S. R. 13 East ✔ Wes |
| Field: luka Carmi | |
| Number of Acres attributable to well: 10 OTR / OTR / OTR of acreage: N2 - N2 - NW | Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

No electric line (Show footage to the nearest lease or unit boundary line.)

| 330' | | | |
|--|----------|-------------|-----------|
| 1490' | | | |
| | | | |
| | | × | |
| NW | | NE | |
| INVV | | | |
| | | a a | |
| 100 Inc. 100 | | , | |
| | | | |
| | | • | |
| | 1 . | ¥ | ¥ |
| | <u> </u> | | - |
| | | | |
| | | | 6) |
| | | | S 181 B X |
| | - | < | •0 |
| sw | 5 9 | SE | 5) 2) |
| | | · ./1 · | *** |
| | | | *) *: |
| , i | 1 | | |
| | | | |
| | 2 | | ŧ. |
| | 9 | 10 20 | |
| | | | |



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

July 20, 2011

Brant C. Grote Timberline Oil & Gas Corporation 4000 PENROSE PL RAPID CITY, SD 57702-6837

Re: Drilling Pit Application Sanders 1 NW/4 Sec.36-26S-13W Pratt County, Kansas

Dear Brant C. Grote:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased. KEEP PITS on East side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.