

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	

Yes No

SGA?

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1059744

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day y	rear Sec Twp S. R DE
OPERATOR: License#	feet from N / S Line of Section
Name:	foot from   E /   W Line of Continu
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Negreet Lease or unit houndary line (in factors):
Well Drilled For: Well Class: Type Equipm	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Ro	otary  Water well within one-quarter mile:  Yes No
Gas Storage Pool Ext. Air Rot	ary · · · · · · · · · · · · · · · · · · ·
Disposal Wildcat Cable	,
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional Deviated or Herizontal wellbare?	Water Source for Drilling Operations:  Yes No Well Farm Pond Other:
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:	ven Tami ond Guier.
Bottom Hole Location:	DWK Feithill #.
KCC DKT #:	(Note: Apply for Fernik Will DWK)
100 BI(1 #.	vviii cores de taken:
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion an	nd eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be me	
	et:
Notify the appropriate district office <i>prior</i> to spudding of	well;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> </ol>	well; osted on each drilling rig;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below</li> </ol>	well; osted on each drilling rig; osted by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> </ol>	well; osted on each drilling rig; osted by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> <li>If the well is dry hole, an agreement between the operate</li> <li>The appropriate district office will be notified before well</li> </ol>	well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> <li>If the well is dry hole, an agreement between the operate</li> <li>The appropriate district office will be notified before well</li> <li>If an ALTERNATE II COMPLETION, production pipe sha</li> </ol>	well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> <li>If the well is dry hole, an agreement between the operate</li> <li>The appropriate district office will be notified before well</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface of</li> </ol>	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> <li>If the well is dry hole, an agreement between the operate</li> <li>The appropriate district office will be notified before well</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface of</li> </ol>	well; costed on each drilling rig; or shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> <li>If the well is dry hole, an agreement between the operate</li> <li>The appropriate district office will be notified before well</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface of</li> </ol>	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> <li>If the well is dry hole, an agreement between the operate</li> <li>The appropriate district office will be notified before well</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the</li> </ol>	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> <li>If the well is dry hole, an agreement between the operate</li> <li>The appropriate district office will be notified before well</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the</li> </ol>	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the submitted Electronically	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> p</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of</li> <li>If the well is dry hole, an agreement between the operate</li> <li>The appropriate district office will be notified before well</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the</li> </ol>	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the submitted Electronically	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of second in the well is dry hole, an agreement between the operate second in the specified before well in the specified district office will be notified before well in the specified district office will be notified before well in an ALTERNATE II COMPLETION, production pipe share or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the specified before well within 30 days of the spud date or the specified before well in the specified before well appears to the spud date or the specified before well in the specified before well	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the  ubmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required ————————————————————————————————————	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe share of the completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	well; osted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface c must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	residence on each drilling rig;  It shall be set by circulating cement to the top; in all cases surface pipe shall be set  20 feet into the underlying formation.  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production casing is cemented in;  It is either plugged or production to the KCC District of plugging;  It is either plugged or production or plugging;  It is either plugged or production to the KCC District of plugging;  It is either plugged or production or plugging;  It is either plugged or production to the KCC District of plugging;  It is either plugged or production or plugged or produc
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the  submitted Electronically  For KCC Use ONLY  API # 15	well; sosted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface of must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	well; wosted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operate 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sha Or pursuant to Appendix "B" - Eastern Kansas surface or must be completed within 30 days of the spud date or the  Submitted Electronically  For KCC Use ONLY  API # 15	well; sosted on each drilling rig; of shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; all be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing e well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Side Two




For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:			
Lease:	feet from N / S Line of Section			
Well Number:	feet from E / W Line of Section			
Field:	Sec Twp S. R			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			
PLAT				
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as requi	,			

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 360 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1059744

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is: Proposed  If Existing, date con Pit capacity:  Trea?  Yes	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
	ons (all but working pits):Length (feet)  Depth from ground level to deepest point:		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of pit:  Depth to shallo Source of inform		west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  per closed within 365 days of spud date.
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



## Kansas Corporation Commission Oil & Gas Conservation Division

1059744

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

# RAMA OPERATING COMPANY, INC. KU LEASE SE. 1/4. SECTION 18. T245. R11W



July 12. 2011

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

For KCC Use ONLY	
API # 15	_

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	Sec Twp S. R		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.

				LEGEND  O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
	ii	18 —		EXAMPLE : : : : : : : : : : : : : : : : : : :
			i	1980' FSL
STAFFORD		•	1636:FEL Proposed Line	SEWARD CO. 3390' FEL

# NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

August 31, 2011

Robin L. Austin Rama Operating Co., Inc. 101 S MAIN ST STAFFORD, KS 67578-1429

Re: Drilling Pit Application KU 1-18 SE/4 Sec.18-24S-11W Stafford County, Kansas

### Dear Robin L. Austin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.