

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1059821

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
DPERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
IK OMMA(O) and small information and fill	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No f Yes, true vertical depth:	WellFarm PondOther:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR )
	Will Cores be taken? Yes N  If Yes, proposed zone:
	11 166, proposed 2016
AFF	DAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	ging of this well will comply with K.S.A. 55 et. seq.
	ging of this well will comply with K.S.A. 55 et. seq.
	ging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig;
<ul><li>2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li><li>3. The minimum amount of surface pipe as specified below <i>shall be set</i> to</li></ul>	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b>
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions of the surface of the surf	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in;
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in;
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ct office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> </li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
<ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> </li> </ol>	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  sibmitted Electronically  For KCC Use ONLY  API # 15	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ### DIAMPHIES ONLY  API # 15	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  ### IDDMITTED TO THE WELL OF THE WELL	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ### IDENTIFY OF THE O	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ### IDENTIFY OF THE OFFICE OF THE OFFICE OF THE OFFICE OF THE OFFICE	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					Location	of vveii: County: _	
Lease:							feet from N / S Line of Section
Well Numb	ber:						feet from E / W Line of Section
Field:			Sec	Twp	S. R		
	f Acres attributab				Is Sectio	n: Regular o	or Irregular
Q.1.0 Q.1.0	, 4				Section of	_	ate well from nearest corner boundary.  NE NW SE SW
200 ti	lease roads, tal	nk batteries, pipe	lines and electi	to the nearest		Kansas Surface Ov	w the predicted locations of wner Notice Act (House Bill 2032).
660 ft.							LEGEND
							O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
			 06 				AMPLE : : : : : : : : : : : : : : : : : : :
							1980' FSL
						SEWA	RD CO. 3390' FEL

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

059821

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit	Pit is:  Proposed Existing  If Existing, date constructed:		SecTwp R East WestFeet from North / South Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water Area? Yes No			County  Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.		iiilei iiilegiity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No	



### Kansas Corporation Commission Oil & Gas Conservation Division

1059821

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
	County:			
Address 1:	Lease Name: Well #:			
Address 2: State: Zip:+				
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface			
Address 1:	owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.  acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				
[	_			

**TOPOGRAPHIC LAND SURVEYORS** 6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 \* LOCAL (405) 843–4847 \* OUT OF STATE (800) 654–3219

Certificate of Authorization No. LS-99, Exp. Dec 31, 2011

COMANCHE

County Kansas County, Kansas 32S Range Jownship 165'FNL-660'FWL 19W P.M Section Range Township Line -1315=R19W R19W 888 X 1732785 Y 229916 660' LOT 1 E INFORMATION
IR LISTED.
ORDINATES ARE TO S SURVEYED IN LOT 4 LOT 3 LOT 2 FIELD LOT Range 23 BHL: 330'FNL-660'FWL 37"16'50.7" N 99"26'01.6" W Lat: 37.280746407 LOT 7 Long: 99.433777963 X=1728311 660 Y=224957 **GRID** Scale: 1878'-"= 1000° This location has been very carefully staked on the ground according Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, and have to the best official survey records, maps, and photographs available to us, but its accuracy is not guaranteed. not been measured. Review this plat and notify us immediately of any possible discrepancy. **ELEVATION:** Operator: SANDRIDGE ENERGY, INC. 2145' Gr. at Stake Lease Name: BRENTLEY Well No .: 1-6H Topography & Vegetation Loc. fell in rolling pasture Reference Stakes or Alternate Location Good Drill Site? \_ None Stakes Set Best Accessibility to Location From NE Cor. on trail Distance & Direction from Hwy Jct or Town From the Jct. of US. Hwy. 183 N-S & US. Hwy. 160 E at Coldwater, Ks., go 2 miles North, then 5 miles West, then 2 miles South to the SE Cor. of Sec. 6—T32S—R19W continue to the location in the SW/4 of Sec. 6-T32S-R19W Date of Drawing: Mar. 31, 2011 The following information was gathered using a GPS receiver Accuracy ±2-3 Meters. LC Invoice # 169794 Date Staked: Jul. 12, 2011 **CERTIFICATE:** DATUM: NAD-27 LAT: 37°17'38.1"N T. Wayne Fisch \_a Registered Land Surveyor and an authorized agent of Topographic Land Surveyors, LONG: 99°26'01.7"W do hereby certify that the above described well location LAT: 37.293932419 was surveyed and staked on the ground as shown herein. LONG: 99.433819503 STATE PLANE **COORDINATES:** 1213 Kansas Reg. No. ZONE: KS SOUTH

GPS

X: 1728347 Y: <u>229758</u>

**TOPOGRAPHIC LAND SURVEYORS** 6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 \* LOCAL (405) 843–4847 \* OUT OF STATE (800) 654–3219

Certificate of Authorization No. LS-99, Exp. Dec 31, 2011

COMANCHE

County Konsas County, Kansas
32S Range o Jownship 165'FNL-660'FWL 19W P.M. \_ Section Range 165' -R19W 229924 BOTTOM HOLE INFORMATION BY OPERATOR LISTED. CORNER COORDINATES ARE FROM POINTS SURVEYED IN X 1732785 Y 229916 660' LOT 1 LOT 3 LOT 4 LOT 2 2484 TAKEN THE FIELD. LOT 5 LOT 6 23 18' BHL: 330'FNL-660'FWL 37'16'50.7" N 99'26'01.6" W Lat: 37.280746407 LOT 7 Long: 99.433777963 11 X = 1728311660 X=172057 Y=224957 **GRID** Scale: 1878'-1"= 1000' This location has been very carefully staked on the ground according Distances shown in (parenthesis) are calculated based to the best official survey records, maps, and photographs available to upon the Quarter Section being 2640 feet, and have us, but its accuracy is not guaranteed. not been measured. Review this plat and notify us immediately of any possible discrepancy. **ELEVATION:** Operator: SANDRIDGE ENERGY, INC. 2145' Gr. at Stake Well No .: 1-6H Lease Name: BRENTLEY Topography & Vegetation Loc. fell in rolling pasture Reference Stakes or Alternate Location Stakes Set Good Drill Site? \_\_ Best Accessibility to Location From NE Cor. on trail Distance & Direction from Hwy Jct or Town From the Jct. of US. Hwy. 183 N-S & US. Hwy. 160 E at Coldwater, Ks., go 2 miles North, then 5 miles West, then 2 miles South to the SE Cor. of Sec. 6-T32S-R19W continue to the location in the SW/4 of Sec. 6-T32S-R19W Date of Drawing: Mar. 31, 2011 The following information was gathered using a GPS receiver Accuracy ±2-3 Meters. AYNE LC Invoice # 169794 Date Staked: Jul. 12, 2011 **CERTIFICATE:** DATUM: NAD-27 LAT: 37'17'38.1"N T. Wayne Fisch \_a Registered Land Surveyor and an authorized agent of Topographic Land Surveyors, LONG: 99°26'01.7"W do hereby certify that the above described well location LAT: 37.293932419 was surveyed and staked on the ground as shown herein. LONG: 99.433819503 STATE PLANE COORDINATES: 1213 Kansas Reg. No. ZONE: KS SOUTH X: 1728347


GPS

229758

## **TOPOGRAPHIC LAND SURVEYORS**

Surveying and Mapping for the Energy Industry 6709 North Classen Blvd. Oklahoma City, OK 73116 www.topographic.com Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

### LOCATION & ELEVATION VERIFICATION MAP



Above Background Data from U.S.G.S. Topographic Map Scale: 1"=2000'

Contour Interval 10'

This location has been very carefully staked on the ground according to the best official survey records, maps and photographs available to us, but its accuracy is not guaranteed. When elevation is shown hereon it is the ground elevation of the location stake.

Review this plat and inform us immediately of any possible discrepancy.




Twp. 32S 19W Rng. KS County\_\_\_ COMANCHE \_\_\_State\_\_ SANDRIDGE ENERGY, INC. Operator\_ Description 165'FNL-660'FWL Lease\_ BRENTLEY 1-6H Elevation 2145' Gr. at Stake U.S.G.S. Topographic EAST KIOWA CREEK SOUTH, KS Quadrangle Map

# **TOPOGRAPHIC LAND SURVEYORS**

Surveying and Mapping for the Energy Industry 6709 North Classen Blvd. Oklahoma City, OK 73116 www.topographic.com Telephone Numbers: Local (405) 843-4847 Toll Free (800) 654-3219

# VICINITY MAP



Scale: 1" = 3 Miles

Sec6_	Twp	32S <b>Rng.</b>	19W
County	COMANCHE	State	KS
Operator	SANDRIDGE	ENERGY, INC.	



TOPOGRAPHIC LAND SURVEYORS

6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 \* LOCAL (405) 843–4847 \* OUT OF STATE (800) 654–3219

Company Kansas

County Kansas County, Kansas Jownship 165'FNL-660'FWL 19W P.M Section 32S Range Township Line - 1315-R19W BOTTOM HOLE INFORMATION P BY OPERATOR LISTED. CORNER COORDINATES ARE TA FROM POINTS SURVEYED IN T -R19W 1888 1732785 229916 At JANKS 660' No POWER LINES LOT 1 LOT 3 LOT 2 TAKEN THE F 2484 PROVIDED FIELD LOT 5 1732754 LOT 6 2318 BHL: 330'FNL-660'FWL 37'16'50.7" N 99'26'01.6" W Lat: 37.280746407 1 LOT 7 Long: 99.433777963 X=1728311 660 **GRID** Y=224957 Scale: 1878'-"= 1000° 17<u>2</u>7649 224627 This location has been very carefully staked on the ground according Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, and have to the best official survey records, maps, and photographs available to us, but its accuracy is not guaranteed. not been measured. Review this plat and notify us immediately of any possible discrepancy. **ELEVATION:** Operator: SANDRIDGE ENERGY, INC. 2145' Gr. at Stake Lease Name: BRENTLEY Well No .: 1-6H Topography & Vegetation Loc. fell in rolling pasture Reference Stakes or Alternate Location Yes Stakes Set Good Drill Site? \_\_ Best Accessibility to Location From NE Cor. on trail from Hwy Jct or Town From the Jct. of US. Hwy. 183 N-S & US. Hwy. 160 E at Coldwater, Ks., go 2 miles North, Distance & Direction then 5 miles West, then 2 miles South to the SE Cor. of Sec. 6-T32S-R19W continue to the location in the SW/4 of Sec. 6-T32S-R19W Date of Drawing: Mar. 31, 2011 The following information was gathered using a GPS receiver Accuracy ±2-3 Meters. LC Invoice # 169794 Date Staked: Jul. 12, 2011 **CERTIFICATE:** DATUM: NAD-27 T. Wayne Fisch \_a Registered Land Surveyor LAT: 37'17'38.1"N and an authorized agent of Topographic Land Surveyors, LONG: 99\*26'01.7"W do hereby certify that the above described well location LAT: <u>37.293932419</u> was surveyed and staked on the ground as shown herein. LONG: 99.433819503 STATE PLANE COORDINATES: 1213 Kansas Reg. No. ZONE: KS SOUTH X:<u>1728347</u>

229758

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

December 29, 2011

Gil Messersmith SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Brentley 1-6H NW/4 Sec.06-32S-19W Comanche County, Kansas

### Dear Gil Messersmith:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 20 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The free fluids in the reserve pit should be removed as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.