

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1059975

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Sectio
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AEE	IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	
	gging of this well will comply with N.S.A. 33 et. seq.
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	0 0,
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be 	by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> be 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 -	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be **Lubmitted Electronically** For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be **UDMITTED NLY** API # 15	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Vell Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	is section. Regular of Integular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the neares lease roads, tank batteries, pipelines and electrical lines, as r	PLAT st lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location
	Electric Line Location 2354 ft. Lease Road Location
	EXAMPLE
7	
	1980' FSL
	: L : SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

059975

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit Proposed		Existing	SecTwpR		
Settling Pit Drilling Pit If Existing, date co		nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l		
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?		
			NAC data (force)		
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit		
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining		
material, thickness and installation procedure.		liner integrity, including any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nite must h	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY					
100 011102 002			Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1059975

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Blake Exploration, LLC	Location of Well: County: Logan			
Lease: Riner	1712 feet from X N / S Line of Section			
Well Number:	feet from X E / W Line of Section			
Field: Elkader	Sec. 7 Twp. 14 S. R. 32 E X W			
Number of Acres attributable to well:	Is Section: X Regular or Irregular			
QTR/QTR/QTR of acreage: SW _ NW SW _ NE				
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			
PLA				
Show location of the well. Show footage to the nearest lead				
lease roads, tank batteries, pipelines and electrical lines, as requir				
You may attach a sepa 1712 ft.	ANK BATIERY			
	LEGEND			
	O Well Location			
ROAD	Tank Battery Location			
	Pipeline Location			
	: Electric Line Location			
	2354 ft. Lease Road Location			
	EXAMPLE			
/	1980' FSL			
	SEWARD CO. 3390' FEL			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

	Made and entered into the _	보통하는 사람들은 아니라 아니는 사람들은 아이들은 사람들이 가득하는 것이다. 그는 사람들은 아이들은 그 바다 가는 것이다.			March	2006
by and betweenF	Ronald R. Ri	ner and Dia	na Sue Ri	ner, his	wife	
whose mailing address i	. 11295 High	Way 95 900	++ (1++++++++++++++++++++++++++++++++++	T/C 6/70/77		
						(whether one or more),
and	D. D. Morg	en, P. U. E	OX 1184,	Wichita,	KS 67201	
					, h	ereinafter caller Lessee:
Lessor, in consider	eration of	ne and No/1	.00	Dollars (\$	7 00	
of investigating, exploring	ng by geophysical and othe	vided and of the agreement of means, prospecting drill	its of the lessee herein lng, mining and opera	contained, hereby gra	nus, leases and lets exclusively unto	lessee for the purpose
and things thereon to pro	duce, save take care of trea	t manufacture process et	ora and transpipe intes	, storing on, building t	anks, power stations, telephone line	es, and other structures
therein situated in Count	,	therwise caring for its em Logan	ployees, the following State of	described land, togeth	er with any reversionary rights and	after-acquired interest,
			State or	<u> Nau</u>	Sas descr	gibed as follows to-wit:
		North Half	(N/2)		14.	
						•
In Section	Township	14S	32W		320	
Subject to the pre-	orrigion a bassis assistant a la su	, italige	Th	ree (3)	acre	es, more or less, and all
as on, inquia nyurocarpor	ovisions herein contained, the ns, gas or other respective co	instituent products, or any	of them, is produced f		n this date (called "primary term"). with which said land is pooled.	and as long thereafter
in consideration	of the premises the said less	ee covenants and agrees:				
					he equal one-eighth (¼) part of all	
at the market price at th	sor for gas of whatsoever na e well, (but, as to gas sold b	ature or kind produced an y lessee, in no event more	d sold, or used off the than one-eighth (1/4)	premises, or used in the	ne manufacture of any products the	refrom, one-eighth (1/4),
as royalty One Dollar (\$	facture of products therefrom 1.00) per year per net miner	m, said payments to be me al acre retained hereunde	ade monthly. Where g	as from a well product	d by lessee from such sales), for the ng gas only is not sold or used, les will be considered that gas is bein	gas sold, used off the see may pay or tender
of this lease or any exter	ision thereof, the lessee shall	ll have the right to drill s	t further payment or ich well to completion	drilling operations. If with reasonable diligo	the lessee shall commence to drill ance and dispatch, and if oil or gas	a well within the term
If said lessor own	ns a less interest in the abo	we described land the at	Tool and it buch well lize	A LIPPELL ETITLETINGEMENT 11/11/11/11	ence and dispatch, and if oil or gas n the term of years first mentioned erein, then the royalties herein prov	
when requested b	by lessor, lessee shall bury les	ssee's pipe lines below plo	w depth.		n, except water from the wells of les	BRK.
No well shall be d Lessee shall nav	drilled nearer than 200 feet to	o the house or barn now o	n said premises withou	it written consent of le	ssor.	RRR
Lessee shall have	for damages caused by lessee the right at any time to rem	nove all machinery and fix	tures placed on said n	remises including the	right to draw and remove casing.	DSR.
executors, administrators	B. Successors or assigns but	led, and the privilege of	assigning in whole or	in part is expressly a	llowed, the covenants hereof shall	DSR extend to their heirs,
essee has been furnished	with a written transfer or a ed portion or portions arisin	aggiornment or a true come	About of the falle of as	assigns this lease, in	r royalties shall be binding on the whole or in part, lessee shall be reli	lessee until after the eved of all obligations
Lessee may at an	ly time execute and deliver	to legger or place of record	d a malana a		or portions of the above described	
All express or imp	plied covenants of this lease	shall be subject to all Es	Jamal and to the dereage b	urrendered.		· .
n whole or in part, nor le Regulation.	essee held liable in damages	, for failure to comply the	rewith, if compliance	is prevented by, or if s	es or Regulations, and this lease shuch failure is the result of, any suc	all not be terminated, h Law, Order, Rule or
Lessor hereby was	rrants and agrees to defend t	the title to the lands hard	و ال الديانية والدي			
as said right of dower and	elves and their heirs, succes d homestead may in any way	sors and assigns, hereby affect the purposes for w	surrender and release hich this lease is made	all right of dower and se sub- all right of dower and a second	d homestead in the premises descr	hereof, and the under- ibed herein, in so far
mmediate vicinity thereo	on, is hereby given the right of, when in lessee's judgme	t and power to pool or con	nbine the acreage cove	ered by this lease or a	ny portion thereof with other land, and operate said lease premises	lease or leases in the
conservation of oil, gas of or units not exceeding 40	r other minerals in and und	der and that may be produ	ced from said premise	es, such pooling to be	of tracts contiguous to one another	so as to promote the and to be into a unit
pooled into a tract or uni	t shall be treated for all nu	mnosos swoon! the	to Control of the con	nument identifying at	nd describing the pooled acreage. '	The entire acreage so
oyalties elsewhere hereir	n specified, lessor shall rece	give on production form	reade, whether the we	in or wells be located o	n the premises covered by this leas	ease. If production is e or not. In lieu of the
naced in the unit or his ro	oyalty interest therein on an	acreage basis bears to the	total acreage so poole	d in the particular uni	t involved.	nount of his acreage
Lessee and/	or assigns	further agr	on to non	+	surface of the	
as nearly a	as practicab	le to origi	nal conto	core the	surface of the ndition and par	ground
admagab I ga	DUT CTHE TIOM	ruerr ober	'a Talons L	Loggon ch	all have the r	y for any
designate t	the location	of permane	nt lease	roads.	arr nave one i.	rgur co
(Dublec	t to Terms a	and Conditi	ons Exhib:	it "A" at	tached herewith	.)
	•					
IN WITNESS WHI	EREOF, the undersigned exe	cute this instrument as of	the day and year first	above written.		•.
x Diana	Sue line			7/1		
Diana a	D.4		X	ronald	1). Ihnes	
Diana Sue	niner		Ro	nald R. R:	iner	