

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1060052

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:
	monun day	year	Sec Twp S. R E
DPERATOR: License#			feet from N / S Line of Se
lame:			feet from E / W Line of Se
.ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip: _		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Ty	pe Equipment:	Ground Surface Elevation:feet
Oil Enh R	tec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	´ = -	Air Rotary	
Dispos		Cable	
Seismic ;# o			Depth to bottom of tresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: I III
			Length of Surface Pipe Planned to be set:
-			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	te: Original Tot	tal Depth:	Formation at Total Depth:
inactional Devicted on Ho	simontalallhanaO	□ Voo □ No	Water Source for Drilling Operations:
Directional, Deviated or Hor	izontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			Will Cores be taken?
			If Yes, proposed zone:
		AF	FIDAVIT
			ugging of this well will comply with K.S.A. 55 et. seq.
he undersigned hereby a	affirms that the drilling, com	pletion and eventual pl	agging of this well will comply with K.S.A. 33 et. seq.
	affirms that the drilling, coming minimum requirements		agging of this well will comply with N.S.A. 33 et. seq.
t is agreed that the follow	ing minimum requirements	will be met:	agging of this well will comply with K.S.A. 35 et. seq.
is agreed that the follow		will be met: udding of well;	
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou	ing minimum requirements ate district office <i>prior</i> to spurved notice of intent to drill sunt of surface pipe as specification.	will be met: udding of well; shall be posted on each	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
agreed that the follow     Notify the appropria     A copy of the appro     The minimum amouthrough all unconso	ing minimum requirements ate district office <i>prior</i> to spowed notice of intent to drill sount of surface pipe as specificated materials plus a mir	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into th	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> </ol>	ing minimum requirements ate district office <i>prior</i> to spowed notice of intent to drill sunt of surface pipe as specificated materials plus a mire, an agreement between the	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the operator and the dis	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> </ol>	ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either plugg	n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in;
<ol> <li>agreed that the follows</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> </ol>	ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be I COMPLETION, production	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;
is agreed that the follow     1. Notify the appropria     2. A copy of the appro     3. The minimum amouthrough all unconso     4. If the well is dry holis     5. The appropriate dis     6. If an ALTERNATE II     Or pursuant to Appe	ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  Trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hole  5. The appropriate dis  6. If an ALTERNATE II  Or pursuant to Appe	ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>agreed that the follows</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Apper</li> </ol>	ing minimum requirements ate district office <i>prior</i> to spot ved notice of intent to drill so unt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>agreed that the follows</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE II Or pursuant to Appromust be completed</li> </ol>	ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appromust be completed	ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appomust be completed	ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either pluggen n pipe shall be cemente surface casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appromust be completed  Ubmitted Electron  For KCC Use ONLY	ing minimum requirements ate district office <i>prior</i> to sproved notice of intent to drill such to surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud	will be met: udding of well; shall be posted on eact fied below shall be set nimum of 20 feet into th the operator and the dis efore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate dis must be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -	ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spudinically	will be met: udding of well; shall be posted on eact fied below shall be set nimum of 20 feet into th ne operator and the dis efore well is either pluge n pipe shall be cemente surface casing order # date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to a completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —	ing minimum requirements ate district office <i>prior</i> to spowed notice of intent to drill sunt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spudinically	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either plugge n pipe shall be cemente surface casing order # date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry holi 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —	ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spudinically	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into the ne operator and the dis efore well is either plugge n pipe shall be cemente surface casing order # date or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hole  5. The appropriate dis  6. If an ALTERNATE II Or pursuant to Appropriate	ing minimum requirements ate district office <i>prior</i> to spowed notice of intent to drill sunt of surface pipe as specificated materials plus a mire, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spudinically	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into th the operator and the dis efore well is either pluga to pipe shall be cemente surface casing order # date or the well shall be the set per ALT. I I II	replace of the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Ecompleted  UDMITTED ELECTRON  For KCC Use ONLY  API # 15 -  Conductor pipe required —  Minimum surface pipe req  Approved by:	ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a minder, an agreement between the surface will be notified be all COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud inically	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into th the operator and the dis efore well is either pluga to pipe shall be cemente surface casing order # date or the well shall be the set per ALT. I I II	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  UDMITTED Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —  Minimum surface pipe req  Approved by:  This authorization expires	ing minimum requirements ate district office <i>prior</i> to spin oved notice of intent to drill such of surface pipe as specificated materials plus a minder, an agreement between the surface will be notified be all COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud inically	will be met: udding of well; shall be posted on each fied below shall be set nimum of 20 feet into th ne operator and the dis efore well is either plugg n pipe shall be cemente surface casing order # date or the well shall be efeet eet per ALT. I I II	replace of the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
ease:	feet from N / S Line of Section		
Vell Number:	feet from E / W Line of Section		
ield:	SecTwp S. R 🗌 E 🔲 W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR/QTR/QTR/QTR of acreage:	is dectioninegular		
	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		
	LAT lease or unit boundary line. Show the predicted locations of		
	quired by the Kansas Surface Owner Notice Act (House Bill 2032).		
	eparate plat if desired.		
	2020 ft.		
	LEGEND		
	O Well Location		
	Tank Battery Location		
	Pipeline Location		
	: Electric Line Location		
	Lease Road Location		
	880 ft.		
	EXAMPLE :		
28			
	1980' FSL		
	SEWARD CO. 3390' FEL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1060052

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Pit is:				
Emergency Pit Burn Pit Proposed		Existing	SecTwpR	
Settling Pit Drilling Pit If Existing, date con		nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l	
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?	
			NAC data (force)	
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit	
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining	
material, thickness and installation procedure.			cluding any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:		
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill nite must h	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY				
			Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



### Kansas Corporation Commission Oil & Gas Conservation Division

1060052

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	sheet listing all of the information to the left for each surface owner. Surface		
Address 1:			
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			

API # 15 -	For KCC Use ONLY

# IN ALL CASES PLOT THE MYENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this sige of the form. Include items 1 through 5 at the bottom of this page.

28	Metro Maria	Show location of ma_well. Show footage to the neacest le lease roads, tank batteries, pipelines and electrical lines, as rea	Cperator: F. G. Holl Company L.L.C.  Lease: H. D. & L.  Well Number: 1-28  Field: Wildcat  Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: - Wild - SE - Miss.
EXAMPLE  1980' FSI  SEWARD CO. 3390' FEL	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	Section is Irregular, locate well from nearest corner boundary.  Section comer used: Ne Ne New SE Sw  PLAT  Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may retract a separate plat if desired.	Location of Well: County: Barton  2020 feet from N / S Line of Section  886 feet from N E / W Line of Section  Sec 28 Twp. 20 S. R. 15 E N W Is Section: N Regular or I Irregular

## In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

- The distance of the proposed drilling location from the south / north and east / west outside section lines.
   The distance to the nearest lease or unit boundary line (in footage).
   If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

July 26, 2011

Franklin R. Greenbaum F. G. Holl Company L.L.C. 9431 E CENTRAL STE 100 WICHITA, KS 67206-2563

Re: Drilling Pit Application H. D. & L. 1-28 NE/4 Sec.28-20S-15W Barton County, Kansas

### Dear Franklin R. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. Keep pits away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.