



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1059113

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	---	---

UNCONSOLIDATED
Oil Well Services, LLC

#240984

TICKET NUMBER 29652

LOCATION Bedford

FOREMAN Jason Bell

884, Chanute, KS 66720
1-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE <u>4-27-11</u>	CUSTOMER # <u>6972</u>	WELL NAME & NUMBER <u>RBM #4</u>	SECTION	TOWNSHIP	RANGE	COUNTY <u>McM</u>
CUSTOMER <u>Rock Bar North</u>			TRUCK # <u>492</u>	DRIVER <u>T.M.</u>	TRUCK #	DRIVER
MAILING ADDRESS			<u>518</u>	<u>James B</u>		
CITY			<u>487125</u>	<u>James</u>		
STATE			<u>402 T90</u>	<u>Trke</u>		
ZIP CODE						

JOB TYPE L.S. HOLE SIZE 5 7/8 HOLE DEPTH 705 CASING SIZE & WEIGHT 2 7/8
 CASING DEPTH 699.7 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.7 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING _____
 DISPLACEMENT _____ DISPLACEMENT PSI _____ MIX PSI _____ RATE _____

REMARKS: Ran 350s gel established circulation. Ran 75 sk thickset. Shut down washed line out. Displaced plug to bottom. Shut in with 200psi.

- Cement circulated to surface -

[Signature]
JTB
JTB

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		
5406		MILEAGE		975.00
5407		bulk truck		
5402	699.7	footage		146.94
5302	1.5	transport		168.00
1126A	25 sks	thick set		
1107A	40#	stems	#	1302.50
1110A	400#	Kolsen	#	48.50
1118b	150 #	Prod	#	176.00
1123	4200 gal	City Water	#	30.00
			#	65.32
		10% discount if paid in 30 days = 344.89	314.89	
		<u>2780.48</u>		

Ravin 3737
 AUTHORIZATION London W. Owen TITLE Pres. SALES TAX 6.3 ESTIMATED TOTAL 3088.35
 DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 240984

=====
Invoice Date: 04/30/2011 Terms: 10/10/30,n/30 Page 1
=====

ROCKIN BAR NOTHIN RANCH INC
2339 COUNTY ROAD 2800
INDEPENDENCE KS 67301
(620)289-4782

RBN#4
29652
4/27/11
KS

=====
=====

Part Number	Description	Qty	Unit Price	Total
1126A	THICK SET CEMENT	75.00	18.3000	1372.50
1107A	PHENOSEAL (M) 40# BAG)	40.00	1.2200	48.80
1110A	KOL SEAL (50# BAG)	400.00	.4400	176.00
1118B	PREMIUM GEL / BENTONITE	150.00	.2000	30.00
1123	CITY WATER	4200.00	.0156	65.52

Sublet Performed	Description	Total
9999-240	CASH DISCOUNT	-169.28
9999-240	CASH DISCOUNT	-128.99

Description	Hours	Unit Price	Total
T-90 WATER TRANSPORT (CEMENT)	1.50	112.00	168.00
492 CEMENT PUMP	1.00	975.00	975.00
492 CASING FOOTAGE	699.70	.21	146.94

Amount Due 3089.41 if paid after 05/30/2011

=====
=====

Parts:	1692.82	Freight:	.00	Tax:	95.99	AR	2780.48
Labor:	.00	Misc:	.00	Total:	2780.48		
Sublt:	-298.27	Supplies:	.00	Change:	.00		

=====

Signed _____

Date _____

BARTLESVILLE, OK
918/338-0808

ELDORADO, KS
316/322-7022

EUREKA, KS
620/583-7664

GILLETTE, WY
307/686-4914

OAKLEY, KS
785/672-2227

OTTAWA, KS
785/242-4044

THAYER, KS
620/839-5269

WORLAND, WY
307/347-4577



**GAMMA RAY
NEUTRON
COMPLETION LOG**

Company	ROCKIN BAR NOTHING RANCH, INC.	Location:	SEC 11 TWP 34S RGE 14E	Elevation	858EST
Well	MELANDER #RBN 4	3630 FSL & 3290' FEL	GL	K.B.	GL 858EST
Field	WAYSIDE-HAVANA	W/2 NE SE NW	GL	D.F.	GL 858EST
County	MONTGOMERY	Other Services	GL		
State	KANSAS	API # : 15-125-32061-00-00			
Date	5-2-11				
Run Number	1 NW				
Depth Logger	890.7'				
Top Log Interval	0				
Bottom Logged Interval	890.7'				
Fluid Level	FULL				
Type Fluid	WATER				
Production Casing	2 7/8" @ TD				
Max. Recorded Temp					
Estimated Cement Top					
Calculated Cement Top					
Amount & Type Cement					
Amount & Type Admix					
Drilling Contractor					
Equipment Number	109				
Location	SANBORN, G				
Recorded By	OWMENS, B				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
GR	7.59		GR-TITAN 169 (TIT169_001) Titan 1 11/16" Gamma Ray	4.75	1.69	20.00
CCL	5.05		CCL-TITAN 169 (TIT169) Titan 1 11/16" Logging CCL	1.83	1.69	7.50
NEU	0.63		NEU-TITAN (TIT801) TITAN 1 11/16" Neutron	4.33	1.69	25.00

Dataset: melander #rbn 4.db: field/well/run1/pass1
 Total Length: 10.92 ft
 Total Weight: 52.50 lb
 O.D.: 1.69 in

Database File: g:\melander #rbn 4.db
 Dataset Pathname: pass1
 Presentation Format: gr-n-ccl
 Dataset Creation: Mon May 02 10:16:50 2011 by Log Std Casedhole 09061
 Charted by: Depth in Feet scaled 1:240



Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Ward Loyd, Commissioner
Thomas E. Wright, Commissioner

Sam Brownback, Governor

July 06, 2011

Brandon Owens
Rockin Bar Nothing Ranch, Inc.
2339 COUNTY RD 2800
INDEPENDENCE, KS 67301-7187

Re: ACO1
API 15-125-32061-00-00
Melander RBN 4
NW/4 Sec.11-34S-14E
Montgomery County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,
Brandon Owens