



BISON

Bison Oil Well Cementing Inc.
 1738 Wynkoop St.
 Suite 102
 Denver, CO 80202
 303-296-3010

Invoice

| | |
|----------|-----------|
| Date | Invoice # |
| 4/7/2011 | 9933 |

| |
|--|
| Bill To |
| Excell Services, LLC 36629 US HIGHWAY 385 Wray, CO 80758 |

| Location | Well Name & No. | Job Type | Terms | Rig | |
|----------------|--------------------------|----------|--------|----------|-----------|
| Cheyenne, KS | Nipps 13-33B | Surface | Net 30 | | |
| Item | Description | Qty | U/M | Rate | Amount |
| Pump surface | PUMP Charge-surface pipe | 1 | | 1,400.00 | 1,400.00 |
| MILEAGE | Mileage charge | 168 | | 3.00 | 504.00 |
| | Subtotal of Services | | | | 1,904.00 |
| Centralizer 7" | Centralizer 7" | 1 | | 77.50 | 77.50T |
| B3-Lite | 50/50 Poz (3%) | 177 | Sack | 16.50 | 2,920.50T |
| Discount 10% | Discount 10% | | | -10.00% | -292.05 |
| | Subtotal of Materials | | | | 2,705.95 |
| | | | | | 4,609.95 |

Please Remit Invoices To:

Bison Oil Well Cementing, Inc.
 P.O. Box 29671
 Thornton, CO 80229

| | |
|-------------------------|------------|
| Subtotal | \$4,609.95 |
| Sales Tax (8.3%) | \$224.60 |
| Total | \$4,834.55 |
| Balance Due | \$4,834.55 |

X 110%
 \$ 5,318.01

RECEIVED
 APR 13 2011



BISON

Bison Oil Well Cementing Inc.
 1738 Wynkoop St.
 Suite 102
 Denver, CO 80202
 303-296-3010

Invoice

| | |
|----------|-----------|
| Date | Invoice # |
| 4/8/2011 | 9929 |

| |
|--|
| Bill To |
| Excell Services, LLC 36629 US HIGHWAY 385 Wray, CO 80758 |

| Location | Well Name & No. | Job Type | Terms | Rig | |
|--------------------------|--|------------|--------|------------------|-------------------------------|
| Cheyenne, KS | Nipps 13-33B | Production | Net 30 | | |
| Item | Description | Qty | U/M | Rate | Amount |
| Pump Charge - ... | Pump Charge - Production Pipe | 1 | | 2,000.00 | 2,000.00 |
| MILEAGE | Milage charge Subtotal of Services | 172 | | 3.00 | 516.00 2,516.00 |
| Centralizer 4 1/2" | Centralizer 4 1/2" | 8 | | 42.00 | 336.00T |
| Float Shoe 4 1/2" | Float Shoe 4 1/2" | 1 | | 285.00 | 285.00T |
| LD Plug -4 1/2" | LD Plug & Baffle -4 1/2" | 1 | | 253.00 | 253.00T |
| BG-Lite Discount 10% | Tail 13.8 lb/gal 50/50 Poz Discount 10% | 56 | Sack | 16.50 -10.00% | 924.00T -92.40 |
| N-Gel-13 Discount 10% | Lead 12lb Discount 10% Subtotal of Materials | 40 | Sack | 16.50 -10.00% | 660.00T -66.00 2,299.60 |
| | | | | | 4,815.60 |

Please Remit Invoices To:

Bison Oil Well Cementing, Inc.
 P.O. Box 29671
 Thornton, CO 80229

| | |
|------------------|-------------------|
| Subtotal | \$4,815.60 |
| Sales Tax (8.3%) | \$190.87 |
| Total | \$5,006.47 |
| Balance Due | \$5,006.47 |

X 110%
 \$ 5,507.12

RECEIVED
 APR 19 2011

BISON OIL WELL CEMENTING, INC.



1738 Wynkoop St., Ste. 102
 Denver, Colorado 80202
 Phone: 303-290-3010
 Fax: 303-298-6143
 E-mail: bisonoil1@qwestoffice.net

REF. INVOICE # 9929
 LOCATION ST Francis KS
 FOREMAN Justin Crick

TREATMENT REPORT

| | | | | | | |
|--|------------------------------------|----------------------|-----------------------------------|-------------------|---------------------------|-----------|
| DATE 4-8-11 | WELL NAME N. PPS 13-33 B | SECTION 33 | TWP 5S | RGE 39W | COUNTY Cheyenne | FORMATION |
| CHARGE TO Excell | | | OWNER | | | |
| MAILING ADDRESS | | | OPERATOR | | | |
| CITY | | | CONTRACTOR Excell Rig 2 | | | |
| STATE ZIP CODE | | | DISTANCE TO LOCATION 86 | | | |
| TIME ARRIVED ON LOCATION 2:30pm Reg 7:00pm | | | TIME LEFT LOCATION | | | |

| WELL DATA | | | PRESSURE LIMITATIONS | | | |
|---------------------------------|-------------------|---------------|---------------------------|--|----------------------------------|--|
| HOLE SIZE | TUBING SIZE | PERFORATIONS | THEORETICAL | | INSTRUCTED | |
| 6 7/8 | | | | | | |
| TOTAL DEPTH 1366 | TUBING DEPTH | SHOTS/FT | SURFACE PIPE ANNULUS LONG | | | |
| | TUBING WEIGHT | OPEN HOLE | STRING | | | |
| CASING SIZE 4 1/2 | TUBING CONDITION | | TUBING | | | |
| CASING DEPTH 1550 | PS 1504 | TREATMENT VIA | TYPE OF TREATMENT | | TREATMENT RATE | |
| CASING WEIGHT 11.6 | PACKER DEPTH | | SURFACE PIPE | | BREAKDOWN BPM | |
| CASING CONDITION good | | | PRODUCTION CASING | | INITIAL BPM | |
| PRESSURE SUMMARY | | | SQUEEZE CEMENT | | FINAL BPM | |
| BREAKDOWN @ CIRCULATING psi | AVERAGE psi | | ACID BREAKDOWN | | MINIMUM BPM | |
| FINAL DISPLACEMENT psi | ISIP psi | | ACID STIMULATION | | MAXIMUM BPM | |
| ANNULUS psi | 5 MIN SIP psi | | ACID SPOTTING | | AVERAGE BPM | |
| MAXIMUM psi | 15 MIN SIP psi | | MISC PUMP | | | |
| MINIMUM psi | | | OTHER | | HYD HHP = RATE X PRESSURE X 40.8 | |

INSTRUCTIONS PRIOR TO JOB **MIRU Safety Circ MHP 40 SRS of U-gel-12 yield 2.14 mix 14.8 bbls of H₂O/H₂O Reg of 15.6 gal/SRS @ 12.016 MHP 56 SRS of B6 Lite yield of 1.35 mix 13 bbls of H₂O/H₂O Reg of 9.7 gal/SRS @ 13.816**
Dropping Displace 233 bbls of H₂O set plug

Annulus 1026 Capacity 10155 20% excess per 5 min

JOB SUMMARY

DESCRIPTION OF JOB EVENTS **MIRU Safety Circ @MHP @MHP Dropping Displace Setplug**

| | | | | | | | |
|---------------|---------------|---------------|---------------|---------------|-------------------------|---------------|---------------|
| 2:30pm | 4:00pm | 4:08pm | 4:10pm | 4:17pm | 4:24pm | 4:26pm | 4:37pm |
| | | | | | 4:30pm 10 330 | | |
| | | | | | 4:34pm 20 500 | | |
| | | | | | 4:36pm 29.3 1160 | | |

4 bbls to pt

[Signature]
 AUTHORIZATION TO PROCEED

Field Rep
 TITLE

4-8-11
 DATE

Customer hereby acknowledges and specifically agrees to the terms and conditions on this work order, including, without limitation, the provisions on the reverse side hereof which include the release and indemnity.