

Customer White Exploration	Lease No.	Date 6-28-11
Lease RJD Unit	Well # 1	
Field Order # 4373	Station Pratt, Kansas	Casing 8 5/8 23lb.
Type Job C.N.W. - Surface	Depth 264 Feet	County Hodgeman
	Formation	State Kansas
		Legal Description I-235-24W

PIPE DATA		PERFORATING DATA		CEMENT USED		TREATMENT RESUME		
Casing Size 8 5/8 23lb./ft.	Tubing Size	Shots/Ft		150 sacks Common Well	RATE	PRESS	ISIP	
Depth 264 Feet	Depth	From	To	28 Gal, 380	Max		5 Min.	
Volume 16.9 Bbl.	Volume	From	To	15 lb. / Gal, 6.1	Min		10 Min.	
Max Press 300 P.S.I.	Max Press	From	To		Avg		15 Min.	
Well Connection Plug Container	Annulus Vol.	From	To		HHP Used		Annulus Pressure	
Plug Depth 249 Feet	Packer Depth	From	To	Flush 16 Bbl. Fresh Water	Gas Volume		Total Load	

Customer Representative Mite Kerns	Station Manager David Scott	Treater Clarence R. Messick
---------------------------------------	--------------------------------	--------------------------------

Service Units	37,216	19,903	19,905	19,831	21,010				
Driver Names	Messick	Mittal	Lawrence						

Time P.M.	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
5:00					Pump truck on location.
10:00					Cementer, Cement on location and hold safety meeting.
12:10					Pickrel Drilling start to run 6 Joints new 23lb./ft. 8 5/8" casing.
1:20					Casing in well. Circulate for 5 minutes.
1:30	275			5	Start Fresh Water Pre-Flush.
	300		10	5	Start Mixing 150 sacks Common Cement.
	-0-		46		Stop pumping. Shut in well. Release Wooden Plug. Open Well.
1:40	100			5	Start Fresh Water Displacement.
1:47	300		16		Plug down. Shut in well.
					Circulated 10 sacks cement to the pit.
					Wash up pump truck.
2:15					Job Complete.
					Thank You.
					Clarence, Mite, Mite