

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1061059

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	
Phone: ()	
CONTRACTOR: License #	
Name:	Lease Name:Well #:
Wellsite Geologist:	
Purchaser:	
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW	Amount of Surface Pipe Set and Cemented at: Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
OG GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SV	/D
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
	_
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Side Two	1061059
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	n (Top), Depth and		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	ie		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted E (If no, Submit Copy)	Electronically	 Yes No Yes No Yes No 					
List All E. Logs Run:							
			G RECORD	ew Used	on eta		
	Ciara I Jala					# On also	Turne and Develop
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					e		Depth		
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner R	un:	No	
Date of First, Resumed	Product	ion, SWD or ENHF	ł.	Producing M	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	s.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF (BAS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Sold		Jsed on Lease		Open Hole	Perf.	Uually (Submit)	Comp. ACO-5)	Commingled (Submit ACO-4)		
(If vented, Sul	bmit ACC)-18.)		Other (Specify)						<u></u>

ABJLENE TX 73666-7032 WHITE GATE GD IN WEST GATE LANDOWNER.CR.CHARK.LE FOLTZ TIME FORMULA LOAD SZE YARDS ORDERED DRIVENTRUCK PLANT/TRANK 12:59:22p VELL II 15.90 yd 3.00 34 0.00 ANDOD DATE 0 DATE LOAD # VARDS DEL BATCH# WATERTRIM SLUMP TOKETN 07-01-11 0 DATE LOAD # VARDS DEL BATCH# WATERTRIM SLUMP COKETN ODATE DATE LOAD # VARDS DEL BATCH# WATERTRIM SLUMP COKETN 07-01-11 Oday 1 15.00 yd 17.7391 G/yd -7.0.0 4.00 stn 25 COMMENTING TO THE SKIN AND EYES COMENTING TO THE SKIN AND EYES COMENTING TO THE SKIN AND EYES COMENTING TO THE SKIN AND EYES TO START AND COMENT WINNER, INTRODUCTING THE TO THE REAMENT OF THE		4 s 66749) 365-5588		GLOOP	SI4/20 LEASE: 169 N	under truck's own j seller assumes no roadways, driveway risk. The maximum cate of the basimes strength test when w NOTICE TO OWNE Failure of this contr complete this contr which is the subject	ower. Due to delivery at own responsibility for damages s, buildings, trees, shrubben allotted time for unioacting i even tholding trucks longer- ater is added at customer's re- ater is added at customer's re- actor to pay those persons s actor to result in the filling of a of this contract.	supplying material or services to mechanic's lien on the property SHIP TO -
TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANS 12:598:22.0 IEL_III 15.98 yd 15.98 yd 4.04 is SS 4.03 is RNDCG DATE IOAD# IAAD# YARDS OPEL BATCH# WARDS NEL BATCH# MARCH# ALB BATCH# ALB COME BATCH# ALB ALB ALB ALB ALB <th></th> <th></th> <th>그는 아님, 이가 영가 만큼 가져졌던 것이 못 먹을 것을 줄입니?</th> <th></th> <th>uhtte.</th> <th>GATE GO IN W</th> <th>EST GATE</th> <th></th>			그는 아님, 이가 영가 만큼 가져졌던 것이 못 먹을 것을 줄입니?		uhtte.	GATE GO IN W	EST GATE	
12:59:22 p VELL II 15:00 yd 4 CAL 58 4 AIR 0ATE 0 Date 1000 # VARDS DEL BATCH# WATER TRIM SUMMP 07-01-11 0 day 1 15:00 yd 17:391 8/yd -76.0 4.00 arm WARRING INFORMENTING TO THE SKIN AND EYES Content White Boton and Down PREUMER Content White Boton and Boton PREUM Content White Boton and Down PREUMER Content White Boton and Boton PREUM Content White Boton and Boton PREU	TIME	FORMULA		YARDS ORDERED	Cardial Series		- 46.36	PLANT/TRANSACTION #
DATE U DATE U DATE U ARDS DEL BATCH# WARENTRIM SLUMP TOKETN 07-01-11 0 day 1 15,00 yd 17391 9/yd -76,0 4,00 in 23 WARNING INTERTATING TO THE SKIN AND EYES Contain Softiard Center, Weith Rubbe Root and Gwess, RROUNDED CONTACT MAY CAUSE BRIN, Suid Center With Research Reveal Control With Reveal Control With Reveal Reveal Rev		<u>. p. and an included of a delaye</u>		poeronana cabatetrine - 10 - 6 - 2	Y CAL	2.2.8.000000000000000000000000000000000	% AIR	200 PE 202 COMPANY & CONTRACTOR & CONTRACT
07-01-11 0 Date 1 1.5.00 90 1.7.391 E/yd -70.0 4.000 11 20 WARNING INFORMED COMMENDER SUBJECTION Contrain the SUIM AND EYES Contrain the C	12:50:22p	WELL II	15.00 yd	`15.00_yd	ē.00	.34	0.00	ANDCO
B7-01-11 Oday 1 15.00 yd 17.391 B/yd -70.0 4.000 in 25 WARNING INTERTINGTOTHE SKIN ADD EYES Content Syntan Charles With Syntan Biologics Charles ADD Syntan Content Syntan Charles With Syntan Biologics Charles ADD Syntan PROPERTY DAMOG RELEASE (10 B BIRD FELKET 10 b) (10 B RELEASE 10	DATE		LOAD #	0.644555517722307230272553535357302545556555	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
IRRITATING TO THE SKIN AND EYES Contains Portland Contract War Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURN. Add Contract Win Passe and Policy Detring Contract Win Skin. C Dase of Contract Win Skin or Case, Flush Theoremap Contract Win Passe. Get Medical Annotan. Key Berg Michael ANAX. He discuss and Gloves. PROLONGE DOT MAY MIN Win Water. I inflation Passes. Get Medical Annotan. Key Berg Michael ANAX. CONSETE to a PERSIDENCE DEVICE BEFORE ECONADOTY and BECOMES the PROPERTY of the HIRD-MSR ILPON To the passes of a discuss of provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the static and the passes of the static and static provide static and the passes of the static and the passes of the static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the provide static and static provide static and the passes of the static and static provide static and static and static provide static and static provi	07-01-11		, iso		17391	6/yd -70.0	4.00 in	29490
RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED S. 50 <	Contact With Skin or Eye Attention. KEEP CHILDRE CONCRETE is a PERISHABL LEAVING the PLANT. ANY TELEPHOLED to the OFFICE The undersigned promises it any sums owed. All accounts not paid within 30 Not Responsible for Reactiv Material is Delivered. A 325 Service Charge and Excess Delay Time Charged (6)	as, Flush Theroughly With Water, If J EN AWAY. E COMMODITY and BECOMES the PROF CHANGES OR CANCELLATION of ORIG E BEFORE LOADING STARTS. o pay all costs, loading researcheable alto o days of delivery will bear interest at the rat re Aggregate or Color Quality. No Claim Loss of the Cash Discount will be colle @ \$50/HR.	Inflation Persists, Get Medical OPERTY of the PURCHASER UPON IGINAL INSTRUCTIONS MUST be tomeys' fees, incurred in collecting ate of 24% per annum, im Allowed Unless Made at Time lected on all Returned Checks.	Tack may possibly cause damage property if a places the material in a dwish to help you'in every way the dwise is requesting that you age the supplier from any responsibility to the premises and/or adjuence driverways, cutos, you, by the defi- tion of the supple for the public state ion, the undersigned agenes to indie of this track and this repletion to the supple of the supple for an artificial of delivery of this order. SNED	to the premises and/or adjacent this load where you desire it. It is hat we can, but in order to do this phis RELEASE relieving him and it.ford any damage that may occur t property, buildings, sidewalks, ery of this material, and that you from the wheels of his vehicle so the truther, as additional considera- mmity and hold harmless the driver van di all damage to the premises	WEIGHMASTER NOTICE: MY SIGNATURE BEL NOTICE: AND SUPPLIER WI WHEN DELIVERING INSIDE CI	OW INDICATES THAT I HAVE LL NOT BE RESPONSIBLE JRB LINE.	READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED Heat Courses Heat Courses EXTENDED PRICE
RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED S. 50 S. 50 S. 70 RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED S. 50 S. 70 S. 70 Main LIST LIST S. 50 S. 70 S. 70 S. 70 S. 70 Main LIST S. 50 S. 70 S. 700 S. 700 S. 700	10 00	(1177) F 777	210°23		• •	at the state	1	
3.35 817 RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED AD To tal \$ Sign Provided Poly Provided Poly Colspan="2">To tal \$ Sign Poly Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2">Colspan="2"	2.343							1140.00
4:25 3:47 2: SLOW OF PLADY 8: TRUCK BROKE DOWN 5: ADTotal \$ 1407 of al	3.25	a konstanje naje slavje	A AND DUT A A THE SET	a an		Barrie M. The C. Mart	್ಷ ಕೆಲ್ಲಿ ಕೆಲ	8178.75
4:25 3:47 2 STONY REPUND REPUN								
1. JOB NOT READY 2. SLOW POLING OF PLANP 2. SLOW POLING OF PLANP 7. ACCIDENT T BX % 7. 8000		LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	LINDER TEST TAKEN	TIME ALLOWED	ATTAN 3 A	s mensione introduce
	RETURNED TO PLANT			1. JOB NOT READY				Part Con
LEET PLANT ABRIVED IOR START UNI DADING 4. CONTRACTOR BROKE DOWN 9. OTHER TIME DUE DOWN 9. OTHER	RETURNED TO PLANT	3:40		2. SLOW POUR OR PUMP				
ADDITIONAL CHARGE 1	4:25	3:4D	START UNLOADING	2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	8. CITATION	TIME DUE	stal \$8 Ing	1.86 133-15
TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME DELAY TIME ADDITIONAL CHARGE 2	4:25	3:4D	START UNLOADING	2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	8. CITATION	TIME DUE	stal \$\$ 103 der \$	1.86 1377-15
3.25 GRAND TOTAL ▶ 7世	4:25 LEFT PLANT	3:47 ARRIVED JOB		2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	8. CITATION	-	otal \$8 102 der \$ Additional Charge	1.86 1377-15 1377-15 1

.