

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1061532

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
OPERATOR: License#	feet from N / S Line of Section
Name:	foot from   E /   W Line of Continu
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: +	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Yes No
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate:
II OWWO. Old Well Information as follows.	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
B: ::   B : :	Water Source for Drilling Operations:
	No Well Farm Pond Other:
If Yes, true vertical depth:	DWK Fellill #.
Bottom Hole Location:	(Note: Apply for Fernic War DWK)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eve	
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	entual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted	entual plugging of this well will comply with K.S.A. 55 et. seq.  I on each drilling rig;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i>	entual plugging of this well will comply with K.S.A. 55 et. seq.  I on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee	entual plugging of this well will comply with K.S.A. 55 et. seq.  I on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee	entual plugging of this well will comply with K.S.A. 55 et. seq.  If on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be	I on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing	If on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  If on each drilling rig; If the set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the set by circulating rig;  If the set by circu
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing	I on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing	If on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  If on each drilling rig; If the set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the set by circulating rig;  If the set by circu
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feed  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well	If on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feed  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well	If on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well appears to the spud date or the well submitted Electronically	If on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well	If on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee  4. If the well is dry hole, an agreement between the operator and  5. The appropriate district office will be notified before well is eith  6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well appears to the spud date or the well submitted Electronically	If on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing II shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted: 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be 0r pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY  API # 15 -	If on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted:  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eitled. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY  API # 15	In on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing II shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted: 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be 0r pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY  API # 15	In on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing II shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted:  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eitled. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY  API # 15	In on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date.  Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing if shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted:  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be 0r pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well be completed.  Submitted Electronically  For KCC Use ONLY  API # 15	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted: 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be 0. Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY  API # 15	In on each drilling rig; If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; commented from below any usable water to surface within 120 DAYS of spud date.  Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing if shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted:  3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be 0. Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well be completed.  Submitted Electronically  For KCC Use ONLY  API # 15	In on each drilling rig;  If be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  If the district office on plug length and placement is necessary prior to plugging; ner plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing II shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1540 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

061532

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:  ———————————————————————————————————		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	pe closed within 365 days of spud date.
Submitted Electronically			
	ксс	OFFICE USE OI	NLY  Liner Steel Pit RFAC RFAS
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No



#### Kansas Corporation Commission Oil & Gas Conservation Division

1061532

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	country and in the real estate preparty toy records of the country traceurer		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			

## **IOLA SONIC DRIVE-IN**



**SUMME** CALL IN ADVANCE - NO WAITING

Dan Oswalt Manager

301 W. Madison

365-5282

Iola, KS

