

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1061628

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:	day year	Spot Description:
monut	day your	Sec Twp S. R E
PERATOR: License#		feet from \bigcup N / \bigcup S Line of Sec
ame:		feet from L E / L W Line of Sec
ddress 1:		Is SECTION: Regular Irregular?
ddress 2:		
ity: Sta	·	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
CONTRACTOR: License#		Is this a Prorated / Spaced Field? Yes
lame:		Target Formation(s):
Well Drilled For: Well (	Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec II	Infield Mud Rotary	Ground Surface Elevation:feet N
	Pool Ext. Air Rotary	Water well within one-quarter mile:
	Wildcat Cable	Public water supply well within one mile:
	Other	Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
	an fallanua.	Surface Pipe by Alternate: II II
If OWWO: old well information a	as toliows:	Length of Surface Pipe Planned to be set:
Operator:		Length of Conductor Pipe (if any):
Well Name:		Projected Total Depth:
Original Completion Date:	Original Total Depth:	
		Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbe		Well Talliffold Other.
f Yes, true vertical depth: Bottom Hole Location:		DWR Permit #:
DOLLOTTI I TOTE LOCALIOTI.		
		(Note: Apply for Permit with DWR )
		Will Cores be taken?
		Will Cores be taken?
CCC DKT #:		Will Cores be taken?  If Yes, proposed zone:
CCC DKT #:	the drilling, completion and eventual	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT
CCC DKT #:	the drilling, completion and eventual mand requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT
CCC DKT #:  The undersigned hereby affirms that to the tis agreed that the following minimum  1. Notify the appropriate district of	the drilling, completion and eventual mand requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that to this agreed that the following minimum 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface.	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> ;	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that to this agreed that the following minimum of the appropriate district of the approved notice of the a	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that to is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreer	the drilling, completion and eventual merequirements will be met:  ffice <b>prior</b> to spudding of well;  of intent to drill <b>shall be</b> posted on expipe as specified below <b>shall be</b> ;  erials plus a minimum of 20 feet into ment between the operator and the	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that to the sagreed that the following minimum of the sagreed that the appropriate district of the sagreed notice of the sagreed all unconsolidated materials. If the well is dry hole, an agreer the sagreer sagreer that the sagreer	the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on eace pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either pl	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in;
the undersigned hereby affirms that the is agreed that the following minimum.  Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surfact through all unconsolidated mate 4. If the well is dry hole, an agreer 5. The appropriate district office with an ALTERNATE II COMPLET	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on eace pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place.	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that to is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surfact through all unconsolidated mate 4. If the well is dry hole, an agreer 5. The appropriate district office with 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in;
The undersigned hereby affirms that to the sagreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surfact through all unconsolidated mate 4. If the well is dry hole, an agreer 5. The appropriate district office with 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that to is agreed that the following minimum  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surfact through all unconsolidated mate 4. If the well is dry hole, an agreer 5. The appropriate district office with 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the is agreed that the following minimum of the appropriate district of the approved notice of the appropriate and the appropriate district office with a property of the appropriate district office with a number of the appropriate district of the approved notice of t	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with the appropriate district office with a ALTERNATE II COMPLET or pursuant to Appendix "B" - E must be completed within 30 days and the approved notice of the appropriate district of the approved notice of the	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with the appropriate district office with a ALTERNATE II COMPLET or pursuant to Appendix "B" - E must be completed within 30 days and the approved notice of the appropriate district of the approved notice of the	the drilling, completion and eventual m requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that to a sagreed that the following minimum.  1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate.  4. If the well is dry hole, an agreer 5. The appropriate district office w.  6. If an ALTERNATE II COMPLET. Or pursuant to Appendix "B" - Emust be completed within 30 day.  Ubmitted Electronically.	the drilling, completion and eventual in requirements will be met:  Iffice <i>prior</i> to spudding of well;  If intent to drill <i>shall be</i> posted on e epipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. TON, production pipe shall be cemes Eastern Kansas surface casing order ays of the spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of an acceptance of the approved notice of a surface through all unconsolidated mater and the well is dry hole, an agreer of the appropriate district office with a propriate district office with a propriate of the appropriate of the	the drilling, completion and eventual in requirements will be met:  Iffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on each posted on the posted of the posted	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that to is agreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with a part of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the approved no	the drilling, completion and eventual in requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on exercise pipe as specified below <i>shall be</i> ;  erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either ploton, production pipe shall be cemes eastern Kansas surface casing orderays of the spud date or the well shall be the spud date or the spud date	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with the well is dry hole, an agreer of the appropriate district office with a national to the appropriate of the appropria	the drilling, completion and eventual in requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on exercise pipe as specified below <i>shall be</i> ;  erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either ploton, production pipe shall be cemes eastern Kansas surface casing orderays of the spud date or the well shall be the spud date or the spud date	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that to is agreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with a part of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the approved no	the drilling, completion and eventual in requirements will be met:  Iffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on experience as specified below <i>shall be</i> ;  ere pipe as s	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that to the sagreed that the following minimum of the sagreed that the following minimum of the sagreed that the appropriate district of the sagreed that the approved notice of the sagreed of the sagr	the drilling, completion and eventual in requirements will be met:  ffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on experience of intent to drill <i>shall be</i> posted on experience of specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either ploon, production pipe shall be cemes asstern Kansas surface casing order anys of the spud date or the well shall be specified before well.	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with the appropriate district office with a property or pursuant to Appendix "B" - E must be completed within 30 days and the approved of the approved	the drilling, completion and eventual in requirements will be met:  Iffice <i>prior</i> to spudding of well;  of intent to drill <i>shall be</i> posted on exercise pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either ploton, production pipe shall be cemestastern Kansas surface casing orderays of the spud date or the well shall have a feet feet feet feet feet feet feet per ALT.	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  Ach drilling rig;  Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Clistrict office on plug length and placement is necessary prior to plugging; bugged or production casing is cemented in; and in the set of the wany usable water to surface within 120 DAYS of spud date.  Bet 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 330 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit	Pit is:  Proposed  If Existing, date co	Existing	SecTwp R East
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.
		Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
KCC OFFICE USE ONLY			
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

For KCC Use ONLY		
API # 15		

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form.	Include items 1 through 5 at the bottom of this page.
Operator: Trimble & Maclaskey Oil, LLC  Lease:	Location of Well: County: Lyon  330
Well Number: 1 Field: Bradfield	Sec. 24 Twp. 21 S. R. 10 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
PLA Show location of the well. Show footage to the nearest lea lease roads, tank batteries, pipelines and electrical lines, as requ You may attach a sep	ase or unit boundary line. Show the predicted locations of ired by the Kansas Surface Owner Notice Act (House Bill 2032).
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
24	EXAMPLE

1980' FSL

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# **Summary of Changes**

Lease Name and Number: Rossillion 1
API/Permit #: 15-111-20436-00-00

Doc ID: 1061628

Correction Number: 2

Approved By: Rick Hestermann 08/26/2011

Field Name	Previous Value	New Value
ElevationPDF	1261 Estimated	1282 Estimated
Ground Surface Elevation	1261	1282
Is Footage Measured from the East or the West Section Line	West	East
Is Footage Measured from the East or the West Section Line	West	East
KCC Only - Approved By	Rick Hestermann 12/14/2010	Rick Hestermann 08/26/2011
KCC Only - Approved Date	12/14/2010	08/26/2011
KCC Only - Date Received	12/13/2010	08/26/2011
KCC Only - Regular Section Quarter Calls	SW SW SW	SW SW SE
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=24&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=24&t
Number of Feet East or West From Section Line	330	2310

# Summary of changes for correction 2 continued

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	330	2310
Quarter Call 1 - Largest	SW	SE
Quarter Call 1 - Largest	SW	SE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 48126	//kcc/detail/operatorE ditDetail.cfm?docID=10 61628

# **Summary of Attachments**

Lease Name and Number: Rossillion 1

API: 15-111-20436-00-00

Doc ID: 1061628

Correction Number: 2

Approved By: Rick Hestermann 08/26/2011

**Attachment Name**