

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:				
Effective	Date:			
District #				
SGA?	Yes No			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1061701

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:
	monun day	year	(Q/Q/Q/Q) Sec Twp S. R 🔲 E
DPERATOR: License#			feet from N / S Line of Sec
lame:			feet from E / W Line of Sec
.ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip: _		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Ty	pe Equipment:	Ground Surface Elevation:feet N
Oil Enh F	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Stora	* H	Air Rotary	· ————————————————————————————————————
Dispo		Cable	
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			
			Projected Total Depth:
Original Completion Da	ate: Original Tot	tal Depth:	
inantianal Davietad av Ha	٥ مع مطال سيا المغمونية	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Ho	mzontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			VIII COTOS DE LAIGHT:
			If Yes, proposed zone:
			FIDAVIT
		AF	HIDAVII
he undersigned hereby	affirms that the drilling, comp		ugging of this well will comply with K.S.A. 55 et. seq.
-	affirms that the drilling, comprise ving minimum requirements	pletion and eventual pl	
t is agreed that the follow	ving minimum requirements	pletion and eventual pl will be met:	
t is agreed that the follow 1. Notify the appropria		pletion and eventual pl will be met: udding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounts	ving minimum requirements of ate district office <i>prior</i> to spu oved notice of intent to drill so unt of surface pipe as specif	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be see	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
 agreed that the follow Notify the appropria A copy of the appro The minimum amounthrough all unconso 	ving minimum requirements of a district office <i>prior</i> to spure oved notice of intent to drill so unt of surface pipe as specifically a minimum and materials plus a minimum and minimum and materials plus a minimum and minimum requirements of the district of the minimum requirements of the district of the minimum requirements of the district of	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry hor 	ving minimum requirements of ate district office <i>prior</i> to sput oved notice of intent to drill <i>s</i> unt of surface pipe as specifical colidated materials plus a minule, an agreement between the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging;
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis 	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug	by drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I 	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be II COMPLETION, production	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente	h drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
 s agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be a complete of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 s agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be a complete of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements of ate district office <i>prior</i> to spure oved notice of intent to drill <i>s</i> unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be a complete of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 s agreed that the follow Notify the appropria A copy of the appropria The minimum amore through all unconst If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to Appropriate dis 	ving minimum requirements of attention of surface pipe as specificated materials plus a minile, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas is within 30 days of the spud of the district of the spud of	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 s agreed that the follow Notify the appropria A copy of the appropria The minimum amore through all unconst If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to Appropriate dis 	ving minimum requirements of attention of surface pipe as specificated materials plus a minile, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas is within 30 days of the spud of the district of the spud of	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirements of attention of surface pipe as specificated materials plus a minile, an agreement between the strict office will be notified be II COMPLETION, production bendix "B" - Eastern Kansas is within 30 days of the spud of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug n pipe shall be cemente surface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ubmitted Electron For KCC Use ONLY	ving minimum requirements of attemption attemption of surface of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be all COMPLETION, production bendix "B" - Eastern Kansas at within 30 days of the spud of inically	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dis efore well is either plug in pipe shall be cemente surface casing order # date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed Ibmitted Electron For KCC Use ONLY API # 15 -	ving minimum requirements of attemption attemption of surface of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be surface of the surface of t	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dist efore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements of ate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be seried in COMPLETION, production bendix "B" - Eastern Kansas and within 30 days of the spud of the	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dise fore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	h drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements of attemption attemption of surface of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be surface of the surface of t	pletion and eventual pl will be met: udding of well; shall be posted on each fied below shall be sen nimum of 20 feet into the ne operator and the dise fore well is either plug n pipe shall be cemente surface casing order # date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompleted	ving minimum requirements of ate district office <i>prior</i> to spud oved notice of intent to drill so unt of surface pipe as specificated materials plus a minule, an agreement between the strict office will be notified be seried in COMPLETION, production bendix "B" - Eastern Kansas and within 30 days of the spud of the	pletion and eventual plewill be met: udding of well; shall be posted on each fied below shall be senimum of 20 feet into the operator and the disefore well is either plug in pipe shall be cemente surface casing order #date or the well shall be better the well shall be better per ALT.	h drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed UDMITTED FOR KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe rec	ving minimum requirements of atte district office <i>prior</i> to spurate district office <i>prior</i> to spurate district of surface pipe as specifically an agreement between the strict office will be notified be strict of the specific within 30 days of the spud of	pletion and eventual plewill be met: udding of well; shall be posted on each fied below shall be senimum of 20 feet into the operator and the disefore well is either plug in pipe shall be cemente surface casing order #date or the well shall be better the well shall be better per ALT.	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed JDMITTED Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompleted by: This authorization expires	ving minimum requirements of atte district office <i>prior</i> to spurate district office <i>prior</i> to spurate district of surface pipe as specifically an agreement between the strict office will be notified be strict of the specific within 30 days of the spud of	pletion and eventual pletion and eventual plewill be met: udding of well; shall be posted on each fied below shall be senimum of 20 feet into the operator and the diselfore well is either plugh pipe shall be cemente surface casing order # date or the well shall be set per ALT.	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _						Location	of Well: Cou	nty:
Lease:								feet from N / S Line of Section
Well Numb	er:							feet from E / W Line of Section
Field:						Sec	Twp.	S. R 🗌 E 🔲 W
	Acres attributa					Is Section	n: Regi	ular or 🔲 Irregular
							n is Irregular corner used:	r, locate well from nearest corner boundary. NE NW SE SW
				electrical lin	es, as requ attach a seg	ase or unit b	Kansas Surfa	Show the predicted locations of ce Owner Notice Act (House Bill 2032).
3020 ft		:		— 0	:			LEGEND
								O Well Location Tank Battery Location Pipeline Location
					:	:		Electric Line Location Lease Road Location
		:	:	:	:	:		
				. — :	:	:		EXAMPLE
			30	:				
								· · · · · · · · · · · · · · · · · · ·
								1980' FSL
								SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

061701

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR		
Settling Pit Drilling Pit	Settling Pit Drilling Pit If Existing, date con		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l		
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?		
			NAC data (for a)		
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit		
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining		
material, thickness and installation procedure.			cluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nite must h	e closed within 365 days of spud date.		
ilow into the pit: res rvo					
Submitted Electronically					
KCC OFFICE USE ONLY					
			Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1061701

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this				
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1				
Submitted Electronically	_				

S. 4+00 + W. 4+00 ENTRANCE (FIELD ROUTE) + W. 2+00' 150' x 150' x 8' RESERVE PIT WIDE SAND HAULERS
ACCESS ROAD SWD WELL 150' x 150' x 8' DRILLING PIT + E. 1+00' $\Phi \Phi \Phi$ [[6] 999 <u></u> SAND TRUCK EXIT
(FIELD ROUTE) + E. 3+00' + <u>E. 5+00</u> RELEASED ONLY FOR: EQUIPMENT:

1 12'-0" × ×
2 12'-0" × ×
3 12'-0" × ×
4 11'-2" ×
6 FREEWATEF
6 FUEL GAS
6 FUEL GAS
7 4'-0" × 2
7 4'-0" × 2
8 GENERATOR
9 TEST SEPA
10 GAS SALES PROJ FAC DATE 12'-0"0 x 20'-0" HT. WATER TANK (TYP. 3)


12'-0"0 x 20'-0" HT. OIL TANK (TYP. 2)

12'-0"0 x 20'-0" HT. WET OIL

11'-2" x 12'-10" SHELL METERING SKID (FUTURE) FREEWATER KNOCKOUT
FUEL GAS SCRUBBER SKID GAS SALES TEST SEPARATOR (FUTURE) GENERATOR (TYP. 2) 4'-0" x 20'-0" HEATER TREATER E EQUIPMENT PLOT PLAN
MULTIPLE WELL FACULTY
ARROWHEAD DEVELOPMENT
HARRER COUNTY, KANSAS
ENGR: MA JONES DON: Y WU
DATE: 08/2011 SCALE: 1" = 40' SHELL EXPLORATION & PRODUCTION COMPANY KS-1000-MX-4024-0001 SCALE IN FEET

٦

SHELL GULF OF MEXICO, INC. STARKS & MASNER LEASE NE. 1/4. SECTION 30. T33S. R7W HARPER COUNTY. KANSAS



August 30, 2011

^{*}Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drilliste location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc., its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

September 20, 2011

Javier Macias Shell Gulf of Mexico Inc. 150 N DAIRY-ASHFORD (77079) PO BOX 576 (77001-0576) HOUSTON, TX 77001-0576

Re: Drilling Pit Application Starks & Masner 3307 30-1 NE/4 Sec.30-33S-07W Harper County, Kansas

Dear Javier Macias:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 1 week after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.