Form CP-111 March 2009 Form must be Typed Form must be signed

TEMPORARY ABANDONMENT WELL APPLICATION

All blanks must be complete

OPERATOR: License#				API No. 15-						
Name:				Spot Descr	iption:					
Address 1:				1	Se					
Address 2:				1						
City:	State:	Zip: +			on: Lot:					
Contact Person:				GPS Location: Lat:, Long:, Long:, Long:, Long:, Long:, Long:, We ase Name:					(e.gxxx.xxxxx)	
								Well #:	əll #:	
				Elevation: GL KB Well Type: (check one) Oil Gas OG WSW Other:						L 🗌 KB
										Field Contact Person Phone
				_				:		
	Conductor	Surface	Pr	oduction	Intermedia	te	Liner		Tubing	g
Size										
Setting Depth										
Amount of Cement										
Top of Cement										
Bottom of Cement										
Depth and Type:	ALT. II Depth o	f: DV Tool:(depth)	w / Inch	sack	s of cement	Port Collar:				of cement
Total Depth:	Plug Bad	ck Depth:		Plug Back Meth	od:					
Geological Data:										
Formation Name	Formation	Top Formation Base			Comp	letion Inform	mation			
1		to Feet			to					Feet
2	At:	to Feet	Perfo	oration Interval	to	Feet or	Open Hole Int	erval _	to	Feet
		Submitt	ed Ele	ectronicall	у					
Do NOT Write in This Space - KCC USE ONLY	Date Tested:	R 	esults:		Date Plugge	ed: Date	Repaired:	Date P	ut Back in Ser	vice:
Review Completed by:			Com	ments:			TA Ap	proved:	Yes De	nied 🗌
		Mail to the App	ropriate	KCC Conserv	vation Office:					
States States States States State State States	KCC Distr	ict Office #1 - 210 E. Fro						F	Phone 620.22	25.8888

KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801	Phone 620.225.8888
KCC District Office #2 - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226	Phone 316.630.4000
KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720	Phone 620.432.2300
KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651	Phone 785.625.0550
Underground Porosity Gas Storage (UPGS) 8200 E. 34th Street Circle N., Suite 1003, Wichita, KS 67226	Phone 316.734.4933

MPANY PHONE-940-767-4334

0					ECHOMETER COMPANY
WELL tairleigh 1-8	JOINTS TO LIQUID &o	08/17/2011 QUIET WELL	09: 20: 17		UC
CASING PRESSURE 262 AP AT PRODUCTION RATE	DISTANCE TO LIQUID 2520 PBHP SBHP PROD RATE EFF, % MAX PRODUCTION	P-P 0, 094	A: 7.0 mV	GENERATE PULSE	
	LIUV EKODOCITON	P-P 0,035	A: 7.5 mV	11.9 VOLTS	



