



DRILL STEM TEST REPORT

Prepared For: **Grand Mesa Operating**

1700 N Waterfront Parkway
Building 600
Wichita, KS 67206+5514

ATTN: Steve Stribling

33/13S/31W/Gove

Hess 2-33

Start Date: 2011.06.07 @ 03:15:00

End Date: 2011.06.07 @ 11:00:00

Job Ticket #: 15798 DST #: 8

Superior Testers Enterprises LLC
PO Box 138 Great Bend KS 67530
1-800-792-6902

Printed: 2011.06.07 @ 12:27:14

Grand Mesa Operating
Hess 2-33
33/13S/31W/Gove
DST # 8
Fort Scott/Cherokee
2011.06.07



DRILL STEM TEST REPORT

Grand Mesa Operating
 1700 N Waterfront Parkway
 Building 600
 Wichita, KS 67206+5514
 ATTN: Steve Stribling

Hess 2-33
33/13S/31W/Gove
 Job Ticket: 15798 **DST#: 8**
 Test Start: 2011.06.07 @ 03:15:00


GENERAL INFORMATION:

Formation: **Fort Scott/Cherokee**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 05:24:00
 Time Test Ended: 11:00:00
 Interval: **4354.00 ft (KB) To 4439.00 ft (KB) (TVD)**
 Total Depth: 4439.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Initial)
 Tester: Ken Swinney
 Unit No: 3325 Scott City/94
 Reference Elevations: 2877.00 ft (KB)
 2872.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 6748 Outside
 Press @ Run Depth: 118.47 psig @ 4436.00 ft (KB) Capacity: 5000.00 psig
 Start Date: 2011.06.07 End Date: 2011.06.07 Last Calib.: 2011.06.07
 Start Time: 03:16:00 End Time: 11:00:00 Time On Btm: 2011.06.07 @ 05:23:00
 Time Off Btm: 2011.06.07 @ 09:11:30

TEST COMMENT: 1ST Open 30 Minutes/Weak blow/Blow built to 2 inches
 1ST Shut In 45 Minutes/No blow back
 2ND Open 60 Minutes/Fair blow/Blow built to 10 inches
 2ND Shut In 90 Minutes/No blow back

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2298.34	116.43	Initial Hydro-static
1	79.89	115.92	Open To Flow (1)
31	100.06	117.00	Shut-In(1)
76	1126.23	118.45	End Shut-In(1)
77	94.42	118.15	Open To Flow (2)
136	118.47	119.43	Shut-In(2)
226	1190.40	121.72	End Shut-In(2)
229	2190.73	122.05	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
175.00	Gas in pipe 100% Gas	1.39
30.00	Clean oil 100% Oil	0.44
100.00	Oil Cut Mud	1.46
0.00	20% Oil 80%Mud	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



DRILL STEM TEST REPORT

Grand Mesa Operating
 1700 N Waterfront Parkway
 Building 600
 Wichita, KS 67206+5514
 ATTN: Steve Stribling

Hess 2-33
33/13S/31W/Gove
 Job Ticket: 15798 **DST#: 8**
 Test Start: 2011.06.07 @ 03:15:00


GENERAL INFORMATION:

Formation: **Fort Scott/Cherokee**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 05:24:00
 Time Test Ended: 11:00:00
 Interval: **4354.00 ft (KB) To 4439.00 ft (KB) (TVD)**
 Total Depth: 4439.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Initial)
 Tester: Ken Swinney
 Unit No: 3325 Scott City/94
 Reference Elevations: 2877.00 ft (KB)
 2872.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 6749 Inside
 Press @ Run Depth: 1189.45 psig @ 4435.00 ft (KB) Capacity: 5000.00 psig
 Start Date: 2011.06.07 End Date: 2011.06.07 Last Calib.: 2011.06.07
 Start Time: 03:16:00 End Time: 11:00:00 Time On Btm: 2011.06.07 @ 05:23:00
 Time Off Btm: 2011.06.07 @ 09:11:30

TEST COMMENT: 1ST Open 30 Minutes/Weak blow/Blow built to 2 inches
 1ST Shut In 45 Minutes/No blow back
 2ND Open 60 Minutes/Fair blow/Blow built to 10 inches
 2ND Shut In 90 Minutes/No blow back

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2299.01	117.11	Initial Hydro-static
1	77.10	116.55	Open To Flow (1)
31	98.22	117.24	Shut-In(1)
76	1126.63	119.09	End Shut-In(1)
77	94.94	118.80	Open To Flow (2)
136	119.66	120.47	Shut-In(2)
226	1189.45	122.57	End Shut-In(2)
229	2193.45	122.58	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
175.00	Gas in pipe 100% Gas	1.39
30.00	Clean oil 100% Oil	0.44
100.00	Oil Cut Mud	1.46
0.00	20% Oil 80% Mud	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



DRILL STEM TEST REPORT

TOOL DIAGRAM

Grand Mesa Operating
 1700 N Waterfront Parkway
 Building 600
 Wichita, KS 67206+5514
 ATTN: Steve Stribling

Hess 2-33
33/13S/31W/Gove
 Job Ticket: 15798 **DST#: 8**
 Test Start: 2011.06.07 @ 03:15:00

Tool Information

Drill Pipe:	Length: 4212.00 ft	Diameter: 3.88 inches	Volume: 61.60 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer:	20000.00 lb
Drill Collar:	Length: 120.00 ft	Diameter: 2.25 inches	Volume: 0.59 bbl	Weight to Pull Loose:	62000.00 lb
			<u>Total Volume: 62.19 bbl</u>	Tool Chased	0.00 ft
Drill Pipe Above KB:	6.75 ft			String Weight: Initial	56000.00 lb
Depth to Top Packer:	4354.00 ft			Final	58000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	85.00 ft				
Tool Length:	113.75 ft				
Number of Packers:	2	Diameter:	6.75 inches		
Tool Comments:					

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Shut-in tool	5.00			4330.25	
Hydraulic tool	5.00			4335.25	
Change over sub	0.75			4336.00	
Jars	6.00			4342.00	
Safety Joint	2.00			4344.00	
Packer	5.00			4349.00	28.75 Bottom Of Top Packer
Packer	5.00			4354.00	
Anchor	5.00			4359.00	
change over sub	0.75			4359.75	
drill pipe	62.50			4422.25	
change over sub	0.75			4423.00	
anchor	11.00			4434.00	
Recorder	1.00	6749	Inside	4435.00	
Recorder	1.00	6748	Outside	4436.00	
bull plug	3.00			4439.00	85.00 Bottom Packers & Anchor

Total Tool Length: 113.75



DRILL STEM TEST REPORT

FLUID SUMMARY

Grand Mesa Operating

Hess 2-33

1700 N Waterfront Parkway
Building 600
Wichita, KS 67206+5514
ATTN: Steve Stribling

33/13S/31W/Gove

Job Ticket: 15798

DST#: 8

Test Start: 2011.06.07 @ 03:15:00

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 56.00 sec/qt
Water Loss: 6.80 in³
Resistivity: ohm.m
Salinity: 6300.00 ppm
Filter Cake: 1.00 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psig

Oil API: deg API
Water Salinity: ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
175.00	Gas in pipe 100% Gas	1.394
30.00	Clean oil 100% Oil	0.439
100.00	Oil Cut Mud	1.462
0.00	20% Oil 80%Mud	0.000

Total Length: 305.00 ft Total Volume: 3.295 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:



DRILL STEM TEST REPORT

GAS RATES

Grand Mesa Operating

Hess 2-33

1700 N Waterfront Parkway
Building 600
Wichita, KS 67206+5514
ATTN: Steve Stribling

33/13S/31W/Gove

Job Ticket: 15798

DST#: 8


Test Start: 2011.06.07 @ 03:15:00

Gas Rates Information

Temperature: 59 (deg F)
Relative Density: 0.65
Z Factor: 0.8

Gas Rates Table

Flow Period	Elapsed Time	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
		0.00	0.00	0.00



DRILL STEM TESTING - DATA LISTING

Grand Mesa Operating

Hess 2-33

1700 N Waterfront Parkway
 Building 600
 Wichita, KS 67206+5514
 ATTN: Steve Stribling

33/13S/31W/Gove

Job Ticket: 15798

DST#: 8

Test Start: 2011.06.07 @ 03:15:00

Serial # 6748 Outside				Serial # 6748 Outside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
	0.0	13.73	83.8		79.0	938.58	103.0
	3.0	13.34	79.2		80.5	976.28	102.7
	6.0	13.35	76.4		82.0	1027.59	103.2
	9.0	13.42	76.7		83.5	1080.23	103.3
	12.0	13.48	77.8		85.0	1119.92	104.0
	15.0	13.49	79.0		86.5	1188.00	104.6
	18.0	13.51	79.9		88.0	1221.44	104.8
	21.0	13.51	80.9		89.5	1421.77	105.2
	24.0	14.30	84.6		91.0	1311.69	105.5
	27.0	63.39	93.8		92.5	1380.31	105.7
	30.0	63.43	94.0		94.0	1424.89	106.0
	33.0	63.38	94.0		95.5	1612.44	106.4
	36.0	63.47	94.0		97.0	1484.35	106.7
	39.0	62.97	94.1		98.5	1572.92	107.2
	42.0	62.97	94.1		100.0	1638.22	107.6
	45.0	63.16	94.1		101.5	1649.88	108.0
	48.0	63.05	94.1		103.0	1659.95	108.2
	51.0	90.40	93.8		104.5	1745.15	108.7
	54.0	119.70	93.1		106.0	1809.05	108.9
	57.0	166.92	95.2		107.5	1805.93	109.3
	59.5	278.70	97.0		109.0	1966.59	109.6
	61.0	347.03	97.5		110.5	1855.48	110.3
	62.5	368.53	98.1		112.0	1968.99	110.7
	64.0	436.12	98.5		113.5	2045.77	110.8
	65.5	469.52	98.8		115.0	2082.24	111.8
	67.0	529.16	99.4		116.5	2099.20	112.1
	68.5	602.22	99.6		118.0	2163.16	113.5
	70.0	620.70	100.0		119.5	2115.37	114.9
	71.5	683.98	100.7		121.0	2226.59	116.3
	73.0	749.76	101.5		122.5	2192.43	116.4
	74.5	778.11	101.6		124.0	2141.74	116.4
	76.0	819.26	101.8		125.5	2318.46	116.4
	77.5	877.00	102.2		126.0	2310.95	116.3

Printing every 3 samples

Serial # 6748 Outside				Serial # 6748 Outside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
Initial Hydro-static	126.5	2301.09	116.4		178.5	694.65	117.7
	127.0	2298.34	116.4		180.0	777.90	117.8
	127.5	78.70	115.8		181.5	845.53	117.8
Open To Flow (1)	128.0	79.89	115.9		183.0	899.00	117.9
	128.5	80.94	115.9		184.5	941.27	117.9
	130.0	83.01	116.0		186.0	973.86	118.0
	131.5	84.98	116.2		187.5	1000.49	118.0
	133.0	86.85	116.2		189.0	1022.89	118.1
	134.5	88.43	116.3		190.5	1041.61	118.1
	136.0	89.38	116.4		192.0	1057.70	118.2
	137.5	90.60	116.5		193.5	1071.51	118.2
	139.0	91.91	116.5		195.0	1083.54	118.3
	140.5	93.36	116.6		196.5	1094.16	118.3
	142.0	94.77	116.6		198.0	1103.54	118.3
	143.5	95.80	116.7		199.5	1111.90	118.4
	145.0	95.70	116.7		201.0	1119.46	118.4
	146.5	95.82	116.7		201.5	1121.70	118.4
	148.0	97.63	116.8		202.0	1124.06	118.4
	149.5	95.90	116.8	End Shut-In(1)	202.5	1126.23	118.4
	151.0	97.13	116.9		203.0	131.04	117.8
	152.5	96.74	116.9	Open To Flow (2)	203.5	94.42	118.2
	154.0	98.38	116.9		204.0	98.31	118.2
	155.5	98.34	117.0		205.5	101.91	118.1
	156.5	98.49	117.0		207.0	102.09	118.2
Shut-In(1)	157.0	98.54	117.0		208.5	99.37	118.2
	157.5	100.06	117.0		210.0	105.25	118.2
	158.0	103.00	117.0		211.5	103.15	118.2
	158.5	106.03	117.0		213.0	105.18	118.3
	159.0	109.05	117.0		214.5	104.34	118.3
	160.5	119.26	117.1		216.0	101.61	118.3
	162.0	130.99	117.1		217.5	104.92	118.4
	163.5	144.65	117.2		219.0	108.38	118.4
	165.0	161.00	117.2		220.5	108.03	118.4
	166.5	180.97	117.2		222.0	109.64	118.5
	168.0	205.46	117.3		223.5	109.16	118.5
	169.5	236.96	117.3		225.0	109.23	118.5
	171.0	277.60	117.4		226.5	106.26	118.6
	172.5	332.21	117.4		228.0	107.76	118.6
	174.0	404.82	117.5		229.5	114.79	118.6
	175.5	495.69	117.6		231.0	111.37	118.7
	177.0	597.05	117.6		232.5	113.19	118.7

Printing every 3 samples

Serial # 6748 Outside				Serial # 6748 Outside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
	234.0	112.30	118.7		289.5	990.11	120.4
	235.5	111.27	118.8		291.0	1009.92	120.5
	237.0	110.13	118.8		292.5	1026.52	120.5
	238.5	110.43	118.9		294.0	1040.75	120.5
	240.0	114.96	118.9		295.5	1053.08	120.6
	241.5	113.53	118.9		297.0	1063.92	120.6
	243.0	115.66	119.0		298.5	1073.41	120.6
	244.5	114.86	119.0		300.0	1082.18	120.7
	246.0	114.53	119.0		301.5	1090.17	120.7
	247.5	111.94	119.1		303.0	1097.27	120.8
	249.0	118.19	119.1		304.5	1103.85	120.8
	250.5	117.75	119.1		306.0	1109.89	120.8
	252.0	116.83	119.2		307.5	1115.29	120.8
	253.5	116.53	119.2		309.0	1120.46	120.9
	255.0	114.25	119.2		310.5	1125.34	120.9
	256.5	117.63	119.3		312.0	1129.81	120.9
	258.0	116.18	119.3		313.5	1134.08	121.0
	259.5	117.58	119.4		315.0	1137.88	121.0
	261.0	117.69	119.4		316.5	1141.40	121.0
	261.5	117.68	119.4		318.0	1144.93	121.1
	262.0	117.76	119.4		319.5	1148.25	121.1
Shut-In(2)	262.5	118.47	119.4		321.0	1151.34	121.1
	263.0	121.97	119.4		322.5	1154.13	121.2
	263.5	126.17	119.5		324.0	1156.84	121.2
	264.0	130.85	119.5		325.5	1159.64	121.2
	265.5	146.71	119.5		327.0	1161.94	121.2
	267.0	165.51	119.5		328.5	1164.41	121.3
	268.5	188.33	119.6		330.0	1166.55	121.3
	270.0	216.52	119.6		331.5	1168.60	121.3
	271.5	252.55	119.7		333.0	1170.72	121.4
	273.0	299.22	119.7		334.5	1172.66	121.4
	274.5	360.42	119.8		336.0	1174.41	121.4
	276.0	438.27	119.9		337.5	1176.05	121.4
	277.5	528.69	119.9		339.0	1177.80	121.5
	279.0	622.69	120.0		340.5	1179.76	121.5
	280.5	711.10	120.1		342.0	1181.30	121.5
	282.0	787.63	120.2		343.5	1182.46	121.5
	283.5	849.57	120.2		345.0	1183.81	121.6
	285.0	898.20	120.3		346.5	1185.39	121.6
	286.5	936.01	120.3		348.0	1186.80	121.6
	288.0	965.96	120.4		349.5	1187.75	121.7


Printing every 3 samples

Serial # 6748 Outside				Serial # 6748 Outside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
End Shut-In(2)	351.0	1188.93	121.7		402.0	1012.31	103.6
	352.0	1190.07	121.7		403.5	870.13	102.9
	352.5	1190.21	121.7		405.0	911.44	101.6
	353.0	1190.40	121.7		406.5	865.56	101.5
	353.5	1082.14	121.7		408.0	814.33	101.9
	354.0	1103.78	121.7		409.5	754.03	101.5
Final Hydro-static	354.5	2152.45	122.0		411.0	653.40	100.9
	355.0	2113.56	122.0		412.5	659.60	100.4
	355.5	2190.73	122.1		414.0	553.18	99.8
	356.0	2170.44	122.1		415.5	561.81	97.2
	356.5	2154.87	122.1		417.0	502.59	95.6
	357.0	2141.87	122.1		418.5	433.34	94.1
	358.5	2110.17	122.1		420.0	407.13	92.5
	360.0	2110.86	122.2		421.5	342.75	91.2
	361.5	2091.70	122.2		423.0	310.21	90.8
	363.0	2183.40	122.2		424.5	253.81	90.4
	364.5	2197.04	121.2		426.0	214.08	90.7
	366.0	2158.15	120.2		427.5	177.27	90.9
	367.5	1984.01	120.6		429.0	127.16	90.9
	369.0	2071.92	118.6		430.5	63.66	90.7
	370.5	2029.57	117.3		432.0	65.42	90.7
	372.0	1873.11	117.1		433.5	27.98	90.4
	373.5	1936.13	116.3		435.0	27.87	89.4
	375.0	1787.31	115.7		436.5	28.03	89.3
	376.5	1850.45	116.5		438.0	13.99	88.9
	378.0	1803.22	114.0		439.5	13.74	88.7
	379.5	1690.85	113.1		441.0	13.77	88.6
	381.0	1709.53	111.6		442.5	13.87	88.6
	382.5	1604.96	110.3		444.0	13.91	88.4
	384.0	1623.57	110.1		445.5	13.94	88.2
	385.5	1579.42	108.8		447.0	13.92	88.1
	387.0	1528.72	108.2		448.5	13.93	87.8
	388.5	1355.43	107.2		450.0	13.94	87.7
	390.0	1426.68	107.3		451.5	13.75	88.8
	391.5	1391.36	107.4		453.0	13.91	89.5
	393.0	1327.29	107.0		454.5	13.57	88.9
	394.5	1262.21	106.5		456.0	13.58	88.2
	396.0	1128.44	106.2		457.5	13.21	84.3
	397.5	1167.55	106.0		459.0	13.15	79.9
	399.0	1024.42	105.3		460.5	13.72	80.4
	400.5	1068.27	104.6		462.0	13.93	77.9

Printing every 3 samples

Serial # 6748 Outside				Serial # 6749 Inside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
	463.5	13.90	78.9				
	464.0	13.81	79.7				

Printing every 3 samples



DRILL STEM TESTING - DATA LISTING

Grand Mesa Operating

Hess 2-33

1700 N Waterfront Parkway
 Building 600
 Wichita, KS 67206+5514
 ATTN: Steve Stribling

33/13S/31W/Gove

Job Ticket: 15798

DST#: 8

Test Start: 2011.06.07 @ 03:15:00

Serial # 6749 Inside				Serial # 6749 Inside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
	0.0	13.23	84.0		79.0	958.83	102.8
	3.0	13.18	82.1		80.5	1080.78	103.1
	6.0	13.12	80.2		82.0	1028.74	103.2
	9.0	13.10	79.6		83.5	1210.79	103.5
	12.0	13.10	79.3		85.0	1121.60	103.8
	15.0	13.10	79.1		86.5	1189.53	104.4
	18.0	13.09	79.1		88.0	1249.29	104.7
	21.0	13.10	79.0		89.5	1252.07	105.1
	24.0	13.94	81.0		91.0	1313.25	105.5
	27.0	62.59	93.6		92.5	1454.32	105.7
	30.0	62.81	94.0		94.0	1398.27	105.9
	33.0	62.72	94.0		95.5	1434.73	106.3
	36.0	62.40	93.9		97.0	1498.52	106.7
	39.0	62.71	93.7		98.5	1571.48	107.0
	42.0	62.58	93.6		100.0	1704.30	107.5
	45.0	62.80	93.6		101.5	1652.66	107.9
	48.0	62.23	93.5		103.0	1700.34	108.2
	51.0	90.66	94.1		104.5	1748.37	108.7
	54.0	118.89	92.8		106.0	1802.22	108.8
	57.0	151.28	94.6		107.5	1809.62	109.2
	59.5	279.16	96.9		109.0	1892.87	109.5
	61.0	331.50	97.4		110.5	1913.26	110.1
	62.5	369.43	98.1		112.0	1972.05	110.7
	64.0	435.94	98.3		113.5	2141.12	110.8
	65.5	469.43	98.7		115.0	2084.36	111.5
	67.0	529.97	99.3		116.5	2102.80	111.9
	68.5	592.26	99.7		118.0	2216.80	113.0
	70.0	621.41	99.9		119.5	2196.25	114.4
	71.5	684.13	100.5		121.0	2228.29	115.9
	73.0	749.79	101.3		122.5	2194.97	116.2
	74.5	778.60	101.6		124.0	2177.41	116.3
	76.0	807.45	101.8		125.5	2300.70	116.5
	77.5	877.16	102.1		126.0	2311.25	116.8

Printing every 3 samples

Serial # 6749 Inside				Serial # 6749 Inside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
Initial Hydro-static Open To Flow (1)	126.5	2303.93	117.0		178.5	683.26	118.2
	127.0	2299.01	117.1		180.0	768.10	118.2
	127.5	77.10	116.6		181.5	837.55	118.3
	128.0	78.24	116.8		183.0	892.62	118.4
	128.5	79.38	116.8		184.5	935.98	118.5
	130.0	81.61	116.9		186.0	969.65	118.5
	131.5	83.84	116.9		187.5	996.65	118.6
	133.0	85.54	116.9		189.0	1019.55	118.6
	134.5	87.17	116.9		190.5	1038.81	118.7
	136.0	88.53	116.9		192.0	1055.10	118.7
	137.5	89.70	116.9		193.5	1069.13	118.8
	139.0	91.12	116.9		195.0	1081.25	118.8
	140.5	92.16	116.9		196.5	1091.96	118.9
	142.0	93.55	116.9		198.0	1101.49	118.9
	143.5	94.87	116.9		199.5	1110.08	119.0
	145.0	94.91	117.0		201.0	1117.64	119.0
	146.5	94.45	117.0		202.0	1122.30	119.1
	148.0	96.43	117.0		202.5	1124.53	119.1
	149.5	94.62	117.0	End Shut-In(1)	203.0	1126.63	119.1
	151.0	95.88	117.1	Open To Flow (2)	203.5	94.94	118.8
	152.5	96.03	117.1		204.0	96.11	118.8
	154.0	96.98	117.1		204.5	99.12	118.8
	155.5	97.42	117.2		206.0	101.58	118.8
	156.5	97.48	117.2		207.5	101.28	118.8
	157.0	97.59	117.2		209.0	100.16	118.9
Shut-In(1)	157.5	98.22	117.2		210.5	104.91	118.9
	158.0	100.98	117.3		212.0	102.73	119.0
	158.5	103.93	117.3		213.5	103.66	119.0
	159.0	107.11	117.3		215.0	103.52	119.1
	160.5	117.20	117.3		216.5	95.26	119.1
	162.0	128.80	117.4		218.0	105.31	119.2
	163.5	142.25	117.5		219.5	107.35	119.2
	165.0	158.28	117.5		221.0	107.47	119.3
	166.5	177.82	117.6		222.5	108.34	119.3
	168.0	201.95	117.6		224.0	108.61	119.4
	169.5	232.34	117.7		225.5	108.19	119.4
	171.0	271.52	117.8		227.0	104.47	119.5
	172.5	324.61	117.8		228.5	108.64	119.5
	174.0	394.76	117.9		230.0	112.41	119.6
	175.5	483.92	118.0		231.5	111.18	119.6
	177.0	584.45	118.1		233.0	111.81	119.7

Printing every 3 samples

Serial # 6749 Inside				Serial # 6749 Inside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
	234.5	111.37	119.7		290.0	993.58	121.4
	236.0	110.27	119.8		291.5	1012.69	121.5
	237.5	108.59	119.8		293.0	1028.64	121.5
	239.0	110.89	119.8		294.5	1042.47	121.5
	240.5	112.90	119.9		296.0	1054.55	121.5
	242.0	113.16	119.9		297.5	1065.00	121.6
	243.5	114.34	120.0		299.0	1074.51	121.6
	245.0	113.97	120.0		300.5	1082.80	121.6
	246.5	113.00	120.0		302.0	1090.63	121.7
	248.0	112.41	120.1		303.5	1097.79	121.7
	249.5	118.36	120.1		305.0	1104.05	121.7
	251.0	114.71	120.2		306.5	1110.08	121.8
	252.5	116.11	120.2		308.0	1115.64	121.8
	254.0	114.97	120.2		309.5	1120.56	121.8
	255.5	114.11	120.3		311.0	1125.25	121.8
	257.0	116.33	120.3		312.5	1129.84	121.9
	258.5	115.48	120.4		314.0	1133.99	121.9
	260.0	116.69	120.4		315.5	1137.81	121.9
	261.5	116.81	120.4		317.0	1141.25	121.9
	262.0	116.88	120.4		318.5	1144.77	122.0
	262.5	116.87	120.5		320.0	1148.11	122.0
Shut-In(2)	263.0	119.66	120.5		321.5	1151.03	122.0
	263.5	123.74	120.5		323.0	1153.98	122.1
	264.0	128.24	120.5		324.5	1156.62	122.1
	264.5	133.25	120.5		326.0	1159.12	122.1
	266.0	149.63	120.6		327.5	1161.65	122.1
	267.5	169.41	120.6		329.0	1163.99	122.2
	269.0	193.36	120.6		330.5	1166.06	122.2
	270.5	222.94	120.7		332.0	1168.22	122.2
	272.0	260.85	120.8		333.5	1170.26	122.2
	273.5	310.53	120.8		335.0	1172.13	122.3
	275.0	375.29	120.9		336.5	1174.24	122.3
	276.5	456.25	120.9		338.0	1175.61	122.3
	278.0	548.39	121.0		339.5	1177.57	122.3
	279.5	641.78	121.1		341.0	1179.21	122.4
	281.0	728.07	121.1		342.5	1180.75	122.4
	282.5	801.39	121.2		344.0	1181.89	122.4
	284.0	860.14	121.2		345.5	1183.26	122.4
	285.5	905.97	121.3		347.0	1184.85	122.5
	287.0	941.94	121.3		348.5	1185.98	122.5
	288.5	970.38	121.4		350.0	1187.36	122.5

Printing every 3 samples

Serial # 6749 Inside				Serial # 6749 Inside			
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)	Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
End Shut-In(2)	351.5	1188.32	122.5		402.0	1018.06	103.8
	352.0	1188.81	122.6		403.5	922.75	102.8
	352.5	1189.28	122.6		405.0	912.72	102.1
	353.0	1189.45	122.6		406.5	808.58	101.8
	353.5	1069.51	122.5		408.0	815.69	102.1
	354.0	1096.51	122.6		409.5	755.49	101.4
Final Hydro-static	354.5	2132.34	122.9		411.0	716.74	100.9
	355.0	2111.69	122.7		412.5	651.92	100.3
	355.5	2193.45	122.6		414.0	622.74	99.3
	356.0	2176.32	122.6		415.5	563.62	97.0
	356.5	2158.84	122.6		417.0	499.20	95.8
	357.0	2145.04	122.6		418.5	466.62	94.3
	358.5	2112.01	122.6		420.0	407.66	93.0
	360.0	2113.12	122.6		421.5	328.36	92.3
	361.5	2115.28	122.6		423.0	311.83	92.1
	363.0	2187.38	122.7		424.5	255.29	91.9
	364.5	2081.88	122.3		426.0	214.91	91.4
	366.0	2163.28	121.7		427.5	179.08	91.2
	367.5	2048.71	120.8		429.0	126.11	90.8
	369.0	2006.21	120.8		430.5	61.29	90.5
	370.5	2034.14	120.7		432.0	63.86	90.5
	372.0	1872.14	119.7		433.5	41.43	90.4
	373.5	1941.40	119.8		435.0	26.86	89.3
	375.0	1895.81	119.8		436.5	26.92	89.3
	376.5	1752.39	119.7		438.0	13.61	89.0
	378.0	1807.60	116.6		439.5	13.63	88.7
	379.5	1677.57	114.7		441.0	13.54	88.6
	381.0	1713.67	112.9		442.5	13.51	88.6
	382.5	1675.04	112.1		444.0	13.49	88.5
	384.0	1564.66	111.2		445.5	13.49	88.3
	385.5	1583.72	110.5		447.0	13.46	88.3
	387.0	1560.34	110.0		448.5	13.46	88.1
	388.5	1485.19	109.1		450.0	13.46	87.9
	390.0	1430.23	108.4		451.5	13.43	88.9
	391.5	1309.81	107.9		453.0	13.38	89.7
	393.0	1329.67	107.2		454.5	13.36	88.8
	394.5	1260.28	106.9		456.0	13.32	88.4
	396.0	1228.26	106.6		457.5	13.28	87.5
	397.5	1170.96	106.0		459.0	13.17	84.7
	399.0	1043.20	105.2		460.5	13.27	83.8
	400.5	1070.38	104.5		462.0	13.29	81.5

Printing every 3 samples

Serial # 6749		Inside	
Comments	Time (Min.)	Pressure (psig)	Temp. (deg F)
	463.5	13.34	83.7
	464.0	13.30	84.8