

3200

50

3300

50

LS: tom-grg, foss, dens

SH: slick grg

LS: tom-com, mid-ces
xlog, lrg foss, dense

LS: tom, foss, mostly
dens, ssat sub xlog

rx, NS

SH: grg

LS: whf, vth xlm, v chky
friable. All NS, No Od.


Tong suc, dens

SH: grg

LS: tom-com, foss, gd
intxh #, tong dens w/1
prob, NS.

LS: com-tom, sand xlog,
foss, m+bl, subxlm,
friable, NS

ADDRESS
32101-1000



#3

50

3700

50

3800

50

LS: wht, mid c/s xln, fess, fr- sd wvg + int fess, chlk in fr. fess sat str w/ fr-50 sfo. fr. fess sat str w/ fr-50 sfo.	LS: wht, fu xln, mostly chlk, scat lt str, NSFO, c/s	Sh: ggy LS: wht, fu-mid xln, scat chlk, w/ fess, fr-50 sfo many chlk ex. fr lt brn str, roun sfo, lt od. tom chta	LS: wht, fu xln, sub xln w/ tom - w/lt chta	Swi Black Carb	Sh: ggy LS: mostly wht-tom, fu xln, scab 2-3 ex delat fr-gd int xln, gd sat str fr sfo, No Od. fr amt fess-brn shp chta.	Sh: ggy LS: tom, wht, fu-mid xln, scab xln, few fess ex w/ hvy sfo in p. p. p. p.	Sh: ggy LS: wht, tom, fu xln, sub xln, scat pps, pass fr-50 w/ lt str, settl sfo, No Od. fr-50 sfo, p. p. p.	Sh: ggy	LS: wht, fu xln, mostly chms, sub xln in prt. All NS, No Od.	Sh: ggy	LS: wht-com, fu-mid xln, sub xln, frng chms, NS.	Sh: ggy w/ brn	LS: tom - w/lt, mld, ch chms.	Sh: ggy-brn	LS: tom, mid xln, mtd chms	front org chta.	mostly LS w/ p. p. p., sm
---	--	--	--	----------------	---	--	--	---------	--	---------	--	----------------	----------------------------------	-------------	-------------------------------	-----------------	---------------------------

1' FO 114' MCW 80' W BHT: 115° C/Ler: 90K	DST #4 3890-3925 30-30-30-30 IFFA 24-43 FFP-47-59
---	---

