1062674

For KCC Use:
Effective Date: 12/04/2011
District # 2
SGA? ☐ Yes ☒ No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date: 11/15/2011 (month / day / year)

OPERATOR: License# 34192
Name: SandRidge Exploration and Production LLC
Address 1: 123 ROBERT S. KERR AVE
Address 2:
City: OKLAHOMA CITY State: OK Zip: 73102 + 6406
Contact Person: Gil Messersmith
Phone: 405-429-5773

CONTRACTOR: License#
Name: Advise on ACO-1 -- Must be licensed by KCC

Well Drilled For:	Well Class:	Type Equipment:
☐ Oil	☐ Enh Rec	☐ Infield	☒ Mud Rotary
☐ Gas	☐ Storage	☐ Pool Ext.	☐ Air Rotary
	☒ Disposal	☒ Wildcat	☐ Cable
☐ Seismic ; ____ # of Holes		☐ Other	
☐ Other:			

☐ If OWWO: old well information as follows:

Operator:
Well Name:
Original Completion Date: ____ Original Total Depth: ____

Directional, Deviated or Horizontal wellbore? ☐ Yes ☒ No
If Yes, true vertical depth:
Bottom Hole Location:
KCC DKT #:

Top of salt @ appr. 800'. Max surface casing 700'.

Spot Description:
NE (Q/Q/Q/Q) - NW - SW - SW Sec. 16 Twp. 35 S. R. 06 ☐ E ☒ W
1313 feet from ☐ N / ☒ S Line of Section
355 feet from ☐ E / ☒ W Line of Section
Is SECTION: ☐ Regular ☒ Irregular?

***(Note:** Locate well on the Section Plat on reverse side)*

County: Harper
Lease Name: Sunnie Well #: 2-16 SWD
Field Name: H K W
Is this a Prorated / Spaced Field? ☐ Yes ☒ No
Target Formation(s): Arbuckle
Nearest Lease or unit boundary line (in footage): 330
Ground Surface Elevation: 1242 Estimated Estimated feet MSL
Water well within one-quarter mile: ☐ Yes ☒ No
Public water supply well within one mile: ☐ Yes ☒ No
Depth to bottom of fresh water: 100
Depth to bottom of usable water: 180
Surface Pipe by Alternate: ☒ I ☐ II
Length of Surface Pipe Planned to be set: 700
Length of Conductor Pipe (if any):
Projected Total Depth: 6650
Formation at Total Depth: Arbuckle Group
Water Source for Drilling Operations:
☐ Well ☒ Farm Pond ☐ Other:
DWR Permit #:
***(Note:** Apply for Permit with DWR* ☐)
Will Cores be taken? ☐ Yes ☒ No
If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

1. Notify the appropriate district office ***prior*** to spudding of well;
2. A copy of the approved notice of intent to drill ***shall be*** posted on each drilling rig;
3. The minimum amount of surface pipe as specified below ***shall be set*** by circulating cement to the top; in all cases surface pipe ***shall be set*** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary ***prior to plugging;***
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within ***120 DAYS*** of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. ***In all cases, NOTIFY district office*** prior to any cementing.

Submitted Electronically

For KCC Use ONLY
API # 15 - 15-077-21778-00-00
Conductor pipe required 0 feet
Minimum surface pipe required 200 feet per ALT. ☒ I ☐ II
Approved by: Rick Hestermann 11/29/2011
This authorization expires: 11/29/2012
(This authorization void if drilling not started within 12 months of approval date.)

Spud date: ____ Agent: ____

Mail to: KCC - Conservation Division,
130 S. Market - Room 2078, Wichita, Kansas 67202

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

☐ **Well will not be drilled or Permit Expired** Date: ____
Signature of Operator or Agent:

16 35 06 ☐ E ☒ W

Side Two

1062674

For KCC Use ONLY

API # 15 - 15-077-21778-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: SandRidge Exploration and Production LLC

Lease: Sunnie

Well Number: 2-16 SWD

Field: H K W

Number of Acres attributable to well: _____

QTR/QTR/QTR/QTR of acreage: NE - NW - SW - SW

Location of Well: County: Harper

1313 feet from ☐ N / ☒ S Line of Section

355 feet from ☐ E / ☒ W Line of Section

Sec. 16 Twp. 35 S. R. 06 ☐ E ☒ W


Is Section: ☐ Regular or ☒ Irregular

If Section is Irregular, locate well from nearest corner boundary.

Section corner used: ☐ NE ☐ NW ☐ SE ☐ SW


PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



LEGEND

- ○ Well Location
- ▭ Tank Battery Location
- ——— Pipeline Location
- - - - - - Electric Line Location
- ▬▬ Lease Road Location



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, *you must show*:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
3. The distance to the nearest lease or unit boundary line (in footage).
4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1062674

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SandRidge Exploration and Production LLC | License Number: 34192

Operator Address: 123 ROBERT S. KERR AVE OKLAHOMA CITY OK 73102

Contact Person: Gil Messersmith | Phone Number: 405-429-5773

Lease Name & Well No.: Sunnie 2-16 SWD

Type of Pit:
☐ Emergency Pit ☐ Burn Pit
☐ Settling Pit ☒ Drilling Pit
☐ Workover Pit ☐ Haul-Off Pit
(If WP Supply API No. or Year Drilled)

Pit is:
☒ Proposed ☐ Existing
If Existing, date constructed:

Pit capacity: 5343 (bbls)

Pit Location (QQQQ): NE - NW - SW - SW

Sec. 16 Twp. 35 R. 06 ☐ East ☒ West

1313 Feet from ☐ North / ☒ South Line of Section

355 Feet from ☐ East / ☒ West Line of Section

Harper County

Is the pit located in a Sensitive Ground Water Area? ☐ Yes ☒ No

Chloride concentration: _____ mg/l
(For Emergency Pits and Settling Pits only)

Is the bottom below ground level? ☒ Yes ☐ No

Artificial Liner? ☐ Yes ☒ No

How is the pit lined if a plastic liner is not used?
Bentonite

Pit dimensions (all but working pits): 100 Length (feet) 50 Width (feet) ☐ N/A: Steel Pits

Depth from ground level to deepest point: 6 (feet) ☐ No Pit

If the pit is lined give a brief description of the liner material, thickness and installation procedure.

Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.

Distance to nearest water well within one-mile of pit:
NA feet Depth of water well _____ feet

Depth to shallowest fresh water _____ feet.
Source of information:
☐ measured ☐ well owner ☐ electric log ☒ KDWR

Emergency, Settling and Burn Pits ONLY:

Producing Formation: _____

Number of producing wells on lease: _____

Barrels of fluid produced daily: _____

Does the slope from the tank battery allow all spilled fluids to flow into the pit? ☐ Yes ☐ No

Drilling, Workover and Haul-Off Pits ONLY:

Type of material utilized in drilling/workover: MUD, CUTTINGS

Number of working pits to be utilized: 1

Abandonment procedure: remove free fluids, let dry; backfill

Drill pits must be closed within 365 days of spud date.

Submitted Electronically

KCC OFFICE USE ONLY

☐ Liner ☐ Steel Pit ☒ RFAC ☒ RFAS

Date Received: 09/26/2011 Permit Number: 15-077-21778-00-00 Permit Date: 11/29/2011 Lease Inspection: ☒ Yes ☐ No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1062674

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: ☒ **C-1** (Intent) ☐ **CB-1** (Cathodic Protection Borehole Intent) ☐ **T-1** (Transfer) ☐ **CP-1** (Plugging Application)

OPERATOR: License # 34192
Name: SandRidge Exploration and Production LLC
Address 1: 123 ROBERT S. KERR AVE
Address 2:
City: OKLAHOMA CITY State: OK Zip: 73102 + 6406
Contact Person: Karen Sharp
Phone: (405) 429-5745 Fax: (405) 429-6011
Email Address:

Well Location:
NE - NW - SW - SW Sec. 16 Twp. 35 S. R. 06 ☐ East ☒ West
County: Harper
Lease Name: Sunnie Well #: 2-16 SWD

If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:

Surface Owner Information:
Name: SandRidge E&P, LLC
Address 1: 123 Robert S. Kerr Ave
Address 2:
City: OKC State: OK Zip: 73102 + 6406

When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

☒ I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

☐ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a $30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the $30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.


Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

170 Commerce Road, Building 201
Conway, Arkansas 72032
501.328.3316 t 501.328.3325 f
www.craftontull.com
Crafton Tull
surveying

HARPER COUNTY, KANSAS

T 35 S - R 06 W



NUMBER	BEARING	DISTANCE
L1	S 89°59'48" W	449.98'
L2	N 00°08'29" W	650.05'
L3	S 89°59'43" E	449.98'
L4	S 00°08'30" E	649.99'

PLAT SHOWING

6.7 ACRE TRACT OF LAND IN THE E1/2 OF SECTION 16, T35S–R06W, HARPER COUNTY, KANSAS

METES AND BOUNDS DESCRIPTION (6.7 ACRE TRACT)

PART OF THE E1/2 OF SECTION 16, TOWNSHIP 35 SOUTH, RANGE 06 WEST, HARPER COUNTY, KANSAS, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SE CORNER OF SAID SECTION 16;
THENCE N 00°05'58" W ALONG THE EAST LINE OF SAID SECTION 16, A DISTANCE OF 1161.37 FEET;
THENCE S 89°54'02" W, A DISTANCE OF 30.06 FEET TO THE POINT OF BEGINNING;
THENCE S 89°59'48" W, A DISTANCE OF 449.98 FEET;
THENCE N 00°08'29" W, A DISTANCE OF 650.05 FEET;
THENCE S 89°59'43" E, A DISTANCE OF 449.98 FEET;
THENCE S 00°08'30" E, A DISTANCE OF 649.99 FEET TO THE POINT OF BEGINNING.

SAID TRACT CONTAINING 6.7 ACRES OF LAND AS SURVEYED.

C. ED GRAY LICENSED 1404 KANSAS LAND SURVEYOR

8/26/2011

SURVEYOR'S CERTIFICATE:
I, C. ED GRAY, KANSAS LICENSED PROFESSIONAL LAND SURVEYOR, NO. 1404, DO HEREBY CERTIFY THAT THIS PLAT REPRESENTS THE RESULTS OF A SURVEY MADE ON THE GROUND UNDER MY SUPERVISION.

GENERAL NOTES:
THE TIES AND FOOTAGES SHOWN ON THIS PLAT ARE FROM LINES OF OCCUPATION FROM A SURVEY MADE ON THE GROUND AND / OR BEARING AND DISTANCES FROM THE GENERAL LAND OFFICE PLAT OF THE AREA SHOWN AND MAY NOT BE THE ACTUAL PROPERTY CORNERS. THIS PLAT DOES NOT REPRESENT A TRUE BOUNDARY SURVEY.

GRAPHIC SCALE IN FEET
600 300 0 600


REVISION	SandRidge
	"SUNNIE #2-16 SWD" PART OF THE E1/2 OF SECTION 16, T-35-S, R-06-W PROPOSED DRILL SITE HARPER COUNTY, KANSAS
	SCALE: 1" = 600' PLOT DATE: 08-26-2011 | DRAWN BY: S.ANDER | SHEET NO.: 1 OF 1

G:\102009-00 (SANDRIDGE ENERGY)\SUR\DWG (WELL-PLATS)\SUNNIE_2-16_SWD\SUNNIE #2-16 SWD.DWG 8/26/2011 4:51:04 PM SA1236

170 Commerce Road, Building 201
Conway, Arkansas 72032
501.328.3316 t 501.328.3325 f
www.craftontull.com
Crafton Tull
surveying

HARPER COUNTY, KANSAS

1313' FSL- 355' FEL SECTION 16 TOWNSHIP 35S RANGE 06W 6TH P.M.



ELEVATION: 1227' GR. AT STAKE

OPERATOR: SANDRIDGE ENERGY, INC. **WELL NO:** #2-16 SWD

LEASE NAME: SUNNIE

TOPOGRAPHIC & VEGETATION: LOCATION FELL IN A FIELD

GOOD DRILL SITE: YES

REFERENCE STAKES OR ALTERNATE LOCATION STAKES SET: NONE

BEST ACCESSIBILITY TO LOCATION: EAST LINE

DISTANCE & DIRECTION FROM HWY JCT OR TOWN: FROM THE JCT. OF KS-179 N/OK-132 N & N BOUNDARY ST (MANCHESTER, OK), TRAVEL EAST ON N BOUNDARY ST FOR ±0.6 MILES, CONTINUE STRAIGHT (EAST) ON SE 106 RD/ E0010 RD FOR ±3.6 MILES TO THE SE CORNER OF S16, T35S-R06W.

DISTANCES SHOWN IN (PARENTHESIS) ARE CALCULATED BASED UPON THE QUARTER SECTION BEING 2640 FEET, THOSE SHOWN IN [BRACKETS] ARE BASED ON GLO (GENERAL LAND OFFICE) DISTANCES AND HAVE NOT BEEN MEASURED.

(THE FOLLOWING INFORMATION WAS GATHERED USING A GPS RECEIVER ACCURACY ±2-3 METERS)

GPS
DATUM: NAD-27
LAT: 37.002102
LONG: -97.966215

STATE PLANE COORDINATES:
ZONE: KS-SOUTH
X: 2155890.991
Y: 122585.625

C. ED GRAY LICENSED 1404 KANSAS LAND SURVEYOR

8/26/2011

SURVEYOR'S CERTIFICATE: **DATE STAKED:** 08-26-2011

I, C. ED GRAY, KANSAS LICENSED PROFESSIONAL LAND SURVEYOR, NO. 1404, DO HEREBY CERTIFY THAT THIS PLAT REPRESENTS THE RESULTS OF A SURVEY MADE ON THE GROUND UNDER MY SUPERVISION.

GENERAL NOTES:

THE TIES AND FOOTAGES SHOWN ON THIS PLAT ARE FROM LINES OF OCCUPATION FROM A SURVEY MADE ON THE GROUND AND / OR BEARING AND DISTANCES FROM THE GENERAL LAND OFFICE PLAT OF THE AREA SHOWN AND MAY NOT BE THE ACTUAL PROPERTY CORNERS. THIS PLAT DOES NOT REPRESENT A TRUE BOUNDARY SURVEY.

GRAPHIC SCALE IN FEET

1000 500 0 1000


REVISION	SandRidge
	"SUNNIE #2-16 SWD" PART OF THE E1/2 OF SECTION 16, T-35-S, R-06-W PROPOSED DRILL SITE HARPER COUNTY, KANSAS
	SCALE: 1" = 1000'
	PLOT DATE: 08-26-2011 | DRAWN BY: S.ANDER | SHEET NO.: 1 OF 3

G:\102009-00 (SANDRIDGE ENERGY)\SUR\DWG (WELL-PLATS)\SUNNIE_2-16_SWD\SUNNIE #2-16 SWD.DWG 8/26/2011 4:51:07 PM SA1236

170 Commerce Road, Building 201
Conway, Arkansas 72032
501.328.3316 t 501.328.3325 f
www.craftontull.com
Crafton Tull
surveying

HARPER COUNTY, KANSAS

1313' FSL- 355' FEL SECTION 16 TOWNSHIP 35S RANGE 06W 6TH P.M.



ELEVATION:
1227' GR. AT STAKE

OPERATOR: SANDRIDGE ENERGY, INC.

WELL NO: #2-16 SWD

LEASE NAME: SUNNIE

TOPOGRAPHIC & VEGETATION: LOCATION FELL IN A FIELD

GOOD DRILL SITE: YES

REFERENCE STAKES OR ALTERNATE LOCATION STAKES SET: NONE

BEST ACCESSIBILITY TO LOCATION: EAST LINE

DISTANCE & DIRECTION FROM HWY JCT OR TOWN: FROM THE JCT. OF KS-179 N/OK-132 N & N BOUNDARY ST (MANCHESTER, OK), TRAVEL EAST ON N BOUNDARY ST FOR ±0.6 MILES, CONTINUE STRAIGHT (EAST) ON SE 106 RD/ E0010 RD FOR ±3.6 MILES TO THE SE CORNER OF S16, T35S-R06W.

DISTANCES SHOWN IN (PARENTHESIS) ARE CALCULATED BASED UPON THE QUARTER SECTION BEING 2640 FEET, THOSE SHOWN IN [BRACKETS] ARE BASED ON GLO (GENERAL LAND OFFICE) DISTANCES AND HAVE NOT BEEN MEASURED.

(THE FOLLOWING INFORMATION WAS GATHERED USING A GPS RECEIVER ACCURACY ±2-3 METERS)

GPS
DATUM: NAD-27
LAT: 37.002102
LONG: -97.966215

STATE PLANE COORDINATES:
ZONE: KS-SOUTH
X: 2155890.991
Y: 122585.625

DATE STAKED: 08-26-2011

SURVEYOR'S CERTIFICATE:

I, C. ED GRAY, KANSAS LICENSED PROFESSIONAL LAND SURVEYOR, NO. 1404, DO HEREBY CERTIFY THAT THIS PLAT REPRESENTS THE RESULTS OF A SURVEY MADE ON THE GROUND UNDER MY SUPERVISION.

C. ED GRAY LICENSED 1404 KANSAS LAND SURVEYOR

8/26/2011

GENERAL NOTES:

THE TIES AND FOOTAGES SHOWN ON THIS PLAT ARE FROM LINES OF OCCUPATION FROM A SURVEY MADE ON THE GROUND AND / OR BEARING AND DISTANCES FROM THE GENERAL LAND OFFICE PLAT OF THE AREA SHOWN AND MAY NOT BE THE ACTUAL PROPERTY CORNERS. THIS PLAT DOES NOT REPRESENT A TRUE BOUNDARY SURVEY.


GRAPHIC SCALE IN FEET
1000 500 0 1000

REVISION	SandRidge
	"SUNNIE #2-16 SWD" PART OF THE E1/2 OF SECTION 16, T-35-S, R-06-W PROPOSED DRILL SITE HARPER COUNTY, KANSAS
	SCALE: 1" = 1000' / PLOT DATE: 08-26-2011 / DRAWN BY: S.ANDER / SHEET NO.: 2 OF 3

G:\102009-00 (SANDRIDGE ENERGY)\SUR\DWG (WELL-PLATS)\SUNNIE_2-16_SWD\SUNNIE #2-16 SWD.DWG 8/26/2011 4:51:10 PM SA1236

170 Commerce Road, Building 201
Conway, Arkansas 72032
501.328.3316 t 501.328.3325 f
www.craftontull.com
Crafton Tull
surveying

VICINITY MAP



SEC. 16 **TWP.** 35S **RNG.** 06W

COUNTY: HARPER **STATE:** KS

OPERATOR: SANDRIDGE ENERGY CO.

GRAPHIC SCALE IN MILES

2 1 0 2


REVISION	SandRidge
	"SUNNIE #2-16 SWD" PART OF THE E1/2 OF SECTION 16, T-35-S, R-06-W PROPOSED DRILL SITE HARPER COUNTY, KANSAS
	SCALE: 1/2" = 1 MILE PLOT DATE: 08-26-2011 | DRAWN BY: S.ANDER | SHEET NO.: 3 OF 3

G:\102009-00 (SANDRIDGE ENERGY)\SUR\DWG (WELL-PLATS)\SUNNIE_2-16_SWD\SUNNIE #2-16 SWD.DWG 8/26/2011 4:51:12 PM SA1236

170 Commerce Road, Building 201
Conway, Arkansas 72032
501.328.3316 t 501.328.3325 f
www.craftontull.com
Crafton Tull
surveying

HARPER COUNTY, KANSAS

T 35 S - R 06 W



PLAT SHOWING

6.7 ACRE TRACT OF LAND IN THE E1/2 OF SECTION 16, T35S–R06W, HARPER COUNTY, KANSAS

METES AND BOUNDS DESCRIPTION (6.7 ACRE TRACT)

PART OF THE E1/2 OF SECTION 16, TOWNSHIP 35 SOUTH, RANGE 06 WEST, HARPER COUNTY, KANSAS, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SE CORNER OF SAID SECTION 16;
THENCE N 00°05'58" W ALONG THE EAST LINE OF SAID SECTION 16, A DISTANCE OF 1161.37 FEET;
THENCE S 89°54'02" W, A DISTANCE OF 30.06 FEET TO THE POINT OF BEGINNING;
THENCE S 89°59'48" W, A DISTANCE OF 449.98 FEET;
THENCE N 00°08'29" W, A DISTANCE OF 650.05 FEET;
THENCE S 89°59'43" E, A DISTANCE OF 449.98 FEET;
THENCE S 00°08'30" E, A DISTANCE OF 649.99 FEET TO THE POINT OF BEGINNING.

SAID TRACT CONTAINING 6.7 ACRES OF LAND AS SURVEYED.

C. ED GRAY LICENSED 1404 KANSAS LAND SURVEYOR

8/26/2011

SURVEYOR'S CERTIFICATE:
I, C. ED GRAY, KANSAS LICENSED PROFESSIONAL LAND SURVEYOR, NO. 1404, DO HEREBY CERTIFY THAT THIS PLAT REPRESENTS THE RESULTS OF A SURVEY MADE ON THE GROUND UNDER MY SUPERVISION.

GENERAL NOTES:
THE TIES AND FOOTAGES SHOWN ON THIS PLAT ARE FROM LINES OF OCCUPATION FROM A SURVEY MADE ON THE GROUND AND / OR BEARING AND DISTANCES FROM THE GENERAL LAND OFFICE PLAT OF THE AREA SHOWN AND MAY NOT BE THE ACTUAL PROPERTY CORNERS. THIS PLAT DOES NOT REPRESENT A TRUE BOUNDARY SURVEY.

GRAPHIC SCALE IN FEET
600 300 0 600

REVISION	SandRidge
	"SUNNIE #2-16 SWD" PART OF THE E1/2 OF SECTION 16, T-35-S, R-06-W PROPOSED DRILL SITE HARPER COUNTY, KANSAS
	SCALE: 1" = 600' / PLOT DATE: 08-26-2011 / DRAWN BY: S.ANDER / SHEET NO.: 1 OF 1

G:\102009-00 (SANDRIDGE ENERGY)\SUR\DWG (WELL-PLATS)\SUNNIE_2-16_SWD\SUNNIE #2-16 SWD.DWG 8/26/2011 4:51:04 PM SA1236

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802

Kansas
Corporation Commission

Phone: 316-337-6200
Fax: 316-337-6211
http://kcc.ks.gov/

Mark Sievers, Chairman
Ward Loyd, Commissioner
Thomas E. Wright, Commissioner

Sam Brownback, Governor

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling,completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802

Kansas
Corporation Commission

Phone: 316-337-6200
Fax: 316-337-6211
http://kcc.ks.gov/

Mark Sievers, Chairman
Ward Loyd, Commissioner
Thomas E. Wright, Commissioner

Sam Brownback, Governor

November 29, 2011

Gil Messersmith
SandRidge Exploration and Production LLC
123 ROBERT S. KERR AVE
OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application
Sunnie 2-16 SWD
SW/4 Sec.16-35S-06W
Harper County, Kansas

Dear Gil Messersmith:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.