

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	month day		Spot Description:	
	monun day	year		EV
OPERATOR: License#			feet from N / S Lir	ne of Section
Name:			feet from E / W Lin	ne of Section
Address 1:			Is SECTION: Regular Irregular?	
			(Note: Locate well on the Section Plat on reverse side)	
		p: +	County:	
			Lease Name: Well #:	
Phone:			Field Name:	
CONTRACTOR: License#			Is this a Prorated / Spaced Field?	Yes No
Name:			Target Formation(s):	
Well Drilled For:	Well Class:	Typo Equipment:	Nearest Lease or unit boundary line (in footage):	
		Type Equipment:		feet MS
Oil Enh F		Mud Rotary		Yes N
Gas Stora	• =	Air Rotary		Yes N
Dispo		Cable	Depth to bottom of fresh water:	
Seismic ;# (			Depth to bottom of usable water:	
Otner:			Surface Pipe by Alternate: I II	
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:	
			Length of Conductor Pipe (if any):	
•				
			Projected Total Depth:	
Original Completion Da	ate: Original	Total Depth:		
Directional, Deviated or Ho	orizontal wellhore?	Yes No	Water Source for Drilling Operations:	
			Well Farm Pond Other:	
·			DWK Fellill #.	
			(Note: Apply for Fernill William DWK)	Vaa
			Will Coles be taken:	Yes N
			If Yes, proposed zone:	
		AFI	FIDAVIT	
The undersigned hereby	affirms that the drilling, co	ompletion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the follov	ving minimum requiremer	nts will be met:		
	ate district office prior to	spudding of well:		
Notify the appropri		ill <b>shall be</b> posted on each	n drilling rig:	
<ol> <li>Notify the appropri</li> <li>A copy of the appro</li> </ol>	oved notice of intent to at		by circulating cement to the top; in all cases surface pipe shall be set	
2. A copy of the appro		ecified below <b>shall be set</b>	by circulating cernent to the top, in all cases surface pipe shall be set	<u> </u>
<ol> <li>A copy of the appre</li> <li>The minimum amo through all uncons</li> </ol>	ount of surface pipe as speolidated materials plus a	minimum of 20 feet into the	e underlying formation.	
<ol> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> </ol>	ount of surface pipe as spo olidated materials plus a ole, an agreement betwee	minimum of 20 feet into the n the operator and the dist	e underlying formation. trict office on plug length and placement is necessary <i>prior to pluggir</i>	
<ol> <li>A copy of the appro</li> <li>The minimum amo through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> </ol>	ount of surface pipe as spo olidated materials plus a ole, an agreement betwee strict office will be notified	minimum of 20 feet into the note that the operator and the distributed before well is either plugg	e underlying formation.  trict office on plug length and placement is necessary <i>prior to pluggir</i> ged or production casing is cemented in;	ng;
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> </ol>	ount of surface pipe as specificated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, productions	minimum of 20 feet into the n the operator and the dist d before well is either plugo tion pipe shall be cemente	the underlying formation.  It is trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  It is the form below any usable water to surface within 120 DAYS of spud da	<b>ng;</b> te.
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>	ount of surface pipe as spicolidated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, productiondix "B" - Eastern Kans	minimum of 20 feet into the name the operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #1	the underlying formation.  It is trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer	ng; te. nting
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>	ount of surface pipe as spicolidated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, productiondix "B" - Eastern Kans	minimum of 20 feet into the name the operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #1	the underlying formation.  It is trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;  It is the form below any usable water to surface within 120 DAYS of spud da	ng; te. nting
<ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>	ount of surface pipe as spicolidated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, productiondix "B" - Eastern Kans	minimum of 20 feet into the name the operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #1	the underlying formation.  It is trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer	ng; te. nting
<ol> <li>A copy of the approach</li> <li>The minimum amothrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appmust be completed</li> </ul> </li> </ol>	ount of surface pipe as spundidated materials plus a cole, an agreement betwee strict office will be notified II COMPLETION, production of the spundid within 30 days of the spundid withi	minimum of 20 feet into the name the operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #1	the underlying formation.  It is trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer	ng; te. nting
<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	ount of surface pipe as spundidated materials plus a cole, an agreement betwee strict office will be notified II COMPLETION, production of the spundid within 30 days of the spundid withi	minimum of 20 feet into the name the operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #1	the underlying formation.  It ict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer a plugged. In all cases, NOTIFY district office prior to any cementing	ng; te. nting
<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	ount of surface pipe as spundidated materials plus a cole, an agreement betwee strict office will be notified II COMPLETION, production of the spundid within 30 days of the spundid withi	minimum of 20 feet into the name the operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #1	trict office on plug length and placement is necessary <i>prior to pluggin</i> ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer e plugged. In all cases, NOTIFY district office prior to any cementing Remember to:	ng; te. hting g.
A copy of the approach     The minimum amouthrough all uncons     If the well is dry ho     The appropriate dis     If an ALTERNATE     Or pursuant to Approach     The appropriate of the approach and the appropriate of the approach and the approach appropriate of the approach approach approach and the approach a	ount of surface pipe as spi olidated materials plus a ole, an agreement betwee strict office will be notified II COMPLETION, produc- pendix "B" - Eastern Kans d within 30 days of the spi	minimum of 20 feet into then the operator and the distinct the operator and the distinct the operator and the distinct the operator will be cemented as surface casing order #7 and date or the well shall be	trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer a plugged. In all cases, NOTIFY district office prior to any cementing Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notifice	ng; te. hting g.
2. A copy of the approach of the minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approach of the completed  ubmitted Electroic of the control of the c	nunt of surface pipe as spipolidated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, production within 30 days of the spipolically	minimum of 20 feet into the note operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #7 and date or the well shall be	re underlying formation.  trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer a plugged. In all cases, NOTIFY district office prior to any cementing the Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat (KSONA-1) with Intent to Drill;	ng; te. hting g.
A copy of the approach     The minimum amosthrough all uncons     If the well is dry ho     The appropriate dis     If an ALTERNATE     Or pursuant to Approach be completed      When the completed of the complete of t	ount of surface pipe as spi olidated materials plus a ole, an agreement betwee strict office will be notified II COMPLETION, produc- pendix "B" - Eastern Kans d within 30 days of the spi	minimum of 20 feet into the note operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #7 and date or the well shall be	re underlying formation.  trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer a plugged. In all cases, NOTIFY district office prior to any cementing the Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;	ng; te. hting g.
2. A copy of the approach of the minimum amost through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approach of the completed  Ubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	nunt of surface pipe as spipolidated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, production within 30 days of the spipolically	minimum of 20 feet into the note operator and the dist before well is either pluggition pipe shall be cemente as surface casing order #1 and date or the well shall be feet	re underlying formation.  trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer a plugged. In all cases, NOTIFY district office prior to any cementing the Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	ng; te. hting g.
2. A copy of the approsection of the appropriate displayment	nunt of surface pipe as spipe olidated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, product bendix "B" - Eastern Kans d within 30 days of the spinically	minimum of 20 feet into the n the operator and the dist before well is either plugg tion pipe shall be cemente as surface casing order #7 ud date or the well shall be feetfeet per ALTIIIII	re underlying formation.  trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer a plugged. In all cases, NOTIFY district office prior to any cementing the Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;	ng; tte. nting g. cation
2. A copy of the approx 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required of the proved by:  Approved by:	ount of surface pipe as spicolidated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, production of the spicolidation	minimum of 20 feet into the n the operator and the dist before well is either plugg tion pipe shall be cemente as surface casing order #7 ud date or the well shall be feetfeet per ALTIIIII	re underlying formation.  trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer as plugged. In all cases, NOTIFY district office prior to any cementing a plugged. In all cases, NOTIFY district office prior to any cementing a File Certification of Compliance with the Kansas Surface Owner Notification (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	ng; te. nting j. cation
2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approach be completed as a completed by the form of the	ount of surface pipe as spicolidated materials plus a ble, an agreement betwee strict office will be notified II COMPLETION, production of the spicolidation	minimum of 20 feet into the n the operator and the dist of before well is either pluggition pipe shall be cemented as surface casing order #1 and date or the well shall be sh	re underlying formation.  trict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud da 133,891-C, which applies to the KCC District 3 area, alternate II cemer explugged. In all cases, NOTIFY district office prior to any cementing and the CCC District 3 area, alternate II cemer explugged. In all cases, NOTIFY district office prior to any cementing and the CCC District 3 area, alternate II cemer explugged. In all cases, NOTIFY district office prior to any cementing and the CCC District 3 area, alternate II cemer explugged. In all cases, NOTIFY district office prior to any cementing and the CCC District 3 area, alternate II cemer explugged. In all cases, NOTIFY district office District 3 area, alternate II cemer explusive in the CCC District 3 area, alternate II cemer explusi	ng; te. nting j.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: \_

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section feet from E / W Line of Section	
Field:	Sec Twp S. R E W	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 1416 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit	Pit is:  Proposed  If Existing, date co	Existing	SecTwp R East
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of work	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	KCC	OFFICE USE O	
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R 🔲 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be le CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically	_		

# **Rod Tremblay**

Petroleum Geologist

Section 2	<u>1                                    </u>	Date: 9/6 2_15Ra	//// nge_25
			Protesting transmission
Material Communication of the	No. of the state o		TO THE PERSON ASSESSMENT OF THE PERSON ASSESSM
		7	
Lense Roa	d LLOC		
Manufacture (strong transfer and strong and	1 + 1 end	line	Millioned DMBIddess Bessiede Hillidades
nt) ydyynnau maentur	ect tar	1K5	

1420 FSI, 1617 FWL SW/4

## **Summary of Changes**

Lease Name and Number: Offutt A 1 API/Permit #: 15-195-22730-00-00

Doc ID: 1063375

Correction Number: 1

Approved By: Rick Hestermann 09/15/2011

Field Name	Previous Value	New Value
ElevationPDF	2412 Estimated	2420 Estimated
Feet to Nearest Water Well Within One-Mile of	4317	4335
Pit Ground Surface Elevation	2412	2420
KCC Only - Approved By	Rick Hestermann 09/09/2011	Rick Hestermann 09/15/2011
KCC Only - Approved Date	09/09/2011	09/15/2011
KCC Only - Date Received	09/09/2011	09/14/2011
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=27&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=27&t
Number of Feet East or West From Section Line	1565	1617
Number of Feet East or West From Section Line	1565	1617
Number of Feet North or South From Section Line	1420	1416

# Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section	1420	1416
Line Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 62994	//kcc/detail/operatorE ditDetail.cfm?docID=10 63375

## **Summary of Attachments**

Lease Name and Number: Offutt A 1

API: 15-195-22730-00-00

Doc ID: 1063375

Correction Number: 1

Approved By: Rick Hestermann 09/15/2011

**Attachment Name**