

### Kansas Corporation Commission Oil & Gas Conservation Division

### 1063626

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet  If Alternate II completion, cement circulated from: sx cmt
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Conv. to GSW	Chloride content: ppm Fluid volume: bbls  Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR         Permit #:           ☐ GSW         Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Side Two



Operator Name:				Lease N	lame:			Well #:		
Sec Twp	S. R	East	] West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rat line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures st, along with	s, whether s final chart(s	hut-in press	ure reach	ed static level,	hydrostatic pres	ssures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional		Yes	☐ No		Log	g Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	d Electronically	☐ Yes ☐ Yes ☐ Yes	No No No							
List All E. Logs Run:										
		Report a		RECORD	New	Used	on, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In	asing	Weig Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	, ,,	and Percent additives
		<u> </u> 	DDITIONAL	CEMENTIN	IG / SQUE	EZE RECORD				
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of 0	Cement	# Sacks	Used		Type and	Percent Additives		
Shots Per Foot	PERFORATI Specify	ON RECORD - Footage of Each	Bridge Plug n Interval Peri	s Set/Type forated			cture, Shot, Ceme mount and Kind of N	nt Squeeze Record Material Used)	d 	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
							Yes N	0		
Date of First, Resumed	Production, SWD or EN	IHR. Pr	oducing Meth	nod:	g	as Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	BI	ols.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:		N	METHOD OF	COMPLET	TION:		PRODUCTIO	ON INTER	VAL:
Vented Solo	Used on Lease		n Hole	Perf.	Dually (		nmingled mit ACO-4)			
(11 verneu, 3u	10./	Othe	r (Specify)				I —			

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Shepard 4-11
Doc ID	1063626

## Tops

Name	Тор	Datum
Soil	0	22
Shale & Lime	22	660
Big Shale	660	820
Shale & Lime	820	989
Black Shale	989	994
Lime	994	997
Black Shale	997	999
5' Lime	999	1003
Black Shale	1003	1005
Upper Squirrel Sand	1005	1012
Shale	1012	1044
Lower Squirrel Sand	1044	1057
Shale	1057	1120

**Since 1903** 

TOTAL

Ravin 3958

Hauled By

FEET

PRICE

J., INC.

March 19, 20 11

1 HORC 2	003-2201	Courtesy - Quality - Ser	
#	THENE	W KLEIN LUMBE	
	\(\frac{1}{6}\)	MADISON & WALNUT IOLA, KANSAS,	
LD TO DALLIM	Day (del)		~~~
		BILLING ADD	RESS
UANTITY UANTITY	DESCE	Loaded By	
OANTIT I	DLJCA	i i	
- C.	1 0 11	1 Comon	``\
	MIN I I VO	in or with t	-
			my 9%
			Months and the second s
		•	
CEIVED ABOVE IN GOO	DO ORDER		
and the second s			
. 0 .		in aba 11	10
+10 East	= JR Lewis	10 Dks. 4-	-10
7 11 5	+ SR Levers	10 DRS.	
	IN FOILED	10 Decel	
5-11	Ju dansin	11) DAS	
7-11 Eas	JAR Lewis		
13-11 D.	Glove		
15-11 D.	(-10222)	1D Docks	<b>v</b>
		10 Dack	1
m. Lay	mon 1-11	n n h	
Drisier	13-11	10 Dacks	
	14-11	10 Dacks	1
Luster			÷ .
Rice 1-	11 10 1	2acks	
10-11 Eas	+ gR Lewis	10 Dacks	

11-11 East GR Lewis 10 Dacks 12-11 East JR Lewis 10 Dacks 13-11 East JR Lewis 10 Dacks

14-11 East OR Leurs 10 sks.

East JR Lewis 16-11-10st Shepard 1-11 10 Dacks Shepard 2-11 1D Dacks Shepard 3-11 1D Dacks. Shepard 4-11 1D Dacks.

802 N. Industrial Rd. P.O. Box 664 lola, Kansas 66749 Phone: (620) 365-5588

# ayless Inc.

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

1998 SOUTHREL CONT TIC NCMAN

THOSE OF TALLO KO

PIE 100 34 うけき THE MIMAN AI/R HIGH D MODERAM AUN HAIM TIMED OF さる あるとうしていると A LITTLE · 图 · 100 Vlange Same d rryay SHEPARI) The same 150TH SD LODK PIS 4

te Performance	Excessive Water is Detrimental to Concrete Performance	Excessive Water is Def	PROPERTY DAMAGE RELEASE	PROPERTY DAN		WARNING	
	4, 20 111	5/yd -70.0	17701	15, 80 yd	i parin "	oday	07-26-1
TICKET NUMBER	SLUMP	WATER TRIM	BATCH#	YARDS DEL.	LOAD#		DATE
	0,00	G. F	0,00	15,00 90	15,00 yd		03:02:08p
PLANT/TRANSACTION #		DRIVER/TRUCK		YARDS ORDERED	LOAD SIZE	FORMULA	TIME
	0.2	THIES LEWIEN, NO DO / D.	CHILL		OC. OC		

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Comfact With Eyes and Prolonged Confact With Skin. In Case of
Confact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnity and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this of SIGNED

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be

all Returned Checks

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

GAL H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

1.17

30

UNIT PRICE

EXTENDED PRICE

000

SB.

00

TI a

3

140.

35

100.00

LOAD RECEIVED BY:

Excess Delay Time Charged @ \$50/HR. 5.00 QUANTITY 750 CODE HELL DESCRIPTION 15 BRCKS -

2. 00

THINKING

THICKING

THANK

	The state of the s	The state of the s				
	GRAND TOTAL					
	ADDITIONAL CHARGE 2	DELAY TIME		UNLOADING TIME	TOTAL AT JOB	TOTAL ROUND TRIP
	ADDITIONAL CHARGE 1				1. 1.	). 20°
400000	0	The state of the s				21
- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		TIME DUE	CONTRACTOR BROKE DOWN     S. OTHER     ADDED WATER	START UNLOADING	ARRIVED JOB	LEFT PLANT
4 5	DX % 7. 1300	.,	JOB NOT READY     6. TRUCK BROKE DOWN     7. ACCIDENT     3. TRUCK AHEAD ON JOB     8. CITATION			
36.40.00	AN SHEET					
360 60 60 50 5		TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN	FINISH UNLOADING	LEFT JOB	RETURNED TO PLANT
					The state of the s	