A' LIED CEMENTING CO., LLC. 035911

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31

RUSSELL, KANSAS 67665			SERV	/ICE POINT: 	//	
DATE 2/10/11 SEC. TWP. RANG	GE 19	CALLED OUT	ON LOCATION	13:50	JOB FINISH	
LEASE KST A" WELL# 1-7 LOCA	TION Sucio	L No well	Cote A.	COUNTY	STATE	
			,	R OOK		
OLD ON REW (Circle Olic)	N 2a	12 N F	· mo	J		
CONTRACTOR Mustin Drillis	R, 4/6	OWNER				
TYPE OF JOB Serter 5.6	<i>-</i>		***************************************			
HOLE SIZE 12/2 T.D. 2		CEMENT				
CASING SIZE PFF DEPTH	17,24	AMOUNT OR	DERED 150	(an 320	C 2861	
TUBING SIZE DEPTH						
DRILL PIPE DEPTH						
TOOL DEPTH	*		,	- 11 00-	adan	
PRES. MAX MINIMUM MEAS. LINE SHOE JOI		COMMON	730		2437,50	
MEAS. LINE SHOE JOI CEMENT LEFT IN CSG. 15	INI	POZMIX	3	_@ @ <i>21.25</i>	1245	
PERFS.	(S	GEL CHLORIDE		@ 58.20		
DISPLACEMENT /3 6/1/		ASC		@ <u></u>	271,00	
EQUIPMENT		. /IBC				
EQUIPMENT						
DULI OPPONICIO CON CONTROL CON			D-2 - 1W-2	@		
PUMPTRUCK CEMENTER Share				@		
# 9/7 HELPER Heght				0		
BULK TRUCK # 4/0 DRIVER Tows				@	-	
# Y/O DRIVER TONS BULK TRUCK	- Physical Paterion (1997)	•		@		
# DRIVER				@		
BRIVER		HANDLING_		@ <u>2,2,-</u>	355.50	
		MILEAGE	11/5/4/-		782,10	
REMARKS:				TOTAL	3929.85	
Ran 5 Jts + Canoling	T.+.					
	•	10	SERVI	CE		
Est Circletion				******		
10 10		DEPTH OF JO			776	
Mixal 150 ste.			CHARGE		112510	
		EXTRA FOOT	AGE	_@		
PMent (iccle	61.	MILEAGE		@ <u>7,0</u>	630,w	
- Contra) Crica	2,0,	MANIFOLD _		@		
		_ cur	70	_@ <i>\(\(\omega\)</i>	360,w	
Me C			Ta Long	_@	<u></u> //	
CHARGE TO: Mc Cos		•)			211514	
STREET				TOTAL	01/3/4	
CITY	710					
To Allied Cementing Co. LLC		1	PLUG & FLOAT EQUIPMENT			
	1 . (_		
	/- '					
Sha	e fest		Walk and the same of the same	_@		
T- AUS-10 C C HG		() - () - () - () - () - () - () - () -				
to i mied comenting co., bbc.						
You are hereby requested to rent cementing equipment				_@		
and furnish cementer and helper(s) to assis			0.00			
contractor to do work as is listed. The abo				ፐ ሲሞል ፣		
done to satisfaction and supervision of owner agent or			TOTAL			
contractor. I have read and understand the		SALESTAY	f Any)			
TERMS AND CONDITIONS" listed on the	e reverse side.					
		TOTAL CHAR	GES		.0	
PRINTED NAME		DISCOUNT		IF PAID	IN 30 DAYS	

A' LIED CEMENTING O., LLC. 038176

Federal Tax I.D.# 20-5975804 REMIT TO P.O. BOX 31 SERVICE POINT: **RUSSELL, KANSAS 67665** RANGE 19 CALLED OUT ON LOCATION JOB START DATE 7-16-6 COUNTY LEASE KS+ A WELL# - 3 LOCATION (Wobster OLD OR NEW (Circle one) CONTRACTOR **OWNER** TYPE OF JOB HOLE SIZE T.D. CEMENT **CASING SIZE DEPTH** AMOUNT ORDERED **TUBING SIZE DEPTH** DRILL PIPE DEPTH TOOL **DEPTH** PRES. MAX MINIMUM COMMON MEAS. LINE SHOE JOINT POZMIX CEMENT LEFT IN CSG. **GEL** PERFS. CHLORIDE DISPLACEMENT 55665 ASC 170 **EQUIPMENT** @ PUMP TRUCK @ CEMENTER Bill 43/25 366 @ HELPER TOOL **BULK TRUCK** @ @ # 378 DRIVER KON - WOLE @ **BULK TRUCK** @ DRIVER HANDLING_ @ MILEAGE /20x, 1/x REMARKS: TOTAL 5332.60 SERVICE DEPTH OF JOB PUMP TRUCK CHARGE **EXTRA FOOTAGE** MILEAGE # 90 MANIFOLD 360,00 TOTAL 3115,00 STREET CITY _ STATE _ ZIP PLUG & FLOAT EQUIPMENT PC 47 Ref@ To Allied Cementing Co., LLC. Red @ You are hereby requested to rent cementing equipment Latch down B/UL @ and furnish cementer and helper(s) to assist owner or Flogt Shot Blue @ contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or TOTAL contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side. SALES TAX (If Any) ___ TOTAL CHARGES DISCOUNT 26 IF PAID IN 30 DAYS

SIGNATURE

ALLIED CEMENTING CO., LLC. 038133 Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	S	ERVICE POINT:
DATE 8-2-2011 SEC. TWP. RANGE C	ALLED OUT ON LOCATIO	N JOB START JOB FINISH
	2 - 1	10:00 3 10 = 30 AM
	Dami 3 N TO RD'I	" ROOKS KANSAS
OLD OR NEW (Circle one) 2 W 75 KD,	"10" BN 4E	
CONTRACTOR LEIKER Well Service TYPE OF JOB CEMENT PORT-COLLAR		THE RIPCE TO SERVICE OF THE PARTY OF THE PAR
HOLE SIZE T.D.	#CEMENT	60
CASING SIZE 4/2 DEPTH 3/5 0 4	AMOUNT ORDERED _2	205x 40 6%GeL
TUBING SIZE 2 3/8 DEPTH	14# F10- Si	al Per SX
DRILL PIPE 8 5/8 SURFACE DEPTH 220' TOOL PORT COllor Co DEPTH 1482		
PRES. MAX MINIMUM	COMMON 132	@ 16,25 2145,00
MEAS. LINE SHOE JOINT	POZMIX FS	@ 8,50 748,00
CEMENT LEFT IN CSG.	GEL 76	@21,25 333,75
PERFS.	CHLORIDE	
DISPLACEMENT 5, 13/ 4, 1/BRL	ASC	@
EQUIPMENT /	Flo Sel 55	——————————————————————————————————————
	F/0 J/6/ 3)	
PUMPTRUCK CEMENTER GY PANA		@ @
# 4/7 HELPER Woody		
BULKTRÜCK # 473 DRIVER 7544		
BULK TRUCK		
# DRIVER		@ 2.25 519.75
	HANDLING 23) MILEAGE 11/SIC/m/6	,
REMARKS:	MILEAGE 1777 JOHN	- <u>[270151</u>
Found Port Collor @ 1482' Test Csq.		TOTAL 5065.30
4 PC TO 800 F (HRLD). OPEN POST COLLOW	000	
+ Recieved Very Good Sirey 147 jax. Mixen	. SER	VICE
+ Recleved Very Good Circulation, Mixey 220 SX 42 62 Get 4 Flossof & Common T		·
+ Recleved Very Good Circulation, Mixey 220 SX 42 62 Get 4 40501 dCommon T Cieculatao Armo ANNULOS, Displaced	DEPTH OF JOB PUMP TRUCK CHARGE	/125,w
+ Recleved Very Good Circulation, Mixed 220 SX 42 62 Get 4 Flossof & Common T Circulated Around Annylos, Displaced 42 BR, Closed PORT-College + CHeck,	DEPTH OF JOB	//25,w
+ Recleved Very Good Circulation, Mixed 220 SX 42 62 Get 4 Hossel & Commo T Circulation Around Annulas, Displaced 42 BBL, Closed PORT-Collap + CHeck, TO BOOH (Help), Ray 3.75 +	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE /60	/125,w @
+ Recleved Very Good Circulation, Mixed 220 SX 42 62 Get 4 Hossel deline T Circulation Armyles, Displaced 42 BR., Closed FORT-College + CHeck, TO BOOTH (Help), RAN 375 + Mached Clean Statute (20 BRL),	DEPTH OF JOB	//25,w @ 7,w 700,00
+ Recleved Very Good Circulation, Mixed 220 SX 42 62 Get 4 Hossel & Commo T Circulation Around Annulas, Displaced 42 BBL, Closed PORT-Collap + CHeck, TO BOOH (Help), Ray 3.75 +	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VE	//25,w @
+ Recleved Very Good Circulation, Mixed 220 SX 42 626 of 4 405 of december 7 Circulation Around Annulas, Displaced 42 BBL. Closed FORT-College + CHeck, TO BOOTE (Held), RAN 3 JTS + WASHED Clean Short way (20 RBL), CAME OUT OF HOLE W/ OPENING TOOL 6	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE/OC MANIFOLD/OC	//25,w @ 7,w 700,00
+ Recleved Very Good Circulation, Mixed 220 SX 42 626et 4 Flossol, defined T Circulation ARMULOS. Displaced 428et, Closed Port Collap + Check , To BOOH (Held), RAN 375 + Washed Clean Short way (20 BBL), Came out of Hole W opening Tool 6 CHARGE TO: M. COX Perfoleum Compan	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VE	/125, w @ 7, w 700,00 S @
+ Recieved Very Good Circulation, Mixed 220 SX 30 68 Get 4 Hossel, defined To Circulated Around Annulas, Displaced 42 Bey, Closed Port College + Check, To 800# (Held), Ray 375 + MACHED Clean Short way (20 BBL), Clame out of Hole W opening Tool 6 CHARGE TO: M. Cox Perfoleum Companistreet	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	//25,w @
+ Recieved Very Good Circulation, Mixed 220 SX 30 68 Get 4 Hossel, defined To Circulated Around Annulas, Displaced 42 Bey, Closed Port College + Check, To 800# (Held), Ray 375 + MACHED Clean Short way (20 BBL), Clame out of Hole W opening Tool 6 CHARGE TO: M. Cox Perfoleum Companistreet	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	/125, w @ 7, w 700,00 S @
+ Recieved Very Good Circulation, Mixed 220 SX 30 68 Get 4 Hossel, defined To Circulated Around Annulas, Displaced 42 Bey, Closed Port College + Check, To 800# (Held), Ray 375 + MACHED Clean Short way (20 BBL), Clame out of Hole W opening Tool 6 CHARGE TO: M. Cox Perfoleum Companistreet	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	1/25, w @ 7, w 700,00 S @ 400,00 TOTAL 2225,00 AT EQUIPMENT
+ Recieved Very Good Circulation, Mixed 220 SX 30 68 Get 4 Hossel, defined To Circulated Around Annulas, Displaced 42 Bey, Closed Port College + Check, To 800# (Held), Ray 375 + MACHED Clean Short way (20 BBL), Clame out of Hole W opening Tool 6 CHARGE TO: M. Cox Perfoleum Companistreet	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	
+ Recieved Very Good Circulation, Mixed 220 SX 42 626ch 4 Flossol demon T Circulation Around Annules. Displaced 42 BBL, Closed PORT. Collap. + CHeck, To BOOO HE (Held). RAN 3 JT'S + WASHED Clean Short way (20 BBL). CAME OUT OF HOLE W/ OPENING TOOL (CHARGE TO: M'CON PETROLOUM, COMPANISTREET STATE ZIP STATE STATE ZIP STATE POT PROPER (KC) ON LOCATION. CRIM EAT DID CIRCULATE TO SURFACE	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	
Hecleup Very Bood Circulation, Mixel 220 SX 42 626el 4 Flossol demont Circulation Around Annules. Displaced 42 BBL, Closed Port-Collap + Check, To BOO# (Held), RAN 3.75 + WACHED Clean Short way (20 BBL), Came out of Hole W opening Tool 6 CHARGE TO: M'COY PETROLEUM COMPANSTREET STATE STATE ZIP STATE ROP POT PROCE (KCC) CIRCULATE TO SURFACE TO Allied Cementing Co., LLC.	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	
Hecleup Very Good Circulation, Mixel 220 SX 42 626ct 4 Flossol, demont Circulated Around Annules. Displaced 42 BR., Closed Port Collap + Check, To BOO# (Held), Ray 375 + Washed Clean Shot way (20 BRL), Came out of Hole w/ Opening tool 6 CHARGE TO: M. Cox Petroleum Companstreet STATE ZIP STATE ZIP ON Location Compans (KCC) Circulate To Surface To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	
Hecleup Vee, Good Circulation, Mixel 220 SX 32 6866 4 Hosol demont Circulated Around Annulas, Displaced 42 BR. Closed Port Collap + Check, To 800# (Held). Ray 375 + Washed Clean Short way (20 BRL). Came out of Hole w/ opening tool 6. CHARGE TO: M. Cox Petroleum Companstreet STREET STATE ZIP STATE ZIP CITY STATE TO SURFACE TO Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	
Hecleup Very Good Circulation, Mixel 220 SX 32 6866 4 Flosol, demont Circulated Around Annulas, Displaced 42 BR, Closed Port Collap + Check, To 800# (Held), Ray 375 + Washed Clean Short way (20 BRL), Came out of Hole wy opening tool 6 CHARGE TO: M. Cox Petroleum Companstreet STREET STATE ZIP STATE ZIP CITY STATE Rep. Pat Proofe (KCC) Circulate To Surface and formation equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	
Hecleup Vee, Good Circulation, Mixel 220 SX 32 6866 4 Hosol demont Circulated Around Annulas, Displaced 42 BR. Closed Port Collap + Check, To 800# (Held). Ray 375 + Washed Clean Short way (20 BRL). Came out of Hole w/ opening tool 6. CHARGE TO: M. Cox Petroleum Companstreet STREET STATE ZIP STATE ZIP CITY STATE TO SURFACE TO Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC PLUG & FLO	
Hecleup Vee, Good Circulation, Mixel 220 SX 32 626 L 4 Flo. Scot. Accument To Great Latto Accument Annulos. Displaced 42 BBL, Closed Port Collap. + Check. To BOO# (Held). Ray 375 + Washed Clean Short way (20 BBL). Came out of Hole wy opening tool lice the court of Hole wy opening tool lice the control of Hole wy opening tool lice the control of the	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC	
Hecsele Very Good Circulation, Mixed 220 SX 32 6866 4 Flosol, demont Circulated Around Annules. Displaced 42866 4 Flosol, demont Circulated Around Annules. Displaced 42866 Closed Fort Colled + Check, To 800# (Held), Ray 375 + MACHED Clean Short way (20 RRL), Came out of Hole w/ opening tool of Charge out of Hole w/ opening tool of Charge Tool of Hole w/ opening tool of Circulate Rep. Pat Proofe (KCC) ON Location. Cempent Did Circulate To Surface of To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL"	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES VMPC PLUG & FLO	
Hecleup Very Good Circulation, Mixed 220 SX To 626 L 4 Flo. Scot. Accept To 220 SX To 626 L 4 Flo. Scot. Accept To 220 SX To 626 L 4 Flo. Scot. Accept To 800 H (Held). RAN 375 H WASHED Cleary Short way (20 RRL). Clame out of Hole wy opening tool h CHARGE TO: M. Cox Petroleum Compans STREET STATE ZIP CITY STATE ZIP CITY STATE ZIP CITY STATE POR (KCC) CON Location Part Proced (KCC) To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES PLUG & FLO SALES TAX (If Any) TOTAL CHARGES	
Hecsele Very Good Circulation, Mixed 220 SX 32 6866 4 Flosol, demont Circulated Around Annules. Displaced 42866 4 Flosol, demont Circulated Around Annules. Displaced 42866 Closed Fort Colled + Check, To 800# (Held), Ray 375 + MACHED Clean Short way (20 RRL), Came out of Hole w/ opening tool of Charge out of Hole w/ opening tool of Charge Tool of Hole w/ opening tool of Circulate Rep. Pat Proofe (KCC) ON Location. Cempent Did Circulate To Surface of To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL"	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES PLUG & FLO SALES TAX (If Any) TOTAL CHARGES	
Hecsel Very Good Circulation, Mixed 220 SX 32 626 L 4 Floscol, demont Circulation Around Annulas, Displaced 42 BBL, Closed Fort College + Check, To BOO# (Held), RAN 375 + WASHED Clean Short way (20 RRL), Came out of Hole wy opening tool of Charge to: M. Con Petroleum, Companstreet CHARGE TO: M. Con Petroleum, Companstreet CITY STATE ZIP CITY STATE ZIP CITY STATE ZIP CITY STATE ZIP CITY STATE DID CIRCULATE TO SURFACE TO Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side. PRINTED NAME	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES PLUG & FLO SALES TAX (If Any) TOTAL CHARGES	
Hecleup Very Good Circulation, Mixed 220 SX To 626 L 4 Flo. Scot. Accept To 220 SX To 626 L 4 Flo. Scot. Accept To 220 SX To 626 L 4 Flo. Scot. Accept To 800 H (Held). RAN 375 H WASHED Cleary Short way (20 RRL). Clame out of Hole wy opening tool h CHARGE TO: M. Cox Petroleum Compans STREET STATE ZIP CITY STATE ZIP CITY STATE ZIP CITY STATE POR (KCC) CON Location Part Proced (KCC) To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.	DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE MANIFOLD VES PLUG & FLO SALES TAX (If Any) TOTAL CHARGES	