

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

DPERATOR: License#		month o	day year	Spot Description:	
Select from N / Select Select Select from N / Select Select from N / Select Select from N / Select Select Select from N / Select Select Select from N / Select Select Select Select from N / Select		monar	iay year		S. R E V
Is SECTION: Regular Irregular?	DPERATOR: License#			feet from N	I / S Line of Sectio
didress 2:	ame:			feet from E	/ W Line of Section
dicess 2:	ddress 1:			Is SECTION: Regular Irregular?	
State Zip +				(Note: Locate well on the Section Plat on r	roverse side)
ontace Person:				,	*
Field Name:	Contact Person:			•	
Is this a Prorated / Spaced Field? Start Spaced Field? Spaced Field Spaced Field? Spaced Field. S	Phone:				
Target Formation(s): Nearest Lease or unit boundary line (in footage): Sease of Lease o	CONTRACTOR: Licensed	4			
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Ground S		r			
Ground Surface Elevation: Ground Surface Ele	iame.			· · · · · · · · · · · · · · · · · · ·	
Gas	Well Drilled For:	Well Class:	Type Equipment:		
Gas Storage Pool Ext. Air Rotary Water well within one-guarter mile: Yes New Yes N	Oil Enh	Rec Infield	Mud Rotary		
Selsmic; # of Holes Other Other: Othe	Gas Stora	age Pool Ext.	= '	·	
Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I II Length of Surface Pipe Planned to be set: Surface Pipe Planned To Planned To Pipe P	Disp	osal Wildcat	Cable		Yes N
Surface Pipe by Alternate: I I IL Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Valer Source for Drilling Operations: Wall Name: Original Completion Date: Original Total Depth: Varietical depth: Varietica	Seismic ;#	of Holes Other		•	
Length of Surface Pipe Planned to be set: Departor:	Other:				
Operator:					
Well Name:	If OWWO: old wel	intormation as follows:		Length of Surface Pipe Planned to be set:	
Well Name:Original Completion Date:Original Total Depth:	Operator:			Length of Conductor Pipe (if any):	
Water Source for Drilling Operations: Yes, true vertical depth:	•			Projected Total Depth:	
Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing	Original Completion D	ate: Orig	inal Total Depth:	Formation at Total Depth:	
Yes, true vertical depth:					
Fyes, true vertical depth: DWR Permit #: CCC DKT #: DWR Permit with DWR D	Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:	
Note: Apply for Permit with DWR (Note: Apply for permit with DWR (f Yes, true vertical depth:				
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing				(Note: Apply for Permit with DWR)
AFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing	(CC DKT #:			Will Cores be taken?	Yes N
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing				If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing			A P	TID AVIT	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing 			ΔF		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing 		1 5			
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing 	-		g, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	
 The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing 			g, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging;</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing	t is agreed that the follow	wing minimum requirer	g, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing 	t is agreed that the follow 1. Notify the appropri 2. A copy of the appropri	wing minimum requirer iate district office <i>prior</i> oved notice of intent to	g, completion and eventual p ments will be met: r to spudding of well; o drill shall be posted on ead	ch drilling rig;	
 The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing 	t is agreed that the follows 1. Notify the appropriate. A copy of the appriate. 3. The minimum amounts are seen to be s	wing minimum requirer iate district office <i>prior</i> oved notice of intent to bunt of surface pipe as	g, completion and eventual p ments will be met: r to spudding of well; o drill shall be posted on ead specified below shall be se	ch drilling rig; f by circulating cement to the top; in all cases surface pipe	shall be set
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing	t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons	wing minimum requirer iate district office <i>prior</i> oved notice of intent to bunt of surface pipe as solidated materials plus	g, completion and eventual p ments will be met: r to spudding of well; o drill <i>shall be</i> posted on ead specified below <i>shall be se</i> s a minimum of 20 feet into the	ch drilling rig; f by circulating cement to the top; in all cases surface pipe ne underlying formation.	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing	t is agreed that the follows 1. Notify the appropriations 2. A copy of the appriations 3. The minimum amount through all uncons 4. If the well is dry ho	wing minimum requirer iate district office <i>prior</i> oved notice of intent to bunt of surface pipe as solidated materials plus ble, an agreement betw	g, completion and eventual prenents will be met: r to spudding of well; o drill shall be posted on each specified below shall be set a minimum of 20 feet into the operator and the dispersion.	ch drilling rig; f by circulating cement to the top; in all cases surface pipe ne underlying formation. strict office on plug length and placement is necessary pri	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.	t is agreed that the follows 1. Notify the appropriate A copy of the	wing minimum requirer iate district office <i>prior</i> oved notice of intent to bunt of surface pipe as solidated materials plus ble, an agreement betwistrict office will be noti	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plug	ch drilling rig; f by circulating cement to the top; in all cases surface pipe ne underlying formation. strict office on plug length and placement is necessary pringed or production casing is cemented in;	or to plugging;
	t is agreed that the follows 1. Notify the appropriate A copy of the A copy of th	wing minimum requirer iate district office <i>prior</i> oved notice of intent to bunt of surface pipe as solidated materials plus ble, an agreement betwistrict office will be notiful COMPLETION, products	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cement	ch drilling rig; t by circulating cement to the top; in all cases surface pipe ne underlying formation. strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY	or to plugging; 'S of spud date.
	t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	wing minimum requirer iate district office <i>prior</i> oved notice of intent to bunt of surface pipe as solidated materials plus ble, an agreement betwistrict office will be notiful COMPLETION, propendix "B" - Eastern Karting minimum pendix "B" - Eastern B" - Ea	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order #	ch drilling rig; t by circulating cement to the top; in all cases surface pipe ne underlying formation. strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter	or to plugging; 'S of spud date. nate II cementing
	Notify the appropriate is agreed that the follow Notify the appropriate is a copy of the appropriate in through all unconsections. If the well is dry how the appropriate different in the appropriate different in the appropriate in the appropriate is an ALTERNATE or pursuant to Appropriate.	wing minimum requirer iate district office <i>prior</i> oved notice of intent to bunt of surface pipe as solidated materials plus ble, an agreement betwistrict office will be notiful COMPLETION, propendix "B" - Eastern Karting minimum pendix "B" - Eastern B" - Ea	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order #	ch drilling rig; t by circulating cement to the top; in all cases surface pipe ne underlying formation. strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter	or to plugging; 'S of spud date. nate II cementing
ubmitted Electronically	1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate of the	wing minimum requirer iate district office <i>prioi</i> coved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, proopendix "B" - Eastern Kad within 30 days of the	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order #	ch drilling rig; t by circulating cement to the top; in all cases surface pipe ne underlying formation. strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter	or to plugging; 'S of spud date. nate II cementing
•	1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate of the	wing minimum requirer iate district office <i>prioi</i> coved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, proopendix "B" - Eastern Kad within 30 days of the	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order #	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringed or production casing is cemented in; the deform below any usable water to surface within 120 DAY to 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a	or to plugging; 'S of spud date. nate II cementing
For KCC Use ONLY	1. Notify the appropriate is agreed that the follow 1. Notify the appropriate is a copy of the appropriate in through all uncons 1. If the well is dry hour is the appropriate diese in the appropriate diese in the appropriate in the appropri	wing minimum requirer iate district office <i>prioi</i> coved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, proopendix "B" - Eastern Kad within 30 days of the	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order #	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a Remember to:	or to plugging; 'S of spud date. nate II cementing ny cementing.
For KCC Use ONLY Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification	1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completer Ubmitted Electro For KCC Use ONLY	wing minimum requirer iate district office <i>prioi</i> coved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, proopendix "B" - Eastern Kad within 30 days of the	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order #	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringged or production casing is cemented in; ed from below any usable water to surface within 120 DAY e133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface	or to plugging; 'S of spud date. nate II cementing ny cementing.
For KCC Use ONLY API # 15	1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ubmitted Electro For KCC Use ONLY API # 15 -	wing minimum requirer iate district office <i>prior</i> oved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, proopendix "B" - Eastern Kad within 30 days of the spically	g, completion and eventual prents will be met: r to spudding of well; of drill shall be posted on each specified below shall be sets a minimum of 20 feet into the ween the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order from the spud date or the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY e133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	or to plugging; 'S of spud date. nate II cementing ny cementing.
Remember to: For KCC Use ONLY API # 15	1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ubmitted Electro For KCC Use ONLY API # 15 -	wing minimum requirer iate district office <i>prior</i> oved notice of intent to punt of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notiful COMPLETION, proopendix "B" - Eastern Kad within 30 days of the spically	g, completion and eventual prents will be met: r to spudding of well; of drill shall be posted on each specified below shall be sets a minimum of 20 feet into the ween the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order from the spud date or the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY e133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	or to plugging; 'S of spud date. nate II cementing ny cementing.
Remember to: For KCC Use ONLY API # 15	1. Notify the appropriate of th	wing minimum requirer iate district office <i>prior</i> oved notice of intent to bunt of surface pipe as solidated materials plus ble, an agreement betwistrict office will be noti II COMPLETION, proopendix "B" - Eastern Kad within 30 days of the prically	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the diffied before well is either plugduction pipe shall be cement ansas surface casing order standard and the well shall be supply to the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY et 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud days	or to plugging; 'S of spud date. nate II cementing ny cementing. e Owner Notification
Remember to: For KCC Use ONLY API # 15	t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completer Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re	wing minimum requirer iate district office <i>prioi</i> roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw istrict office will be noti II COMPLETION, proo pendix "B" - Eastern Ka d within 30 days of the	g, completion and eventual prenents will be met: r to spudding of well; o drill shall be posted on each specified below shall be sets a minimum of 20 feet into the ween the operator and the distribution pipe shall be cement ansas surface casing order standard and the well shall be set of the we	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY et 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud de File acreage attribution plat according to field proration of the special surface and the special surface and the	or to plugging; 'S of spud date. nate II cementing ny cementing. e Owner Notification ate; orders;
For KCC Use ONLY API # 15	t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to appropriate de completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by:	wing minimum requirer iate district office <i>prior</i> coved notice of intent to count of surface pipe as solidated materials plus oble, an agreement betw istrict office will be noti II COMPLETION, proc pendix "B" - Eastern Ka d within 30 days of the	g, completion and eventual prenents will be met: r to spudding of well; o drill shall be posted on each specified below shall be sets a minimum of 20 feet into the ween the operator and the distribution pipe shall be cement ansas surface casing order standard and the well shall be set of the we	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY et 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a replace of the Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud de File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow	or to plugging; 'S of spud date. nate II cementing ny cementing. e Owner Notification ate; orders; ver or re-entry;
Remember to: For KCC Use ONLY API # 15	t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed UDMITTED FOR KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: This authorization expires	wing minimum requirer iate district office <i>prioi</i> roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw istrict office will be noti II COMPLETION, proo pendix "B" - Eastern Ka d within 30 days of the prically	g, completion and eventual prenents will be met: r to spudding of well; o drill shall be posted on each specified below shall be sets a minimum of 20 feet into the ween the operator and the distinct of the set of the se	ch drilling rig; If by circulating cement to the top; in all cases surface pipe the underlying formation. Strict office on plug length and placement is necessary pringed or production casing is cemented in; ed from below any usable water to surface within 120 DAY et 133,891-C, which applies to the KCC District 3 area, alter the plugged. In all cases, NOTIFY district office prior to a Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud de File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow. - Submit plugging report (CP-4) after plugging is complete	or to plugging; 'S of spud date. nate II cementing ny cementing. e Owner Notification ate; orders; er or re-entry; ed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

_ Agent: _

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of W	ell: County: _					
_ease:										feet fro	om N	/ S	Line of Section	on
Well Number:										feet fro	om E	/ W	Line of Sectio	on
Field:							Se	c	Twp	S. F	₹		W	
Number of Act								Section:	Regular o	or Irre	egular			
							If S	ction corne	Irregular, loca er used: N	NE N	N SE	SW	oundary.	
lea	ase roa	ds, tank bi	atteries, pi	ipelines and				y the Kans plat if desi 250	as Surface Ov red. ft.	vner Notic	e Act (Hou	se Bill 2032	2).	
			: : : :	:		:	:	0-	- 425 ft.	I	EGEND			
										F	Well Locat Fank Batte Pipeline Lo Electric Lir Lease Roa	ery Location ocation ne Location	on	
				· 					EXA	AMPLE	:	: :		
				1	1	: : : : : : :								
							 					·	1980' FS	3L
				: 	· • • • • • • • • • • • • • • • • • • •	: : : :	i 	: 	••••			····		
			:	:		:	:	:	SEWAI	RD CO. 339	90' FEL			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1064686

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.		
	KCC	OFFICE USE O	NLY		
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1064686


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this				
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1				
Submitted Electronically					



Controlling data is based upon the bast made and photesection of land containing 640 octos.

October 5. 2011

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

October 14, 2011

DEAN PATTISSON Woolsey Operating Company, LLC 125 N MARKET STE 1000 WICHITA, KS 67202-1729

Re: Drilling Pit Application API 15-007-23769-01-00 TUCKER B 5 H NE/4 Sec.11-34S-11W Barber County, Kansas

Dear DEAN PATTISSON:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.