1065005

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31439
Name: Kinney Oil Company
Address 1: 1401 17TH ST STE 870
Address 2:
City: DENVER State: CO Zip: 80202 + 1246
Contact Person: Jeremy Kinney
Phone: (303) 295-1770
CONTRACTOR: License # 30141
Name: Summit Drilling Company
Wellsite Geologist: Kevin Bailey
Purchaser:

Designate Type of Completion:

- [x] New Well
- [ ] Re-Entry
- [ ] Workover

- [x] Oil
- [ ] WSW
- [ ] SWD
- [ ] SIOW
- [ ] Gas
- [ ] D&A
- [ ] ENHR
- [ ] SIGW
- [ ] OG
- [ ] GSW
- [ ] Temp. Abd.
- [ ] CM *(Coal Bed Methane)*
- [ ] Cathodic
- [ ] Other *(Core, Expl., etc.)*:

If Workover/Re-entry: Old Well Info as follows:

Operator:
Well Name:
Original Comp. Date: Original Total Depth:

- [ ] Deepening
- [ ] Re-perf.
- [ ] Conv. to ENHR
- [ ] Conv. to SWD
- [ ] Conv. to GSW
- [ ] Plug Back: Plug Back Total Depth
- [ ] Commingled Permit #:
- [ ] Dual Completion Permit #:
- [ ] SWD Permit #:
- [ ] ENHR Permit #:
- [ ] GSW Permit #:

04/09/2011	4/23/2011	06/23/2011
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-131-20222-00-00
Spot Description:
N2 - N2 - SE Sec. 27 Twp. 1 S. R. 14 [x] East [ ] West
2310 Feet from [ ] North / [x] South Line of Section
1320 Feet from [x] East / [ ] West Line of Section

Footages Calculated from Nearest Outside Section Corner:
[ ] NE [ ] NW [x] SE [ ] SW

County: Nemaha
Lease Name: Strahm Well #: 2-27
Field Name: Wildcat
Producing Formation: Hunton
Elevation: Ground: 1316 Kelly Bushing: 1326
Total Depth: 3958 Plug Back Total Depth: 2961
Amount of Surface Pipe Set and Cemented at: 267 Feet
Multiple Stage Cementing Collar Used? [ ] Yes [x] No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from:
feet depth to: w/ sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)

Chloride content: 500 ppm Fluid volume: 3526 bbls
Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite:

Operator Name:
Lease Name: License #:
Quarter Sec. Twp. S. R. [ ] East [ ] West
County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- [ ] **Letter of Confidentiality Received**
  Date:
- [ ] **Confidential Release Date:**
- [x] **Wireline Log Received**
- [ ] **Geologist Report Received**
- [ ] **UIC Distribution**

ALT [x] **I** [ ] **II** [ ] **III** **Approved by:** Deanna Garrisor **Date:** 12/28/2011

Side Two

1065005

Operator Name: Kinney Oil Company Lease Name: Strahm Well #: 2-27

Sec. 27 Twp. 1 S. R. 14 ☑ East ☐ West County: Nemaha

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☑ Yes ☐ No
(Attach Additional Sheets)

Samples Sent to Geological Survey ☑ Yes ☐ No

Cores Taken ☐ Yes ☑ No

Electric Log Run ☑ Yes ☐ No

Electric Log Submitted Electronically ☑ Yes ☐ No
(If no, Submit Copy)

List All E. Logs Run:
Attached

☑ Log Formation (Top), Depth and Datum ☐ Sample

Name	Top	Datum
Attached	Attached	Attached

CASING RECORD ☑ New ☐ Used
Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12.25	8.625	24	267	class A	165	2% gel & 3% CC
production	7.875	5.5	15.5	3009	thick-set	100	8#/sk kol-seal

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
☐ Perforate ☐ Protect Casing ☐ Plug Back TD ☐ Plug Off Zone	-			
	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record *(Amount and Kind of Material Used)*	Depth
6	2818-2830	250 gal 20% MCA	2818-2830
		500 gal 15% NEFe	2818-2830
		2250 gal gelled 20%	2818-2830

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:
	2.875	2902		☐ Yes ☑ No

Date of First, Resumed Production, SWD or ENHR. 06/23/2011

Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☑ Other *(Explain)* Shut in

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS:	METHOD OF COMPLETION:	PRODUCTION INTERVAL:
☐ Vented ☐ Sold ☐ Used on Lease *(If vented, Submit ACO-18.)*	☐ Open Hole ☑ Perf. ☐ Dually Comp. *(Submit ACO-5)* ☐ Commingled *(Submit ACO-4)* ☑ Other *(Specify)* shut in	2818-2830

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	Kinney Oil Company
Well Name	Strahm 2-27
Doc ID	1065005

All Electric Logs Run

dual induction
neutron density
sonic
micro log

Form	ACO1 - Well Completion
Operator	Kinney Oil Company
Well Name	Strahm 2-27
Doc ID	1065005

Tops

Name	Top	Datum
Heebner	1142	184
Lansing	1256	70
BKC	1584	-258
Cherokee	1762	-436
Mississippian	2457	-1131
Kinderhook	2554	-1228
Hunton	2777	-1451
Maquoketa	3498	-2172
Viola	3562	-2236
Simpson	3757	-2431
Simpson SS	3858	-2532
Arbuckle	3906	-2580
Lamont SS	3936	-2610
Pre-Cambrian	nde	
TD	3958	-2632

CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE Invoice # 240710

Invoice Date: 04/25/2011 Terms: 0/0/30,n/30 Page 1

KINNEY OIL COMPANY
1401 17TH ST, SUITE 870
DENVER CO 80202
(303)295-1770

STRAHM 2-27
30319
27-1-14E
04-10-11
KS

Prod 60

Part Number	Description	Qty	Unit Price	Total
1104S	CLASS "A" CEMENT (SALE)	160.00	14.2500	2280.00
1118B	PREMIUM GEL / BENTONITE	300.00	.2000	60.00
1102	CALCIUM CHLORIDE (50#)	500.00	.7000	350.00
1107	FLO-SEAL (25#)	40.00	2.2200	88.80

	Description	Hours	Unit Price	Total
445	CEMENT PUMP (SURFACE)	1.00	775.00	775.00
445	EQUIPMENT MILEAGE (ONE WAY)	170.00	4.00	680.00
543	TON MILEAGE DELIVERY	1278.40	1.26	1610.78

7309
0113100012
V20716

Parts:	2778.80	Freight:	.00	Tax:	202.85	AR	6047.43
Labor:	.00	Misc:	.00	Total:	6047.43		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 30319
LOCATION Eureka, KS
FOREMAN Shannon Feck

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT API # 15-131-20222

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4-10-11	4670	Strahm 2-27	27	1	14 E	Nemaha

CUSTOMER: Kinney Oil Company
MAILING ADDRESS: 1401 17th St Ste 870
CITY: Denver | STATE: Co. | ZIP CODE: 80202

Summit DRLG CO.

TRUCK #	DRIVER	TRUCK #	DRIVER
445	Dave		
543	Allen B.		

JOB TYPE Surface oil | HOLE SIZE 12 1/4 | HOLE DEPTH 275' | CASING SIZE & WEIGHT 8 5/8" 24#
CASING DEPTH 255 | DRILL PIPE | TUBING | OTHER
SLURRY WEIGHT 15# | SLURRY VOL 38 BBL | WATER gal/sk | CEMENT LEFT in CASING 20 Ft
DISPLACEMENT 16 BBl | DISPLACEMENT PSI 300psi | MIX PSI 150-250 psi | RATE 4.50 BBl/min

REMARKS: Rig up to 8 5/8 casing. Break circulation with 10 BBL water. Mixed 160 sks class "A" cement with 3% calcium 2% gel 1/4# Flo-Seal/sk @ 15#/gal Displace with 16 BBl fresh water. Shut casing in, Circulated 11 BBl slurry. good circulation @ all times. Job complete, rig down & wash up.

((Thanks Shannon & Crew))

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401S	1	PUMP CHARGE	775.00	775.00
5406	170	MILEAGE	4.00	680.00
1104S	160 SKS	Class "A" Cement	14.25	2280.00
1118B	300 #	Gel	.20	60.00
1102	500 #	Calcium Chloride	.70	350.00
1107	40 #	Flo-Seal	2.22	88.80
5407A	7.52 tons	Ton-mileage Bulk Truck	1.26	1610.78
			Sub total	5844.58
		7.3%	SALES TAX	202.85
			ESTIMATED TOTAL	6047.43

Ravin 3737

240110

AUTHORIZTION Dave Cox TITLE DATE 4-10-11

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE Invoice # 240939

Invoice Date: 04/29/2011 Terms: 0/0/30,n/30 Page 1

KINNEY OIL COMPANY
1401 17TH ST, SUITE 870
DENVER CO 80202
(303)295-1770

STRAHM 2-27
30493
27-1-14E
04-24-11
KS

Prod Cole 60

Part Number	Description	Qty	Unit Price	Total
1126A	THICK SET CEMENT	100.00	18.3000	1830.00
1110A	KOL SEAL (50# BAG)	800.00	.4400	352.00
1135A	FL- 115 (FLUID LOSS)	25.00	9.9500	248.75
1137	CDI-26	25.00	7.6200	190.50
1146	CAF - 38	25.00	8.1000	202.50
1111A	SODIUM METASILICATE	100.00	1.9000	190.00

	Description	Hours	Unit Price	Total
520	CEMENT PUMP	1.00	975.00	975.00
520	EQUIPMENT MILEAGE (ONE WAY)	170.00	4.00	680.00
543	TON MILEAGE DELIVERY	935.00	1.26	1178.10

Cement prod casing

7309

0113100012

V20716

Parts:	3013.75	Freight:	.00	Tax:	220.01 AR		6066.86
Labor:	.00	Misc:	.00	Total:	6066.86		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____ Date _____

CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 30493
LOCATION Eureka KS
FOREMAN Rick Ledford

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

API # 15-131-20222

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4-24-11	4570	Strahm 2-27	27	1	14E	Nemaha

CUSTOMER: Kinney Oil Company
MAILING ADDRESS: 1401 17th St. Ste 870
CITY: Denver | STATE: Co. | ZIP CODE: 80202

TRUCK #	DRIVER	TRUCK #	DRIVER
520	Cliff		
543	Allen B.		

JOB TYPE longstring 0 | HOLE SIZE 7 7/8" | HOLE DEPTH 3958' | CASING SIZE & WEIGHT 5½" 15.5#
CASING DEPTH 3002' | DRILL PIPE | TUBING | OTHER P/S @ 2996'
SLURRY WEIGHT 13.6# | SLURRY VOL 31 Bbl | WATER gal/sk 9.0 | CEMENT LEFT in CASING 0'
DISPLACEMENT 70.5 Bbl | DISPLACEMENT PSI 600 | MIX PSI 1100 Bump plug | RATE

REMARKS: Safety meeting- Rig up to 5½" casing. Set packer shoe @ 1300 PSI. Pump 5 Bbl water ahead, 20 Bbl metasilicate pre-flush, 5 Bbl water spacer. Mixed 100 sks thickset cement w/ 8# Kol-seal/sk, ¼% CFL-115, ¼% CDI-26 + ¼% CAF-38 @ 13.6#/gal. yield 1.85. Shut down, washout pump + lines, release latch down plug. Displace w/ 70.5 Bbl fresh water. Final pump pressure 600 PSI. Bump plug to 1100 PSI, release pressure, plug held. Good circulation @ all times while cementing. Job complete. Rig down.

"Thank You"

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	975.00	975.00
5406	170	MILEAGE	4.00	680.00
1126A	100 sks	thickset cement	18.30	1830.00
1110A	800#	8# Kol-seal/sk	.44	352.00
1135A	25#	¼% CFL-115 Fluid loss	9.95	248.75
1137	25#	¼% CDI-26 Friction Reducer	7.62	190.50
1146	25#	¼% CAF-38 Defoamer	8.10	202.50
1111A	100#	metasilicate pre-flush	1.50	190.00
5407A	5.5	ton mileage bulk trk	1.26	1178.10
			Subtotal	5846.85
		7.3%	SALES TAX	220.01
Ravin 3737		640939	ESTIMATED TOTAL	6066.86

AUTHORIZTION B Cobb TITLE DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

DRILL STEM TEST REPORT

Prepared For: **Kinney Oil Company**

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

27/1S/14E Nemaha Co.

Strahm #2-27

Start Date: 2011.04.15 @ 02:59:00

End Date: 2011.04.15 @ 09:03:30

Job Ticket #: 15988 DST #: 1

Superior Testers Enterprises LLC

PO Box 138 Great Bend KS 67530

1-800-792-6902

Printed: 2011.04.15 @ 21:23:47

DRILL STEM TEST REPORT

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15988 **DST#: 1**

Test Start: 2011.04.15 @ 02:59:00

GENERAL INFORMATION:

Formation: **Hunton**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 00:00:00
Time Test Ended: 09:03:30

Test Type: Conventional Bottom Hole (Initial)
Tester: Dylan E Ellis
Unit No: 3345/Great Bend/540

Interval: 2780.00 ft (KB) To 2812.00 ft (KB) (TVD)
Total Depth: 2812.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 1326.00 ft (KB)
1316.00 ft (CF)
KB to GR/CF: 10.00 ft

Serial #: 8400 **Outside**

Press@RunDepth:	psia @	2837.00 ft (KB)		Capacity:	5000.00 psia
Start Date:	2011.04.15	End Date:	2011.04.15	Last Calib.:	2011.04.15
Start Time:	02:59:00	End Time:	09:03:30	Time On Btm:	2011.04.15 @ 05:55:00
				Time Off Btm:	2011.04.15 @ 06:38:30

TEST COMMENT: Miss Run// Packer Failure// Miss Run Didn't have any opening or closeing on the test.



PRESSURE SUMMARY

Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	1424.67	94.52	Initial Hydro-static
44	1369.97	95.41	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
426.00	Drilling Mud 100%	2.33

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)

DRILL STEM TEST REPORT

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15988 **DST#: 1**

Test Start: 2011.04.15 @ 02:59:00

GENERAL INFORMATION:

Formation: **Hunton**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 00:00:00
Time Test Ended: 09:03:30

Test Type: Conventional Bottom Hole (Initial)
Tester: Dylan E Ellis
Unit No: 3345/Great Bend/540

Interval: 2780.00 ft (KB) To 2812.00 ft (KB) (TVD)
Total Depth: 2812.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Poor

Reference Elevations: 1326.00 ft (KB)
1316.00 ft (CF)
KB to GR/CF: 10.00 ft

Serial #: 8405 **Inside**

Press@RunDepth:	psia @	2836.00 ft (KB)		Capacity:	5000.00 psia
Start Date:	2011.04.15	End Date:	2011.04.15	Last Calib.:	2011.04.15
Start Time:	02:59:00	End Time:	09:02:30	Time On Btm:	2011.04.15 @ 05:55:30
				Time Off Btm:	2011.04.15 @ 06:40:30

TEST COMMENT: Miss Run// Packer Failure// Miss Run Didn't have any opening or closeing on the test.



PRESSURE SUMMARY

Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	1400.89	94.79	Initial Hydro-static
45	1349.00	94.34	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
426.00	Drilling Mud 100%	2.33

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)

DRILL STEM TEST REPORT

TOOL DIAGRAM

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15988 **DST#: 1**

Test Start: 2011.04.15 @ 02:59:00

Tool Information

Drill Pipe:	Length:	2415.52 ft	Diameter:	3.00 inches	Volume:	21.12 bbl	Tool Weight:		2000.00 lb
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00 inches	Volume:	0.00 bbl	Weight set on Packer:		20000.00 lb
Drill Collar:	Length:	364.48 ft	Diameter:	2.25 inches	Volume:	1.79 bbl	Weight to Pull Loose:		4000.00 lb
					Total Volume:	22.91 bbl	Tool Chased		0.00 ft
Drill Pipe Above KB:		ft					String Weight:	Initial	40000.00 lb
Depth to Top Packer:		2808.00 ft						Final	41000.00 lb
Depth to Bottom Packer:		ft							
Interval between Packers:		32.00 ft							
Tool Length:		60.00 ft							
Number of Packers:		2	Diameter:	6.75 inches					

Tool Comments: No steps on the v-door/ packer failure tried to set tool twice no help pulled it/

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Shut-In Tool	5.00			2785.00		
Hydrolic Tool	5.00			2790.00		
Jars	6.00			2796.00		
Safety Joint	2.00			2798.00		
Packer	5.00			2803.00	28.00	Bottom Of Top Packer
Packer	5.00			2808.00		
Perforations	27.00			2835.00		
Recorder	1.00	8405	Inside	2836.00		
Recorder	1.00	8400	Outside	2837.00		
Bull Plug	3.00			2840.00	32.00	Bottom Packers & Anchor
Total Tool Length:	**60.00**					

DRILL STEM TEST REPORT

FLUID SUMMARY

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15988 **DST#: 1**

Test Start: 2011.04.15 @ 02:59:00

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	46.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	10.80 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psia		
Salinity:	900.00 ppm				
Filter Cake:	1.00 inches				

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
426.00	Drilling Mud 100%	2.330

Total Length: 426.00 ft Total Volume: 2.330 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: Miss Run// Packer failure tried to set tool twice and no luck come out of the hole/ only had 1 Shale Packer on the test

Serial #: 8400 **Outside** Kinney Oil Company 27/1S/14E Nemaha Co. DST Test Number: 1



Superior Testers Enterprises LLC Ref. No: 15988 Printed: 2011.04.15 @ 21:23:49

Serial #: 8405 **Inside** Kinney Oil Company 27/1S/14E Nemaha Co. DST Test Number: 1



Superior Testers Enterprises LLC Ref. No: 15988 Printed: 2011.04.15 @ 21:23:49

DRILL STEM TEST REPORT

Prepared For: **Kinney Oil Company**

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

27/1S/14E Nemaha Co.

Strahm #2-27

Start Date: 2011.04.16 @ 06:44:00

End Date: 2011.04.16 @ 15:08:30

Job Ticket #: 15989 DST #: 2

Superior Testers Enterprises LLC

PO Box 138 Great Bend KS 67530

1-800-792-6902

Printed: 2011.04.16 @ 15:22:15

DRILL STEM TEST REPORT

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15989 **DST#: 2**

Test Start: 2011.04.16 @ 06:44:00

GENERAL INFORMATION:

Formation: **Hunton**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 10:12:30
Time Test Ended: 15:08:30

Test Type: Conventional Bottom Hole (Initial)
Tester: Dylan E.Ellis
Unit No: 3345/Great Bend/540

Interval: 2530.00 ft (KB) To 2820.00 ft (KB) (TVD)
Total Depth: 2820.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 1326.00 ft (KB)
1316.00 ft (CF)
KB to GR/CF: 10.00 ft

Serial #: 8400 **Outside**

Press@RunDepth:	197.36 psia @	2816.66 ft (KB)		Capacity:	psia
Start Date:	2011.04.16	End Date:	2011.04.16	Last Calib.:	1899.12.30
Start Time:	06:44:00	End Time:	15:08:30	Time On Btm:	2011.04.16 @ 10:11:00
				Time Off Btm:	2011.04.16 @ 12:07:00

TEST COMMENT:
1ST Opening 5 Minutes weak blow/blow blew 0.75 inches into 5 gallon bucket of water
1ST Shut-In 15 Minutes no blow back
2ND Opening 30 Minutes weak blow/blow was steadily dying off/blow dead in 17 minutes
2ND Shut-In 60 Minutes no blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	1413.42	98.22	Initial Hydro-static
2	181.89	97.83	Open To Flow (1)
7	183.61	98.41	Shut-In(1)
24	1410.56	98.82	End Shut-In(1)
26	191.66	98.57	Open To Flow (2)
53	197.36	98.64	Shut-In(2)
115	918.40	99.39	End Shut-In(2)
116	1384.42	96.55	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
45.00	Drilling Mud 100%	0.22

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)

DRILL STEM TEST REPORT

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15989 **DST#: 2**

Test Start: 2011.04.16 @ 06:44:00

GENERAL INFORMATION:

Formation: **Hunton**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 10:12:30
Time Test Ended: 15:08:30

Test Type: Conventional Bottom Hole (Initial)
Tester: Dylan E.Ellis
Unit No: 3345/Great Bend/540

Interval: 2530.00 ft (KB) To 2820.00 ft (KB) (TVD)
Total Depth: 2820.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 1326.00 ft (KB)
1316.00 ft (CF)
KB to GR/CF: 10.00 ft

Serial #: 8405 **Inside**

Press@RunDepth:	915.25 psia @	2815.66 ft (KB)		Capacity:	5000.00 psia
Start Date:	2011.04.16	End Date:	2011.04.16	Last Calib.:	2011.04.16
Start Time:	06:44:00	End Time:	15:07:30	Time On Btm:	2011.04.16 @ 10:11:00
				Time Off Btm:	2011.04.16 @ 12:05:30

TEST COMMENT:
1ST Opening 5 Minutes weak blow/blow blew 0.75 inches into 5 gallon bucket of water
1ST Shut-In 15 Minutes no blow back
2ND Opening 30 Minutes weak blow/blow was steadily dying off/blow dead in 17 minutes
2ND Shut-In 60 Minutes no blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	1413.75	96.63	Initial Hydro-static
1	181.62	96.51	Open To Flow (1)
6	183.16	96.35	Shut-In(1)
23	1409.97	96.56	End Shut-In(1)
25	191.49	96.33	Open To Flow (2)
52	195.36	96.48	Shut-In(2)
114	915.25	97.69	End Shut-In(2)
115	1383.82	95.39	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
45.00	Drilling Mud 100%	0.22

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)

DRILL STEM TEST REPORT

TOOL DIAGRAM

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15989 **DST#: 2**

Test Start: 2011.04.16 @ 06:44:00

Tool Information

Drill Pipe:	Length:	2148.00 ft	Diameter:	3.00	inches	Volume:	18.78 bbl	Tool Weight:		11000.00 lb
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00	inches	Volume:	0.00 bbl	Weight set on Packer:		20000.00 lb
Drill Collar:	Length:	364.48 ft	Diameter:	2.25	inches	Volume:	1.79 bbl	Weight to Pull Loose:		14000.00 lb
						Total Volume:	20.57 bbl	Tool Chased		0.00 ft
Drill Pipe Above KB:		10.48 ft						String Weight:	Initial	40000.00 lb
Depth to Top Packer:		2530.00 ft							Final	40000.00 lb
Depth to Bottom Packer:		ft								
Interval between Packers:		289.66 ft								
Tool Length:		317.66 ft								
Number of Packers:		1	Diameter:	6.75	inches					

Tool Comments: Just ran one single shale packer on the test tool / no steps on v-door

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Shut-In Tool	5.00			2507.00		
Hydrolic Tool	5.00			2512.00		
Jars	6.00			2518.00		
Safety Joint	2.00			2520.00		
Packer	5.00			2525.00	28.00	Bottom Of Top Packer
Packer	5.00			2530.00		
Perforations	5.00			2535.00		
Change Over Sub	0.75			2535.75		
Drill Collars	270.16			2805.91		
Change Over Sub	0.75			2806.66		
Perforations	8.00			2814.66		
Recorder	1.00	8405	Inside	2815.66		
Recorder	1.00	8400	Outside	2816.66		
Bull Plug	3.00			2819.66	289.66	Bottom Packers & Anchor
Total Tool Length:	**317.66**					

DRILL STEM TEST REPORT

FLUID SUMMARY

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15989 **DST#: 2**

Test Start: 2011.04.16 @ 06:44:00

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	55.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	10.20 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psia		
Salinity:	800.00 ppm				
Filter Cake:	1.00 inches				

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
45.00	Drilling Mud 100%	0.221

Total Length: 45.00 ft Total Volume: 0.221 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

Serial #: 8400 **Outside** Kinney Oil Company 27/1S/14E Nemaha Co. DST Test Number: 2



Superior Testers Enterprises LLC Ref. No: 15989 Printed: 2011.04.16 @ 15:22:18

Serial #: 8405 **Inside** Kinney Oil Company 27/1S/14E Nemaha Co. DST Test Number: 2



Superior Testers Enterprises LLC Ref. No: 15989 Printed: 2011.04.16 @ 15:22:19

DRILL STEM TEST REPORT

Prepared For: **Kinney Oil Company**

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

27/1S/14E Nemaha Co.

Strahm #2-27

Start Date: 2011.04.16 @ 11:17:00

End Date: 2011.04.16 @ 19:17:00

Job Ticket #: 15990 DST #: 3

Superior Testers Enterprises LLC

PO Box 138 Great Bend KS 67530

1-800-792-6902

Printed: 2011.04.17 @ 08:09:18

DRILL STEM TEST REPORT

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15990 **DST#: 3**

Test Start: 2011.04.16 @ 11:17:00

GENERAL INFORMATION:

Formation: **Hunton**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 14:06:30
Time Test Ended: 19:17:00

Test Type: Conventional Bottom Hole (Initial)
Tester: Dylan E Ellis
Unit No: 3345 Great Bend/540

Interval: 2817.00 ft (KB) To 2830.00 ft (KB) (TVD)
Total Depth: 2830.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 1326.00 ft (KB)
1316.00 ft (CF)
KB to GR/CF: 10.00 ft

Serial #: 8400 **Outside**

Press@RunDepth:	49.78 psia @	2827.00 ft (KB)		Capacity:	5000.00 psia
Start Date:	2011.04.16	End Date:	2011.04.16	Last Calib.:	2011.04.17
Start Time:	11:17:00	End Time:	19:17:00	Time On Btm:	2011.04.16 @ 14:05:00
				Time Off Btm:	2011.04.16 @ 15:59:30

TEST COMMENT:
1ST Opening 5 Minutes very weak blow /but building/blow built to 0.50into bucket of water
1ST Shut-In 15 Minutes no blow back
2ND Opening 30 Minutes very weak surface blow /blow didn't build at all
2ND Shut-In 60 Minutes no blow back-



PRESSURE SUMMARY

Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	1426.53	92.19	Initial Hydro-static
2	33.57	92.58	Open To Flow (1)
7	34.61	93.34	Shut-In(1)
21	1018.78	93.96	End Shut-In(1)
22	36.34	93.56	Open To Flow (2)
52	49.78	101.30	Shut-In(2)
114	930.78	100.54	End Shut-In(2)
115	1402.64	100.29	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
3.00	Clean Free Oil 100%	0.01
42.00	Slight Oil cut Mud	0.21
0.00	Oil 10% Mud 90%	0.00

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)

DRILL STEM TEST REPORT

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15990 **DST#: 3**

Test Start: 2011.04.16 @ 11:17:00

GENERAL INFORMATION:

Formation: **Hunton**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 14:06:30
Time Test Ended: 19:17:00

Test Type: Conventional Bottom Hole (Initial)
Tester: Dylan E Ellis
Unit No: 3345 Great Bend/540

Interval: 2817.00 ft (KB) To 2830.00 ft (KB) (TVD)
Total Depth: 2830.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 1326.00 ft (KB)
1316.00 ft (CF)
KB to GR/CF: 10.00 ft

Serial #: 8405 **Inside**

Press@RunDepth:	929.88 psia @	2826.00 ft (KB)		Capacity:	5000.00 psia
Start Date:	2011.04.16	End Date:	2011.04.16	Last Calib.:	2011.04.17
Start Time:	11:17:00	End Time:	19:16:30	Time On Btm:	2011.04.16 @ 14:04:30
				Time Off Btm:	2011.04.16 @ 16:00:00

TEST COMMENT:
1ST Opening 5 Minutes very weak blow /but building/blow built to 0.50into bucket of water
1ST Shut-In 15 Minutes no blow back
2ND Opening 30 Minutes very weak surface blow /blow didn't build at all
2ND Shut-In 60 Minutes no blow back-



PRESSURE SUMMARY

Time (Min.)	Pressure (psia)	Temp (deg F)	Annotation
0	1432.33	89.59	Initial Hydro-static
2	33.29	90.09	Open To Flow (1)
8	34.36	91.37	Shut-In(1)
22	1018.41	92.07	End Shut-In(1)
23	36.48	92.21	Open To Flow (2)
52	49.59	97.97	Shut-In(2)
114	929.88	98.11	End Shut-In(2)
116	1395.22	97.82	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
3.00	Clean Free Oil 100%	0.01
42.00	Slight Oil cut Mud	0.21
0.00	Oil 10% Mud 90%	0.00

Gas Rates

	Choke (inches)	Pressure (psia)	Gas Rate (Mcf/d)

DRILL STEM TEST REPORT

TOOL DIAGRAM

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15990 **DST#: 3**

Test Start: 2011.04.16 @ 11:17:00

Tool Information

Drill Pipe:	Length:	2450.00 ft	Diameter:	3.00	inches	Volume:	21.42 bbl	Tool Weight:		2000.00 lb
Heavy Wt. Pipe:	Length:	0.00 ft	Diameter:	0.00	inches	Volume:	0.00 bbl	Weight set on Packer:		20000.00 lb
Drill Collar:	Length:	364.48 ft	Diameter:	2.25	inches	Volume:	1.79 bbl	Weight to Pull Loose:		24000.00 lb
						Total Volume:	23.21 bbl	Tool Chased		0.00 ft
Drill Pipe Above KB:		25.48 ft						String Weight:	Initial	40000.00 lb
Depth to Top Packer:		2817.00 ft							Final	41000.00 lb
Depth to Bottom Packer:		ft								
Interval between Packers:		13.00 ft								
Tool Length:		41.00 ft								
Number of Packers:		1	Diameter:	6.75	inches					

Tool Comments: There were no steps on the beaver slide (V-Door)/ Only one single shale packer on the test tool.

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths	
Shut-In Tool	5.00			2794.00		
Hydrolic Tool	5.00			2799.00		
Jars	6.00			2805.00		
Safety Joint	2.00			2807.00		
Packer	5.00			2812.00	28.00	Bottom Of Top Packer
Packer	5.00			2817.00		
Perforations	8.00			2825.00		
Recorder	1.00	8405	Inside	2826.00		
Recorder	1.00	8400	Outside	2827.00		
Bull Plug	3.00			2830.00	13.00	Bottom Packers & Anchor
Total Tool Length:	**41.00**					

DRILL STEM TEST REPORT

FLUID SUMMARY

Kinney Oil Company

1401 17th Street Suite 870
Denver Colorado 80202+1246

ATTN: Kevin Bailey

Strahm #2-27

27/1S/14E Nemaha Co.

Job Ticket: 15990 **DST#: 3**

Test Start: 2011.04.16 @ 11:17:00

Mud and Cushion Information

Mud Type:	Gel Chem	Cushion Type:		Oil API:	deg API
Mud Weight:	9.00 lb/gal	Cushion Length:	ft	Water Salinity:	ppm
Viscosity:	55.00 sec/qt	Cushion Volume:	bbl		
Water Loss:	10.20 in³	Gas Cushion Type:			
Resistivity:	ohm.m	Gas Cushion Pressure:	psia		
Salinity:	800.00 ppm				
Filter Cake:	1.00 inches				

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
3.00	Clean Free Oil 100%	0.015
42.00	Slight Oil cut Mud	0.207
0.00	Oil 10% Mud 90%	0.000

Total Length: 45.00 ft Total Volume: 0.222 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

Serial #: 8400 **Outside** Kinney Oil Company 27/1S/14E Nemaha Co. DST Test Number: 3



Superior Testers Enterprises LLC Ref. No: 15990 Printed: 2011.04.17 @ 08:09:20


Pressure vs. Time
8405 Pressure
8405 Temperature
Initial Hydro-static
Final Hydro-static
End Shut-In(1)
End Shut-In(2)
Open To Flow(1)
Shut-In(1)
Open To Flow(2)
Shut-In(2)
Pressure (psia)
Temperature (deg F)
1500
1250
1000
750
500
250
0
100
95
90
85
80
75
70
65
60
55
12PM
3PM
6PM
16 Sat Apr 2011
Time (Hours)


Plug Back Depth (Feet)
Drill Bit Size (Inches)
Drill Bit Type
Hole Condition
Mud Type
Mud Density (lbs/gal)
Mud Viscosity (sec)
Mud Resistivity (Ohm-m)
Mud Filtrate Resistivity (Ohm-m)
Mud Cake Resistivity (Ohm-m)
Mud Cake Thickness (inch)
Source of Mud Resistivity Data
Source of Mud Filtrate Resistivity Data
Source of Mud Cake Resistivity Data
Source of Mud Cake Thickness Data
Source of Bit Size Data
Source of Bit Type Data
Source of Hole Condition Data
Source of Mud Type Data
Source of Mud Density Data
Source of Mud Viscosity Data
COMPANY: BARRETT OIL Company,Having Money
WELL: Bear Creek 1
FIELD: Cutting Canyon,Lat 39.42 Long -111.75,Utah
LOCATION: Section 11, Township
API #: Permanent Datum: Log Measured From: Drilling Measured From:
Elevation: Elevation: Elevation:
Date: Run Number: Depth Driller: Depth Logger: Bottom Log Interval: Top Log Interval: Casing Driller Size: Casing Logger Size: Bit Size: Type Fluid in Hole: Density: Viscosity: Fluid Loss: Source of Sample: Rm @ Meas Temp: Rmf @ Meas Temp: Rmc @ Meas Temp: Source Rmf/Rmc: Rm @ BHT: Max Recorded Temp: Equipment Number: Location: Recorded By: Witnessed By:
Depth (Feet)
Gamma Ray (API Units)
Caliper (Inches)
Resistivity (Ohm-m)
Porosity (%)
Density (g/cm3)
Sonic (us/ft)
Lithology
Formation Tops
Comments
Top of Log
Bottom of Log
Casing Shoe
Casing Shoe Depth
Casing Shoe Diameter
Casing Shoe Type
Casing Shoe Material
Casing Shoe Weight
Casing Shoe Grade
Casing Shoe Thickness
Casing Shoe Connection
Casing Shoe Manufacturer
Casing Shoe Serial Number
Casing Shoe Comments
Casing Shoe Depth Source
Casing Shoe Diameter Source
Casing Shoe Type Source
Casing Shoe Material Source
Casing Shoe Weight Source
Casing Shoe Grade Source
Casing Shoe Thickness Source
Casing Shoe Connection Source
Casing Shoe Manufacturer Source
Casing Shoe Serial Number Source
Casing Shoe Comments Source
Casing Shoe Depth Source Comments
Casing Shoe Diameter Source Comments
Casing Shoe Type Source Comments
Casing Shoe Material Source Comments
Casing Shoe Weight Source Comments
Casing Shoe Grade Source Comments
Casing Shoe Thickness Source Comments
Casing Shoe Connection Source Comments
Casing Shoe Manufacturer Source Comments
Casing Shoe Serial Number Source Comments
Casing Shoe Comments Source Comments
Casing Shoe Depth Source Comments Source
Casing Shoe Diameter Source Comments Source
Casing Shoe Type Source Comments Source
Casing Shoe Material Source Comments Source
Casing Shoe Weight Source Comments Source
Casing Shoe Grade Source Comments Source
Casing Shoe Thickness Source Comments Source
Casing Shoe Connection Source Comments Source
Casing Shoe Manufacturer Source Comments Source
Casing Shoe Serial Number Source Comments Source
Casing Shoe Comments Source Comments Source
Casing Shoe Depth Source Comments Source Comments
Casing Shoe Diameter Source Comments Source Comments
Casing Shoe Type Source Comments Source Comments
Casing Shoe Material Source Comments Source Comments
Casing Shoe Weight Source Comments Source Comments
Casing Shoe Grade Source Comments Source Comments
Casing Shoe Thickness Source Comments Source Comments
Casing Shoe Connection Source Comments Source Comments
Casing Shoe Manufacturer Source Comments Source Comments
Casing Shoe Serial Number Source Comments Source Comments
Casing Shoe Comments Source Comments Source Comments
Casing Shoe Depth Source Comments Source Comments Source
Casing Shoe Diameter Source Comments Source Comments Source
Casing Shoe Type Source Comments Source Comments Source
Casing Shoe Material Source Comments Source Comments Source
Casing Shoe Weight Source Comments Source Comments Source
Casing Shoe Grade Source Comments Source Comments Source
Casing Shoe Thickness Source Comments Source Comments Source
Casing Shoe Connection Source Comments Source Comments Source
Casing Shoe Manufacturer Source Comments Source Comments Source
Casing Shoe Serial Number Source Comments Source Comments Source
Casing Shoe Comments Source Comments Source Comments Source
Casing Shoe Depth Source Comments Source Comments Source Comments
Casing Shoe Diameter Source Comments Source Comments Source Comments
Casing Shoe Type Source Comments Source Comments Source Comments
Casing Shoe Material Source Comments Source Comments Source Comments
Casing Shoe Weight Source Comments Source Comments Source Comments
Casing Shoe Grade Source Comments Source Comments Source Comments
Casing Shoe Thickness Source Comments Source Comments Source Comments
Casing Shoe Connection Source Comments Source Comments Source Comments
Casing Shoe Manufacturer Source Comments Source Comments Source Comments
Casing Shoe Serial Number Source Comments Source Comments Source Comments
Casing Shoe Comments Source Comments Source Comments Source Comments
Casing Shoe Depth Source Comments Source Comments Source Comments Source
Casing Shoe Diameter Source Comments Source Comments Source Comments Source
Casing Shoe Type Source Comments Source Comments Source Comments Source
Casing Shoe Material Source Comments Source Comments Source Comments Source
Casing Shoe Weight Source Comments Source Comments Source Comments Source
Casing Shoe Grade Source Comments Source Comments Source Comments Source
Casing Shoe Thickness Source Comments Source Comments Source Comments Source
Casing Shoe Connection Source Comments Source Comments Source Comments Source
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source
Casing Shoe Comments Source Comments Source Comments Source Comments Source
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments
Casing Shoe Depth Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Diameter Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Type Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Material Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Weight Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Grade Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Thickness Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Connection Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Manufacturer Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Serial Number Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source
Casing Shoe Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source Comments Source