

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1065795

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	_ Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	
Phone: ()	
CONTRACTOR: License #	County:
Name:	
Wellsite Geologist:	
Purchaser:	-
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Amount of Surface Pipe Set and Cemented at:
Operator:	_
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWE	Chloride content: ppm Fluid volume: bbls
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSec TwpS. R East 🗌 West
ENHR Permit #: GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date Recompletion Date	-

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

	Side Two			
Operator Name:	Lease Name:	Well #:		
Sec TwpS. R East _ West	County:			

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		-	n (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	le		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		 Yes No Yes No Yes No 					
List All E. Logs Run:							
		CASING		ew Used			
		Report all strings set-	-conductor, surface, inte	ermediate, producti	on, etc.		
Purpose of String Size Hole Drilled		Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Depth		
TUBING RECORD:	Siz	:e:	Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed Production, SWD or ENH			₹.	Producing N	1ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:			METHOD OF COMPLE		TION:		PRODUCTION INT	ERVAL:		
Vented Sold		Jsed on Lease		Open Hole	Perf.	Dually (Submit A	Comp. AC <i>O-5)</i>	Commingled (Submit ACO-4)		
(If vented, Subr	nit ACO	-18.)		Other (Specify)						

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Marion Jones 26-11
Doc ID	1065795

Tops

Name	Тор	Datum
Soil	0	12
Shale	12	170
Lime	170	220
Shale & Lime	220	640
Shale	640	820
Lime	820	840
Shale & Lime	840	978
Black Shale	978	984
5' Llme	984	990
Black Shale	990	992
Upper Squirrel Sand	992	1004
Shale	1004	1037
Cap Rock	1037	1038
Shale	1038	1040
Cap Rock	1040	1041
Lower Squirrel Sand	1041	1055
Shale	1055	1100

	Phone 365-2201	"Co	urtes	y" - "Quality" - "Service"		Sinc	e 1903	
)#	aymon	$\infty \Lambda$	MA	EIN LUMBER CO., I DISON & WALNUT KANSAS,		1-23	, 20	11
LD TQ	ungroup.	can		BILLING ADDRESS				
livered To	4			Loaded By	Ha	auled By		
UANTITY		DESCRIPTIC	ON		FEET	PRICE	TOTAL	
200	Sacho	Allan			200	945 tay	1890	00
		and the state of the state					2051	42

CEIVED ABOVE IN GOOD ORDER

Ravin 39

Jones 22-11 10 sacks Shepard 5-11 - 10 Dacks g. Dunne 1-0-11 10 Dacks Vection 35 92-11 10 Dack - ID Dacks Shepard 7-11 Shepard 9-11 - 10 Dacks Shepard 8-11 - 10 Dacks Nection 35 93-11 10 Dack. - 10 Dacka IDS Marion Jones I-1-11 10 sacka Theparde 10-11 10, Tracion Jones 26-11 1D Dacks Shepara 11-11 10 Dacks Shapard 12-11 10 Dacks Shepard 13-11 10 Dacks Shipard 6-11 1) sacks

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, **T**.C.

LA005 LAYMON OIL II, L.L.C. 1998 SQUIRREL RD.

NEOSHO FALLS KS C C TYLE

		and i see		1 1240 200 200 1 200	1 I the back				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #		
				% CAL	₩K	% AIR			
07:36:13a	WELL	8.00 yd	16.00 yd	0.00	. 35	0.00	WOOCO		
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER		
09-14-11	Today	3	24.00 yd 8.00 yd	18384	G/yd -70.0	4.00 in	30144		
Contains Portland Cemer CAUSE BURNS. Avoid C Contact With Skin or Eye Attention. KEEP CHILDRI CONCRETE is a PERISHABL	E COMMODITY and BECOMES the PROP	ROLONGED CONTACT MAY intact With Skin. In Case of ritation Persists, Get Medical ERTY of the PURCHASER UPON	(TO BE SIGNED IF DELIVERY T Dear Customer-The driver of this to you for your signature is of the opi truck may possibly cause damage property if it places the material in our wish to help you in every way the driver is requesting that you si this supplier from any responsibility to the premises and/or adjace	MAGE RELEASE TO BE MADE INSIDE CURB LINE) ruck in presenting this RELEASE to inion that the size and weight of his e to the premises and/or adjacent in this load where you desire it. It is that we can, but in order to do this ign this RELEASE relieving him and y from any damage that may occur int property, buildings, sidewalks,		is Detrimental to Concr ded By Request/Author			
TELEPHONED to the OFFICI The undersigned promises to any sums owed.	CHANGES OR CANCELLATION of ORIGI BEFORE LOADING STARTS. pay all costs, including reasonable attor days of delivery will bear interest at the rate	neys' fees, incurred in collecting	also agree to help him remove mu that he will not litter the public stra- tion, the undersigned agrees to ind of this truck and this supplier for a	ivery of this material, and that you d from the wheels of his vehicle so eet. Further, as additional considera- emnify and hold harmless the driver any and all damage to the premises	NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED				
Not Responsible for Reactiv	e Aggregate or Color Quality. No Claim		arisin out of delivery of this order.	ay be claimed by anyone to have	LOAD RECEIVED BY:	JUD EINE.			
Material is Delivered. A \$25 Service Charge and	Loss of the Cash Discount will be collec	ted on all Returned Checks.	SIGNED						
Excess Delay Time Charged @			X		Χ				
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE		
8.00	WELL	LICT 1 (10 0	ACKS PER UNI	TI	8.00	76.00	608.00		
				11	2.00	50.00	100.00		
2.00	TRUCKING	TRUCKING C	THRUE.		C.s 1010	10.00	I WHO & KOND		
		K	Aipe						
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YLINDER TEST TAKEN	TIME ALLOWED	ubTotal \$	708.00		
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 	T	ax % 7.300	51.68 759.68		
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 5. ADDED WATER		TIME DUE	rder \$	759.68		
7:52	5:22					ADDITIONAL CHARGE 1			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2			
				J. J.		GRAND TOTAL			

CONDITIONS



Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA8/15		
HELL# M	ARION JONE	S
54 W TO	QUAIL N T	0 160TH
E N SD		
WELL #	26-11	
NEOSHO	FALLS	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

> 1.4005 LAYMON OIL II, L.L.C. 1998 SQUIRREL RD.

NEOSHO FALLS KS 66.758

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	V POI	DRIVER/TRUCK	% QTR	PLANT/TRANSACTION #		
07:40:36á V	IELL	8.00 yd	16.00 yd	0.00	35	0.00	WOOCO		
DATE	a Data	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER		
09-14-11 7	oday	8	16.00 yd	18385	G/yd -70.0	4.00 in	30145		
WARRNING Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.			(TO BE SIGNED IF DELIVERY TO Dear Customer-The driver of this the you for your signature is of the opin truck may possibly cause damage property if it places the material in our wish to help you in every way to the driver is requesting that you sign this supplier from any responsibility to the premises and/or adjacer driveways, curbs, etc., by the delive also agree to help him remove much that he will not litter the public stree tion, the undersigned agrees to inder of this truck and this supplier for all	PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional considera- tion, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED		Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By 			
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE		
8.00	WELL	WELL (10 S	SACKS PER UNI	n IRQ	16.00	76.00	608.00		

			1. 1 1 min harmont				
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	ubTotal \$	608.00
			2. SLOW POUR OR PUMP 7. ACC 3. TRUCK AHEAD ON JOB 8. CITA	and the second	T	ax % 7.300	44.38
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTH 5. ADDED WATER	R	TIME DUE	rder \$	1412.06
7:12	A. A.			•		ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
				v ¹²		GRAND TOTAL	
	1		and the standard standard standard standards	Sandara Sandara			

CONDITIONS



CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA8/1	5		
WELLA	MARION	JONES	
54 W	TO QUALL	N TO	160TH
EN	SD		
WELL	# 26-11	-	
NEOSH	O FALLS		